

Dated: October 16, 1997.

Robert S. LaRussa,

Assistant Secretary for Import Administration.

[FR Doc. 97-27990 Filed 10-21-97; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-201-806]

Steel Wire Rope From Mexico: Extension of Time Limits for Preliminary Results of Antidumping Administrative Review

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of extension of time limits for preliminary results of antidumping administrative review.

EFFECTIVE DATE: October 22, 1997.

FOR FURTHER INFORMATION CONTACT:

Leah Schwartz or G. Leon McNeill, Office of AD/CVD Enforcement, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, N.W., Washington, D.C. 20230; telephone: (202) 482-3782 or (202) 482-4236, respectively.

The Applicable Statute

Unless otherwise indicated, all citations to the statute are references to the provisions effective January 1, 1995, the effective date of the amendments made to the Tariff Act of 1930 (the Act) by the Uruguay Round Agreements Act.

Extension of Time Limits for Preliminary Results

The Department of Commerce has received a request to conduct an administrative review of the antidumping duty order on Steel Wire Rope from Mexico. On May 21, 1997, the Department initiated this administrative review covering the period March 1, 1996 through February 28, 1997.

Because of the complexity of certain issues in this case, it is not practicable to complete this review within the time limits mandated by section 751(a)(3)(A) of the Act. See Memorandum from Joseph A. Spetrini to Robert S. LaRussa, Extension of Time Limit for the Administrative Review of Steel Wire Rope from Mexico, dated October 16, 1997. Therefore, in accordance with that section, the Department is extending the time limits for the preliminary results to March 1, 1998, and for the final results to 120 days after the publication of the

preliminary results. These extensions of time limits are in accordance with section 751(a)(3)(A) of the Act.

Dated: October 16, 1997.

Joseph A. Spetrini,

Deputy Assistant Secretary for AD/CVD Enforcement III.

[FR Doc. 97-27992 Filed 10-21-97; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

University of Virginia, et al.; Notice of Consolidated Decision on Applications for Duty-Free Entry of Scientific Instruments

This is a decision consolidated pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 A.M. and 5:00 P.M. in Room 4211, U.S. Department of Commerce, 14th and Constitution Avenue, N.W., Washington, D.C.

Comments: None received. **Decision:** Approved. No instrument of equivalent scientific value to the foreign instruments described below, for such purposes as each is intended to be used, is being manufactured in the United States.

Docket Number: 97-034. **Applicant:** University of Virginia, Charlottesville, VA 22908. **Instrument:** Ultrascope, Model MKII. **Manufacturer:** Optech International Ltd., New Zealand. **Intended Use:** See notice at 62 FR 40334, July 28, 1997. **Reasons:** The foreign instrument provides video-enhanced imaging for teaching gross anatomy and tissue dissection for medical students. Advice received from: National Institutes of Health, September 2, 1997.

Docket Number: 97-052. **Applicant:** Albert Einstein College of Medicine, Bronx, NY 10461-1602. **Instrument:** Ion Source Kit for Mass Spectrometer, Model ES002. **Manufacturer:** The Protein Analysis Company, Denmark. **Intended Use:** See notice at 62 FR 40334, July 28, 1997. **Reasons:** The foreign instrument provides low flow (nanoliters per minute) electrospray ionization for analysis of biopolymeric samples. Advice received from: National Institutes of Health, September 2, 1997.

Docket Number: 97-056. **Applicant:** University of Vermont, Burlington, VT 05405-0084. **Instrument:** Roentgen Stereophotogrammetric Analysis System. **Manufacturer:** RSA BioMedical Innovations AB, Sweden. **Intended Use:**

See notice at 62 FR 41361, August 1, 1997. **Reasons:** The foreign instrument provides three-dimensional measurements of the kinematics of skeletal or implant movements using radiographs of small implanted tantalum beads as markers during repeated examinations of body joints. Advice received from: National Institutes of Health, September 2, 1997.

Docket Number: 97-059. **Applicant:** University of Connecticut, Storrs, CT 06269-2092. **Instrument:** Interfacial Rheometer, Model CIR-100. **Manufacturer:** Camtel, Ltd., United Kingdom. **Intended Use:** See notice at 62 FR 42236, August 6, 1997. **Reasons:** The foreign instrument provides information on interfacial film strength, concentration and interactions, molecular unfolding and competition between molecules for interfacial space. Advice received from: National Institutes of Health, September 2, 1997.

Docket Number: 97-060. **Applicant:** The Pennsylvania State University, University Park, PA 16802. **Instrument:** NMR Spectrometer, Model Avance DRX-600. **Manufacturer:** Bruker Instruments, Inc., Switzerland. **Intended Use:** See notice at 62 FR 43710, August 15, 1997. **Reasons:** The foreign instrument provides a 600-MHz magnet with sample temperature stability to 0.01°C for study of solvation of macromolecules. Advice received from: National Institutes of Health, September 2, 1997.

Docket Number: 97-061. **Applicant:** Woods Hole Oceanographic Institution, Woods Hole, MA 02543. **Instrument:** IR Mass Spectrometer, Model DELTA^{plus}. **Manufacturer:** Finnigan, Germany. **Intended Use:** See notice at 62 FR 42237, August 6, 1997. **Reasons:** The foreign instrument provides a magnetic sector mass analyzer with a precision of 1 ppt. Advice received from: National Institutes of Health, September 2, 1997.

Docket Number: 97-062. **Applicant:** Clemson University, Clemson, SC 29634-0905. **Instrument:** Knee Joint Simulator. **Manufacturer:** UCL Ltd., United Kingdom. **Intended Use:** See notice at 62 FR 43710, August 15, 1997. **Reasons:** The foreign instrument provides pneumatic control of simulator and meniscal knee design testing. Advice received from: National Institutes of Health, September 2, 1997.

Docket Number: 97-067. **Applicant:** Princeton University, Princeton, NJ 08544-0033. **Instrument:** EPR Spectrometer, Model E580 FT/CW. **Manufacturer:** Bruker Instruments, Germany. **Intended Use:** See notice at 62 FR 43710, August 15, 1997. **Reasons:** The foreign instrument provides

operation of a frequency of 94 GHz for highest sensitivity. Advice received from: National Institutes of Health, September 2, 1997.

Docket Number: 97-069. *Applicant:* University of California, Los Angeles, Los Angeles, CA 90095-1569.

Instrument: Stopped-Flow Reaction Analyzer, Model SX.18MV.

Manufacturer: Applied Photophysics Ltd., United Kingdom. *Intended Use:* See notice at 62 FR 45397, August 27, 1997. *Reasons:* The foreign instrument provides sequential mixing (multi-mixing) capability. Advice received from: National Institutes of Health, September 2, 1997.

Docket Number: 97-070. *Applicant:* Yale University, New Haven, CT 06520-8202. *Instrument:* Signal Conditioner Processor, Model SIGMA-5-DF.

Manufacturer: CardioDynamics BV, The Netherlands. *Intended Use:* See notice at 62 FR 45397, August 27, 1997. *Reasons:* The foreign instrument provides conductance catheter measurement of right and left ventricular volumes. Advice received from: National Institutes of Health, September 3, 1997.

Docket Number: 97-071. *Applicant:* Colorado School of Mines, Golden, CO 80401. *Instrument:* Mass Spectrometer, Model JMS-700T. *Manufacturer:* JEOL, Ltd., Japan. *Intended Use:* See notice at 62 FR 45397, August 27, 1997. *Reasons:* The foreign instrument provides high resolution tandem mass spectrometry for study of pyrolysis products from bacteria. Advice received from: National Institutes of Health, September 3, 1997.

The National Institutes of Health advises in its memoranda that (1) the capabilities of each of the foreign instruments described above are pertinent to each applicant's intended purpose and (2) it knows of no domestic instrument or apparatus of equivalent scientific value for the intended use of each instrument.

We know of no other instrument or apparatus being manufactured in the United States which is of equivalent scientific value to any of the foreign instruments.

Frank W. Creel,

Director, Statutory Import Programs Staff.

[FR Doc. 97-27994 Filed 10-21-97; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

University of California, San Diego; Notice of Decision on Application for Duty-Free Entry of Scientific Instrument

This decision is made pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-651, 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 A.M. and 5:00 P.M. in Room 4211, U.S. Department of Commerce, 14th and Constitution Avenue, N.W., Washington, D.C.

Docket Number: 97-066. *Applicant:* University of California, San Diego, San Diego, CA 92121. *Instrument:* Wave Measurement Equipment. *Manufacturer:* Datawell bv, The Netherlands. *Intended Use:* See notice at 62 FR 43710, August 15, 1997.

Comments: None received. *Decision:* Approved. No instrument of equivalent scientific value to the foreign instrument, for such purposes as it is intended to be used, is being manufactured in the United States.

Reasons: The foreign instrument provides: (1) More reliable wave direction estimates at frequencies under 1.0 Hz and over 3.0 Hz with less variability within the range and (2) better wave spread estimates than comparable domestic equipment. Two domestic manufacturers of similar equipment advised on April 23, 1997 that (1) these capabilities are pertinent to the applicant's intended purpose and (2) they know of no domestic instrument or apparatus of equivalent scientific value to the foreign instrument for the applicant's intended use (comparable case).

We know of no other instrument or apparatus of equivalent scientific value to the foreign instrument which is being manufactured in the United States.

Frank W. Creel,

Director, Statutory Import Programs Staff.

[FR Doc. 97-27995 Filed 10-21-97; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

University of Florida; Notice of Decision on Application for Duty-Free Entry of Scientific Instrument

This decision is made pursuant to Section 6(c) of the Educational, Scientific, and Cultural Materials Importation Act of 1966 (Pub. L. 89-

651, 80 Stat. 897; 15 CFR part 301). Related records can be viewed between 8:30 A.M. and 5:00 P.M. in Room 4211, U.S. Department of Commerce, 14th and Constitution Avenue, N.W., Washington, D.C.

Docket Number: 97-068. *Applicant:* University of Florida, Gainesville, FL 32611. *Instrument:* IR Mass Spectrometer, Model DELTA^{plus}. *Manufacturer:* Finnigan MAT, Germany. *Intended Use:* See notice at 62 FR 44949, August 25, 1997.

Comments: None received. *Decision:* Approved. No instrument of equivalent scientific value to the foreign instrument, for such purposes as it is intended to be used, is being manufactured in the United States. *Reasons:* The foreign instrument provides: (1) A magnetic sector analyzer with double direction (stigmatic) focusing and (2) a universal triple collector suitable for N₂, O₂, CO₂ and SO₂ measurements. These capabilities are pertinent to the applicant's intended purposes and we know of no other instrument or apparatus of equivalent scientific value to the foreign instrument which is being manufactured in the United States.

Frank W. Creel,

Director, Statutory Import Programs Staff.

[FR Doc. 97-27996 Filed 10-21-97; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration, Commerce

Export Trade Certificate of Review

ACTION: Notice of Issuance of an Amended Export Trade Certificate Review, Application No. 88-4A013.

SUMMARY: The Department of Commerce has issued an amendment to the Export Trade Certificate of Review granted to CISA Export Trade Group, Inc. ("CISA ETG") on October 19, 1988. Notice of issuance of the Certificate was published in the **Federal Register** on October 26, 1988 (53 FR 43253).

FOR FURTHER INFORMATION CONTACT: Morton Schnabel, Acting Director, Office of Export Trading Company Affairs, International Trade Administration, (202) 482-5131. This is not a toll-free number.

SUPPLEMENTARY INFORMATION: Title III of the Export Trading Company Act of 1982 (15 U.S.C. 4001-21) authorizes the Secretary of Commerce to issue Export Trade Certificates of Review. The regulations implementing Title III are found at 15 CFR part 325 (1997).