

material and the practices used during reconstruction and reclamation can have a significant impact on crop yields.

References

Grossman, R.B., E.C. Benham, D.S. Harms, and H.R. Sinclair, Jr. 1992. Physical Root Restriction Prediction in Mine Spoil Reclamation Protocol. P. 191-196. In R.E. Ducker et al. (ed.) Proc. of the 1992 Natl. Symp. on Prime Farmland Reclamation. Dep. Of Agron., Univ. of IL, Urbana, IL.

Pierce, F.J., W.E. Larson, R.H. Dowdy, and W.A.P. Graham, 1983. Productivity of Soils: Assessing Long-term Changes Due to Erosion. J. Soil Water Conserv. 38: 39-44.

Fehrenbacher, J.B. and H.J. Snider. 1954. Corn Root Penetration in Muscatine, Elliott, and Cisne Soils. Soil Sci. 77:281-291.

Feherenbacher, J.B. and R.H. Rust. 1956. Corn Root Penetration in Soils Derived from Various Textures of Wisconsin Age Glacial Till. Soil Sci. 82:369-378.

IL Agric. Exp. Stn. Spring 1967. Root Development of Corn, Soybeans, Wheat, and Meadow in Some Illinois Soils. Illinois Research, Univ. Of IL, Urbana, IL.

McSweeney, K.M. and I.J. Jansen. 1984. Soil Structure and Associated Rooting Behavior. Soil Sci. Soc. Am. J. 48:607-612.

Trans. Int. Congr. of Soil Sci., 7th, Madison, WI. 1960. J.B. Fehrenbacher, P.R. Johnson, R.T. Odell, and P.E. Johnson. Root Penetration and Development of Some Farm Crops as Related to Soil Physical and Chemical Properties. Volume III:248-252.ISSS.

Soil Survey Staff. 1975. Soil Taxonomy: A basic system of soil classification for making and interpreting soil surveys. USDA-SCS Agric. Handb. 436. U.S. Gov. Print. Office, Washington, DC.

Soil Survey Staff. 1993. Soil Survey Manual. USDA-SCS Agric. Handbook 436. U.S. Gov. Print. Office, Washington, DC.

Soil Survey Staff. 1996. National Soil Survey Handbook, title 430-VI. USDA-NRCS. U.S. Gov. Print. Office, Washington, DC.

Soil Survey Staff. 1998. Keys to Soil Taxonomy. Eighth Edition. USDA-NRCS. Washington, DC.

Vance, S.L., R.E. Dunker, C.L. Hooks, and R.G. Darmondy. 1992. Relationship of Soil Strength and Rowcrop Yields on Reconstructed Surface Mine Soils. P. 35-42. In R.E. Dunker, et al. (ed.) Proc. of the 1992 Natl. Symp. On Prime Farmland Reclamation. Dep. of Agron., Univ. Of IL, Urbana, IL.

Signed at Washington, DC on June 23, 1999.

Danny D. Sells,

Associate Chief, Natural Resources Conservation Service.

[FR Doc. 99-16470 Filed 6-28-99; 8:45 am]

BILLING CODE 3410-16-P

ARCHITECTURAL AND TRANSPORTATION BARRIERS COMPLIANCE BOARD

Meeting

AGENCY: Architectural and Transportation Barriers Compliance Board.

ACTION: Notice of meeting.

SUMMARY: The Architectural and Transportation Barriers Compliance Board (Access Board) has scheduled its regular business meetings to take place in Washington, DC on Tuesday and Wednesday, July 13-14, 1999, at the times and location noted below.

DATES: The schedule of events is as follows:

Tuesday, July 13, 1999

1:30 p.m.-3:30 p.m. Technical Programs Committee

3:30 p.m.-5:00 p.m. Planning and Budget Committee

Wednesday, July 14, 1999

9:00 a.m.-10:00 a.m. Committee of the Whole Meeting on Play Areas—Final Rule (Closed Meeting).

10:00 a.m.-Noon Ad Hoc Committee on Section 508—NPRM (Closed Meeting).

1:30 p.m.-3:00 p.m. Board Meeting.

ADDRESSES: The meetings will be held at the Marriott at Metro Center, 775 12th Street, NW., Washington, DC.

FOR FURTHER INFORMATION CONTACT: For further information regarding the meetings, please contact Lawrence W. Roffee, Executive Director, (202) 272-5434, ext. 14 (voice) and (202) 272-5449 (TTY).

SUPPLEMENTARY INFORMATION: At the Board meeting, the Access Board will consider the following agenda items.

Open Meeting

- Executive Director's Report
- Approval of the Minutes of the May 12, 1999, Board Meeting
- Planning and Budget Committee Report—Fiscal Year 1999 Spending Plan and Fiscal Year 2000 Budget
- Technical Programs Committee Report—Status Report Fiscal Years 1998, 1999, and 2000 Projects

Closed Meeting

- Committee of the Whole Report—Play Areas
- Committee of the Whole Report—Section 508

All meetings are accessible to persons with disabilities. Sign language interpreters and an

assistive listening system are available at all meetings.

Lawrence W. Roffee,

Executive Director.

[FR Doc. 99-16515 Filed 6-28-99; 8:45 am]

BILLING CODE 8150-01-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-588-846]

Antidumping Duty Order; Certain Hot-Rolled Flat-Rolled Carbon-Quality Steel Products From Japan

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of antidumping duty order.

EFFECTIVE DATES: June 29, 1999.

FOR FURTHER INFORMATION CONTACT: John Totaro at (202) 482-1374, Antidumping and Countervailing Duty Enforcement Group III, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230.

Applicable Statute and Regulations

Unless otherwise indicated, all citations to the Tariff Act of 1930, as amended (the Tariff Act), are to the provisions effective January 1, 1995, the effective date of the amendments made to the Tariff Act by the Uruguay Round Agreements Act (URAA). In addition, unless otherwise indicated, all citations to the Department's regulations are to the regulations codified at 19 CFR Part 351 (April 1, 1998).

Scope of the Order

The products covered by this order are certain hot-rolled flat-rolled carbon-quality steel products of a rectangular shape, of a width of 0.5 inch or greater, neither clad, plated, nor coated with metal and whether or not painted, varnished, or coated with plastics or other non-metallic substances, in coils (whether or not in successively superimposed layers) regardless of thickness, and in straight lengths, of a thickness less than 4.75 mm and of a width measuring at least 10 times the thickness. Universal mill plate (i.e., flat-rolled products rolled on four faces or in a closed box pass, of a width exceeding 150 mm but not exceeding 1250 mm and of a thickness of not less than 4 mm, not in coils and without patterns in relief) of a thickness not less than 4.0 mm is not included within the scope of this order.

Specifically included in this scope are vacuum degassed, fully stabilized (commonly referred to as interstitial-free ("IF")) steels, high strength low alloy ("HSLA") steels, and the substrate for motor lamination steels. IF steels are recognized as low carbon steels with micro-alloying levels of elements such as titanium and/or niobium added to stabilize carbon and nitrogen elements. HSLA steels are recognized as steels with micro-alloying levels of elements such as chromium, copper, niobium, titanium, vanadium, and molybdenum. The substrate for motor lamination steels contains micro-alloying levels of elements such as silicon and aluminum.

Steel products included in the scope of this order, regardless of Harmonized Tariff Schedule of the United States ("HTSUS") definitions, are products in which: (1) Iron predominates, by weight, over each of the other contained elements; (2) the carbon content is 2

percent or less, by weight; and (3) none of the elements listed below exceeds the quantity, by weight, respectively indicated:

1.80 percent of manganese, or
1.50 percent of silicon, or
1.00 percent of copper, or
0.50 percent of aluminum, or
1.25 percent of chromium, or
0.30 percent of cobalt, or
0.40 percent of lead, or
1.25 percent of nickel, or
0.30 percent of tungsten, or
0.012 percent of boron, or
0.10 percent of molybdenum, or
0.10 percent of niobium, or
0.41 percent of titanium, or
0.15 percent of vanadium, or
0.15 percent of zirconium.

All products that meet the physical and chemical description provided above are within the scope of this order unless otherwise excluded. The following products, by way of example, are

outside and/or specifically excluded from the scope of this order:

- Alloy hot-rolled steel products in which at least one of the chemical elements exceeds those listed above (including e.g., ASTM specifications A543, A387, A514, A517, and A506).
- SAE/AISI grades of series 2300 and higher.
- Ball bearing steels, as defined in the HTSUS.
- Tool steels, as defined in the HTSUS.
- Silico-manganese (as defined in the HTSUS) or silicon electrical steel with a silicon level exceeding 1.50 percent.
- ASTM specifications A710 and A736.
- USS abrasion-resistant steels (USS AR 400, USS AR 500).
- Hot-rolled steel coil which meets the following chemical, physical and mechanical specifications:

C	Mn	P	S	Si	Cr	Cu	Ni
0.10–0.14%	0.90% Max	0.025% Max	0.005% Max	0.30–0.50%	0.50–0.70%	0.20–0.40%	0.20% Max

Width = 44.80 inches maximum; Thickness = 0.063–0.198 inches; Yield Strength = 50,000 ksi minimum; Tensile Strength = 70,000–88,000 psi.

- Hot-rolled steel coil which meets the following chemical, physical and mechanical specifications:

C	Mn	P	S	Si	Cr	Cu	Ni	Mo
0.10–0.16%	0.70–0.90%	0.025% Max	0.006% Max	0.30–0.50%	0.50–0.70%	0.25% Max	0.20% Max	10.21% Max

Width = 44.80 inches maximum; Thickness = 0.350 inches maximum; Yield Strength = 80,000 ksi minimum; Tensile Strength = 105,000 psi Aim.

- Hot-rolled steel coil which meets the following chemical, physical and mechanical specifications:

C	Mn	P	S	Si	Cr	Cu	Ni	V(wt.)	Cb
0.10–0.14%	1.30–1.80%	0.025% Max	0.005% Max	0.30–0.50%	0.50–0.70%	0.20–0.40%	0.20% Max	0.10 Max	0.08% Max

Width = 44.80 inches maximum; Thickness = 0.350 inches maximum; Yield Strength = 80,000 ksi minimum; Tensile Strength = 105,000 psi Aim.

- Hot-rolled steel coil which meets the following chemical, physical and mechanical specifications:

C	Mn	P	S	Si	Cr	Cu	Ni	Nb	Ca	Al
0.15% Max	1.40% Max	0.025% Max	0.010% Max	0.50% Max	1.00% Max	0.50% Max	0.20% Max	0.005% Min	Treated	0.01–0.07%

Width = 39.37 inches; Thickness = 0.181 inches maximum; Yield Strength = 70,000 psi minimum for thicknesses ≤0.148 inches and 65,000 psi minimum for thicknesses >0.148 inches; Tensile Strength = 80,000 psi minimum.

- Hot-rolled dual phase steel, phase-hardened, primarily with a ferritic-martensitic microstructure, contains 0.9 percent up to and including 1.5 percent silicon by weight, further characterized by either (i) tensile strength between 540 N/mm² and 640 N/mm² and an elongation percentage ≥26 percent for

thicknesses of 2 mm and above; or (ii) a tensile strength between 590 N/mm² and 690 N/mm² and an elongation percentage ≥25 percent for thicknesses of 2mm and above.

- Hot-rolled bearing quality steel, SAE grade 1050, in coils, with an inclusion rating of 1.0 maximum per ASTM E 45, Method A, with excellent surface quality and chemistry restrictions as follows: 0.012 percent maximum phosphorus, 0.015 percent maximum sulfur, and 0.20 percent

maximum residuals including 0.15 percent maximum chromium.

- Grade ASTM A570–50 hot-rolled steel sheet in coils or cut lengths, width of 74 inches (nominal, within ASTM tolerances), thickness of 11 gauge (0.119 inch nominal), mill edge and skin passed, with a minimum copper content of 0.20%.

The merchandise subject to this order is classified in the HTSUS at subheadings: 7208.10.15.00, 7208.10.30.00, 7208.10.60.00, 7208.25.30.00, 7208.25.60.00,

7208.26.00.30, 7208.26.00.60, 7208.27.00.30, 7208.27.00.60, 7208.36.00.30, 7208.36.00.60, 7208.37.00.30, 7208.37.00.60, 7208.38.00.15, 7208.38.00.30, 7208.38.00.90, 7208.39.00.15, 7208.39.00.30, 7208.39.00.90, 7208.40.60.30, 7208.40.60.60, 7208.53.00.00, 7208.54.00.00, 7208.90.00.00, 7210.70.30.00, 7210.90.90.00, 7211.14.00.30, 7211.14.00.90, 7211.19.15.00, 7211.19.20.00, 7211.19.30.00, 7211.19.45.00, 7211.19.60.00, 7211.19.75.30, 7211.19.75.60, 7211.19.75.90, 7212.40.10.00, 7212.40.50.00, 7212.50.00.00. Certain hot-rolled flat-rolled carbon-quality steel covered by this order, including: vacuum degassed, fully stabilized; high strength low alloy; and the substrate for motor lamination steel may also enter under the following tariff numbers: 7225.11.00.00, 7225.19.00.00, 7225.30.30.50, 7225.30.70.00, 7225.40.70.00, 7225.99.00.90, 7226.11.10.00, 7226.11.90.30, 7226.11.90.60, 7226.19.10.00, 7226.19.90.00, 7226.91.50.00, 7226.91.70.00, 7226.91.80.00, and 7226.99.00.00. Although the HTS subheadings are provided for convenience and Customs purposes, the written description of the scope of the order is dispositive.

Antidumping Duty Order

In accordance with section 735(a) of the Tariff Act, the Department made its final determinations that certain hot-rolled flat-rolled carbon-quality steel products from Japan are being sold at less than fair value. See *Notice of Final Determination of Sales at Less Than Fair Value: Certain Hot-Rolled Flat-Rolled Carbon-Quality Steel Products From Japan*, 64 FR 24329, (May 6, 1999). This determination included a finding that critical circumstances existed with respect to Kawasaki Steel Corporation (Kawasaki) and the "All Others" exporter/producer category, but not with respect to Nippon Steel Corporation and NKK Corporation.

On June 18, 1999, the International Trade Commission (the Commission) notified the Department of its final determination pursuant to section 735(b)(1)(A)(i) of the Tariff Act that an industry in the United States is materially injured by reason of less-than-fair-value imports of subject merchandise from Japan. The Commission further found that critical circumstances do not exist with respect to imports of the subject merchandise from Japan. As a result, the Department will direct Customs officers to refund any cash deposits made or bonds

posted, pursuant to the Department's final determination of critical circumstances, on merchandise produced/exported by Kawasaki and by any of the "All Others" companies which were entered on or after November 21, 1998 (90 days prior to the Department's preliminary determination publication date of February 19, 1999) and before February 19, 1999.

Moreover, in accordance with section 736(a)(1) of the Tariff Act, the Department will direct Customs officers to assess, upon further advice by the Department, antidumping duties equal to the amount by which the normal value of the merchandise exceeds the export price (or constructed export price) of the merchandise for all relevant entries of hot-rolled carbon-quality steel products from Japan. These antidumping duties will be assessed on all unliquidated entries of certain hot-rolled flat-rolled carbon-quality steel products from Japan entered, or withdrawn from warehouse, for consumption on or after February 19, 1999, the date on which the Department published its notice of preliminary determination in the **Federal Register** (64 FR 8291). Customs officers must require, at the same time as importers would normally deposit estimated duties on this merchandise, a cash deposit equal to the estimated weighted-average antidumping duty margins as noted below. The "All Others" rates apply to all exporters of subject hot-rolled flat-rolled carbon-quality steel products not specifically listed. Imports of hot-rolled flat-rolled carbon-quality steel products, not described above under "Scope of the Order," will not be covered by this order. The weighted-average dumping margins are as follows:

Producer/manufacturer/exporter (company)	Cash deposit rate (margin in percent)
Nippon Steel Corporation	19.65
NKK Corporation	17.86
Kawasaki Steel Corporation	67.14
All Others	29.30

This notice constitutes the antidumping duty order with respect to certain hot-rolled flat-rolled carbon-quality steel products from Japan. Interested parties may contact the Department's Central Records Unit, room B-099 of the main Commerce building, for copies of an updated list of antidumping duty orders currently in effect. These orders are published in accordance with section 736(a) of the Tariff Act of 1930, as amended.

Dated: June 23, 1999.

Richard W. Moreland,

Acting Assistant Secretary for Import Administration.

[FR Doc. 99-16549 Filed 6-28-99; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

[I.D. 062199E]

Gulf of Mexico Fishery Management Council; Public Meetings

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Notice of public meeting.

SUMMARY: The Gulf of Mexico Fishery Management Council will convene public meetings.

DATES: The meetings will be held on July 12-15, 1999.

ADDRESSES: These meetings will be held at the Pier House, One Duval Street, Key West, FL; telephone: 305-296-4600.

Council address: Gulf of Mexico Fishery Management Council, 3018 U.S. Highway 301 North, Suite 1000, Tampa, FL 33619.

FOR FURTHER INFORMATION CONTACT: Wayne E. Swingle, Executive Director, Gulf of Mexico Fishery Management Council; telephone: (813) 228-2815.

SUPPLEMENTARY INFORMATION:

Council

July 14, 1999

1:00 p.m.—Convene.

1:15 p.m. - 5:00 p.m.—Receive public testimony on Mackerel Amendment 12, Reef Fish Amendment 17, and the Gag Regulatory Amendment.

5:00 p.m. - 5:30 p.m.—(Closed Session) Receive the AP Selection Committee report and the Marine Reserves Committee Report.

July 15, 1999

8:00 a.m. - 11:30 a.m.—Receive the Reef Fish Management Committee Report.

1:00 p.m. - 1:15 p.m.—Receive the Mackerel Management Committee Report.

1:15 p.m. - 1:30 p.m.—Receive the Shrimp Management Committee Report.

1:30 p.m. - 2:00 p.m.—Receive the Law Enforcement Committee Report.

2:00 p.m. - 2:15 p.m.—Receive the Administrative Policy Committee Report.

2:15 a.m. - 2:45 p.m.—Receive the Data Collection Committee Report.