

the EPA Regional Office listed below. Copies of the documents relevant to this proposed rule are available for public inspection during normal business hours at the following locations. The interested persons wanting to examine these documents should make an appointment with the appropriate office at least 24 hours before the day of the visit.

Environmental Protection Agency,
Region 10, Office of Air Quality, 1200
6th Avenue, Seattle, WA 98101.
The State of Washington, Department of
Environmental Quality, P.O. Box
47600, Olympia, Washington 98504.

FOR FURTHER INFORMATION CONTACT:
Catherine Woo, Office of Air Quality
(OAQ-107), EPA, 1200 6th Avenue,
Seattle, WA 98101, (206) 553-1814.

SUPPLEMENTARY INFORMATION: See the
information provided in the Direct Final
action which is located in the Rules
section of this **Federal Register** and
incorporated by reference herein.

List of Subjects in 40 CFR Part 62

Environmental protection,
Administrative practice and procedure,
Air pollution control, Intergovernmental
relations, Municipal Waste Combustors,
Reporting and recordkeeping
requirements.

Dated: July 19, 1999.

Randall F. Smith,

Acting Regional Administrator, Region 10.
[FR Doc. 99-19432 Filed 7-29-99; 8:45 am]
BILLING CODE 6560-50-P

**FEDERAL EMERGENCY
MANAGEMENT AGENCY**

44 CFR Part 67

[Docket No. FEMA-7294]

**Proposed Flood Elevation
Determinations**

AGENCY: Federal Emergency
Management Agency (FEMA).

ACTION: Proposed rule.

SUMMARY: Technical information or
comments are requested on the
proposed base (1% annual chance) flood
elevations and proposed base flood
elevation modifications for the
communities listed below. The base

flood elevations and modified base
flood elevations are the basis for the
floodplain management measures that
the community is required either to
adopt or to show evidence of being
already in effect in order to qualify or
remain qualified for participation in the
National Flood Insurance Program
(NFIP).

DATES: The comment period is ninety
(90) days following the second
publication of this proposed rule in a
newspaper of local circulation in each
community.

ADDRESSES: The proposed base flood
elevations for each community are
available for inspection at the office of
the Chief Executive Officer of each
community. The respective addresses
are listed in the following table.

FOR FURTHER INFORMATION CONTACT:
Matthew B. Miller, P.E., Chief, Hazards
Study Branch, Mitigation Directorate,
500 C Street SW., Washington, DC
20472, (202) 646-3461, or (e-mail)
matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The
Federal Emergency Management Agency
proposes to make determinations of base
flood elevations and modified base
flood elevations for each community
listed below, in accordance with Section
110 of the Flood Disaster Protection Act
of 1973, 42 U.S.C. 4104, and 44 CFR
67.4(a).

These proposed base flood and
modified base flood elevations, together
with the floodplain management criteria
required by 44 CFR 60.3, are the
minimum that are required. They
should not be construed to mean that
the community must change any
existing ordinances that are more
stringent in their floodplain
management requirements. The
community may at any time enact
stricter requirements of its own, or
pursuant to policies established by other
Federal, State, or regional entities.
These proposed elevations are used to
meet the floodplain management
requirements of the NFIP and are also
used to calculate the appropriate flood
insurance premium rates for new
buildings built after these elevations are
made final, and for the contents in these
buildings.

National Environmental Policy Act

This proposed rule is categorically
excluded from the requirements of 44
CFR Part 10, Environmental
Consideration. No environmental
impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director for Mitigation
certifies that this proposed rule is
exempt from the requirements of the
Regulatory Flexibility Act because
proposed or modified base flood
elevations are required by the Flood
Disaster Protection Act of 1973, 42
U.S.C. 4104, and are required to
establish and maintain community
eligibility in the NFIP. No regulatory
flexibility analysis has been prepared.

Regulatory Classification

This proposed rule is not a significant
regulatory action under the criteria of
Section 3(f) of Executive Order 12866 of
September 30, 1993, Regulatory
Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This proposed rule involves no
policies that have federalism
implications under Executive Order
12612, Federalism, dated October 26,
1987.

**Executive Order 12778, Civil Justice
Reform**

This proposed rule meets the
applicable standards of Section 2(b)(2)
of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and
procedure, Flood insurance, Reporting
and recordkeeping requirements.

Accordingly, 44 CFR Part 67 is
proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for Part 67
continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*;
Reorganization Plan No. 3 of 1978, 3 CFR,
1978 Comp., p. 329; E.O. 12127, 44 FR 19367,
3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the
authority of § 67.4 are proposed to be
amended as follows:

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
California	Avenal (City) Kings County.	Arroyo Del Camino	Approximately 250 feet downstream of Shasta Street.	None	*801

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
		Approximately 550 feet upstream of Skyline Boulevard.	None	*861

Maps are available for inspection at City Hall, 919 Skyline Boulevard, Avenal, California.
Send comments to The Honorable Ray Elliott, Mayor, City of Avenal, 919 Skyline Boulevard, Avenal, California 93204.

Idaho	Blaine County (Unincorporated Areas).	Little Wood River	Approximately 1.5 miles downstream of Santa Rosa Lane.	None	*4,754
		Middle Branch of Little Wood River.	Approximately 1.2 miles upstream of Highway 26/93 (Main Street).	None	*4,805
			Approximately 50 feet upstream of Griffin Loop Road.	None	*4,761
			At confluence with Little Wood River, approximately 1,700 feet upstream of Highway 25/93 (Main Street).	None	*4,786

Maps are available for inspection at the Planning & Zoning Department, 206 First Avenue South, Suite 310, Hailey, Idaho 83333.
Send comments to The Honorable Mary Ann Mix, Chairman, County Board of Commissioners, 206 First Avenue South, Suite 300, Hailey, Idaho 83333.

Maps are available for inspection at the City of Carey, 20516 Main Street, Carey, Idaho.
Send comments to The Honorable Richard Baird, Mayor, City of Carey, P.O. Box 6, Carey, Idaho 83320.

Louisiana	Caddo Parish and Incorporated areas.	Logan Bayou	Approximately 500 feet downstream of Kansas City Southern Railroad.	None	*180
		Red River	Approximately 800 feet upstream of Kansas City Southern Railroad.	None	*188
			At Roy Road	None	*193
			Approximately 3,000 feet upstream of Shreveport Blanchard Highway (State Route 173).	None	*200
			Approximately 5.3 miles downstream of 70th Street (just east of the intersection of Flourney Lucas Road and Youree Drive).	None	*160
		Choctaw Bayou	Approximately 8,300 feet upstream of Interstate 220.	None	*174
			Approximately 7,800 feet downstream of Blanchard Furr Road (tributary backwater area near Kansas City Southern Railroad).	None	*193
		Caddo Lake	Approximately 100 feet downstream of Blanchard Furr Road.	None	*208
			Along shoreline of Caddo Lake, including tributary backwater.	None	*184

Maps are available for inspection at the Caddo Parish Courthouse, 525 Marshall Street, Suite 200, Shreveport, Louisiana.
Send comments to The Honorable Michael Williams, Caddo Parish President, Caddo Parish Courthouse, 525 Marshall Street, Suite 200, Shreveport, Louisiana 71101.

Maps are available for inspection at the Town of Blanchard Town Hall, 110 Main Street, Blanchard, Louisiana.
Send comments to The Honorable Larry Permenter, Mayor, Town of Blanchard, P.O. Box 428, Blanchard, Louisiana 71009.

Maps are available for inspection at the Town of Mooringsport Town Hall, 122 West Croom Street, Mooringsport, Louisiana.
Send comments to The Honorable Douglas Elder, Mayor, Town of Mooringsport, P.O. Box 9, Mooringsport, Louisiana 71060.

Maps are available for inspection at the City of Shreveport City Hall, 1234 Texas Avenue, Shreveport, Louisiana.
Send comments to The Honorable Keith Hightower, Mayor, City of Shreveport, P.O. Box 31109, Shreveport, Louisiana 71130.

Missouri	Independence (City) Jackson County.	Sugar Creek	At Independence Avenue	*818	*816
		Mill Creek	At Park Avenue	*916	*914
			Approximately 250 feet downstream from Kentucky Road.	None	*810
		Spring Branch	Approximately 950 feet upstream of South Park Road.	None	*960
			Approximately 7,500 feet downstream of Missouri State Highway 78.	*750	*750
		South Fork, Spring Branch	At Kiger road	*884	*886
			At confluence with Spring Branch	*813	*823
	Approximately 80 feet upstream of Lee's Summit Road.	*858	*864		

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
		Bundschu Creek	At confluence with the Little Blue River ... Approximately 450 feet downstream from the Union Pacific Railroad.	*739 *749	*739 *748
		Crackerneck Creek	At Powell Road	*770	*777
			At confluence with the Little Blue River ... Approximately 3,750 feet upstream from confluence with the Little Blue River.	*754 *756	*754 *754
		North Fork Crackerneck Creek.	Just upstream of Partridge Drive	*956	*958
			At confluence with Crackerneck Creek	*756	*754
		Adair Creek	Approximately 2,500 feet upstream of Vi- king Road.	*872	*859
			At confluence with the Little Blue River ...	*762	*763
			At Noland Road	*908	*911
		Adair Creek Tributary No. 1.	At confluence with Adair Creek	None	*813
			Approximately 40 feet downstream of Interstate 70.	None	*844
Adair Creek Tributary No. 2.	At confluence with Adair Creek	None	*857		
	Approximately 190 feet downstream from Interstate 70.	None	*895		
Rock Creek	Approximately 140 feet downstream from Kentucky Road.	None	*746		
	At 32nd Street	*900	*902		

Maps are available for inspection at the City of Independence, Department of Public Works (Engineering), 111 East Maple, Independence, Missouri.

Send comments to The Honorable Ron Stewart, Mayor, City of Independence, 111 East Maple, Independence, Missouri 64050.

Montana	Yellowstone County (Unincorporated Areas).	Alkali Creek	Approximately 960 feet above confluence with Yellowstone River.	*3,096	*3,096
			Just upstream of Main Street (U.S. High- way 87 and 312).	*3,159	*3,153
			Approximately 2,200 feet downstream of Black Pine Street.	*3,162	*3,159
			Approximately 1,100 feet downstream of Black Pine Street.	*3,166	*3,166

Maps are available for inspection at the Yellowstone County Emergency and General Services Department, 217 North 27th, Room 309, Billings, Montana.

Send comments to The Honorable Bill Kennedy, Chairperson, Yellowstone County Board of Commissioners, P.O. Box 35000, Billings, Montana 59107.

North Dakota	Jamestown (City) Stutsman County.	James River	Approximately 1.87 miles (9,875 feet) downstream of Midland Continental Railroad.	*1,378	*1,379	
			Approximately 1.64 miles (8,675 feet) up- stream of 4th Avenue Northwest.	*1,397	*1,398	
			At confluence with James River	*1,392	*1,392	
			Pipestem Creek	Approximately 0.21 mile (1,100 feet) above confluence with James River.	*1,392	*1,393
				Approximately 1.04 miles (5,475 feet) up- stream of Burlington Northern Railroad.	*1,404	*1,407

Maps are available for inspection at the City of Jamestown, City Hall, 102 3rd Avenue Southeast, Jamestown, North Dakota.

Send comments to The Honorable Charlie Kourajian, Mayor, City of Jamestown, City Hall, 102 3rd Avenue Southeast, Jamestown, North Dakota 58401.

Texas	Edinburg (City) Hi- dalgo County.	North Main Drain	Approximately 2,735 feet downstream of Davis Road.	None	*82
			At downstream side of Chapin Street (for- merly part of Hidalgo County).	None	*95
			At confluence of West Main Drain	*95	*95

Maps are available for inspection at 1304 South 25th Street, Edinburg, Texas.

Send comments to The Honorable Joe Ochoa, Mayor, City of Edinburg, P.O. Box 1079, Edinburg, Texas 78540.

Texas	Hidalgo County (Unincorporated Areas).	East Lateral Drain	Approximately 2,620 feet downstream of Mile 2 West Road.	None	*59
			Approximately 595 feet upstream of Mile 11 North Road.	None	*70

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
		North Main Drain	At confluence with Donna Drain Approximately 1,175 feet upstream of Mile 17 2 Road (Russell Road).	None *94	*74 *93
		West Main Drain	At Chaplin Road Approximately 2 feet downstream of a drop structure located approximately 1,000 feet downstream of Taylor Road. Approximately 2,095 feet upstream of Brushliner Road.	*95 None	*95 *124
				None	*202

Maps are available for inspection at 1304 South 25th Street, Edinburg, Texas.
Send comments to The Honorable Jose E. Pulido, Judge, Hidalgo County, 100 East Cano Street, Edinburg, Texas 78540.

Texas	Seguin (City) Guadalupe County.	Walnut Branch	Approximately 400 feet downstream of West Kein Street. Just upstream of University Lane Approximately 200 feet downstream of Interstate 10.	*484 *528 *545	*484 *527 *546
-------------	---------------------------------	---------------------	---	----------------------	----------------------

Maps are available for inspection at 210 East Gonzales Street, Seguin, Texas.
Send comments to The Honorable Mark Stautzenberger, Mayor, City of Seguin, P.O. Box 591, Seguin, Texas 78156.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: July 20, 1999.

Michael J. Armstrong,

Associate Director for Mitigation.

[FR Doc. 99-19569 Filed 7-29-99; 8:45 am]

BILLING CODE 6718-04-P

**FEDERAL EMERGENCY
MANAGEMENT AGENCY**

44 CFR Part 67

[Docket No. FEMA-7291]

**Proposed Flood Elevation
Determinations**

AGENCY: Federal Emergency Management Agency, FEMA.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed base (1% annual chance) flood elevations and proposed base flood elevation modifications for the communities listed below. The base flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed base flood elevations for each community are

available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (e-mail) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director, Mitigation Directorate, certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification

This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This proposed rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.