

successful bidder should have been disqualified for lack of training. Similarly the panel ruled that the successful bidder lacked food preparation experience and, therefore, did not meet the experience requirements for managing a full food service operation.

One panel member dissented.

In ruling on the question of remedy, a majority of the panel determined that Mr. Waldie did not prove under the facts of the case that he was entitled to damages. The panel ruled that had the successful bidder been disqualified, there was another individual with a higher score than Mr. Waldie who would have been chosen as the successful bidder for the Fort McClellan food service operation. The panel noted both the Eleventh Amendment and the Eleventh Circuit Court of Appeals decision in *Georgia Department of Human Resources v. Nash* 915 F.2d 1482 (11th Cir. 1990) barring the award of damages.

One panel member dissented.

The views and opinions expressed by the panel do not necessarily represent the views and opinions of the U.S. Department of Education.

Dated: May 4, 2000.

Judith E. Heumann,

Assistant Secretary for Special Education and Rehabilitative Services.

[FR Doc. 00-11593 Filed 5-9-00; 8:45 am]

BILLING CODE 4000-01-P

DEPARTMENT OF ENERGY

Idaho Operations Office; Notice of Availability of Solicitation for Awards of Financial Assistance

AGENCY: Idaho Operations Office, DOE.

ACTION: Notice of availability of solicitation—Aluminum Visions of the Future.

SUMMARY: The U.S. Department of Energy (DOE) Idaho Operations Office (ID) is seeking applications for cost-shared research and development of technologies which will reduce energy consumption, reduce environmental impacts and enhance economic competitiveness of the domestic aluminum industry. The research is to address research priorities identified by the aluminum industry in the Aluminum Industry Technology Roadmap and the Inert Anode Roadmap, (available at the following URL: <http://www.oit.doe.gov/aluminum/alindust.shtm>).

DATES: The Standard Form 424, and the technical application (20 page

maximum), must be submitted by 3:00 p.m. MST on Wednesday, July 12, 2000.

ADDRESSES: Applications should be submitted to: Elizabeth Dahl, Contract Specialist, Procurement Services Division, U.S. Department of Energy, Idaho Operations Office, 850 Energy Drive, Mail Stop 1221, Idaho Falls, Idaho 83401-1563.

FOR FURTHER INFORMATION CONTACT: Elizabeth Dahl, Contract Specialist at dahlee@id.doe.gov, facsimile at (208) 526-5548, or by telephone at (208) 526-7214.

SUPPLEMENTARY INFORMATION:

Approximately \$3,000,000 in combined fiscal year 2000 and 2001 federal funds is expected to be available to totally fund the first year of selected research efforts. DOE anticipates making four to six awards each with a duration of four years or less. This solicitation is requiring 50% cost share to ensure industrial involvement in each of the proposals and to ensure that the novel, energy efficient processes developed by this R&D program will be fully implemented by industry. There will be no waivers of this cost share requirement. Multi-partner collaborations between industry, university, and National Laboratory participants are encouraged. The issuance date of Solicitation Number DE-PS07-00ID13914 is on or about May 8, 2000. The solicitation is available in its full text via the Internet at the following address: <http://www.id.doe.gov/doeid/PSD/proc-div.html>. The statutory authority for this program is the Federal Non-Nuclear Energy Research and Development Act of 1974 (Public Law 93-577). The Catalog of Federal Domestic Assistance (CFDA) Number for this program is 81.086.

Issued in Idaho Falls on May 3, 2000.

R.J. Hoyles,

Director, Procurement Services Division.

[FR Doc. 00-11728 Filed 5-9-00; 8:45 am]

BILLING CODE 6450-01-P

DEPARTMENT OF ENERGY

Idaho Operations Office, Trespassing On DOE Property: Idaho Operations Office Properties

AGENCY: Idaho Operations Office, Department of Energy.

ACTION: Notice of designation of Idaho operations office properties and facilities as off-limits areas.

SUMMARY: The Department of Energy (DOE) hereby amends and adds to the previously published site descriptions

of various DOE and contractor occupied buildings as Off-Limits Areas. The locations are in Idaho Falls, Idaho, and various DOE vehicle/bus parking lots, which are located in Idaho Falls, Blackfoot, Mackay, Rexburg, Rigby, Highway 20 and Shelley New Sweden Road, and Pocatello. In accordance with 10 CFR Part 860, it is a federal crime under 42 U.S.C. 2278a for unauthorized persons to enter into or upon these Idaho Operations Office properties and facilities. If unauthorized entry into or upon these properties is into an area enclosed by a fence, wall, floor, roof or other such standard barrier, conviction for such unauthorized entry may result in a fine of not more than \$100,000 or imprisonment for not more than one year or both. If unauthorized entry into or upon the properties is into an area not enclosed by a fence, wall, floor, roof, or other such standard barrier, conviction for such unauthorized entry may result in a fine of not more than \$5,000.

EFFECTIVE DATE: May 10, 2000.

FOR FURTHER INFORMATION CONTACT: Jo Ann Williams, Office of General Counsel, 1000 Independence Avenue, SW., Washington, DC 20585, (202) 586-6975, or M.M. McKnight, Office of Chief Counsel, Idaho Operations Office, 850 Energy Drive Place, Idaho Falls, Idaho 83401, (208) 526-0275.

SUPPLEMENTARY INFORMATION: The Department of Energy (DOE), successor agency to the Atomic Energy Commission (AEC), is authorized, pursuant to § 229 of the Atomic Energy Act of 1954, as amended (42 U.S.C. 2278a), and § 104 of the Energy Reorganization Act of 1974 (42 U.S.C. 5814), as implemented by 10 CFR Part 860, published in the **Federal Register** on September 14, 1993 (58 FR 47984-47985), and § 301 of the Department of Energy Organization Act (42 U.S.C. 7151), to prohibit unauthorized entry and the unauthorized introduction of weapons or dangerous materials into or upon any DOE facility, installation or real property. By notices dated August 5, 1988, (53 FR 29512), January 23, 1987 (52 FR 2580), and November 1, 1983 (48 FR 50390), DOE prohibited unauthorized entry into or upon the Idaho National Engineering Laboratory (now the Idaho National Engineering and Environmental Laboratory, or INEEL), and various DOE and contractor occupied facilities, including the Willow Creek Building and the DOE Headquarters Building. This notice includes DOE Vehicles and Bus Parking Facilities located in Idaho Falls, Arco, on Highway 20, Bonneville County,

Blackfoot, Mackay, Shelley, Rexburg, Rigby, and Pocatello, Idaho.

Since the last published notice on August 5, 1988, DOE has leased new facilities, and terminated its use of other facilities. For example, DOE-ID now occupies two buildings for its Idaho Operations Office Headquarters, known as ID North and ID South. In addition to other facilities listed below, DOE-ID's management and operating contractor currently occupies a relatively new building, the Energy Research Office Building, which heretofore has not been designated an Off-Limits Area.

The property descriptions and names of some facilities and property holdings have also changed, or contained errors when originally published. Today's notice reflects these additions, corrections, and modifications. Accordingly, the DOE prohibits the unauthorized entry and the unauthorized introduction of weapons or dangerous materials, as provided in §§ 860.3 and 860.4 into and upon these Idaho Operations Office sites. The sites referred to above have previously been designated as Off-Limits Areas, and this notice modifies or adds to those Off-Limits Areas. Descriptions of the sites being designated (or redesignated) at this time are as follows:

1. Technical Support Annex

1580 Sawtelle Street, Idaho Falls (EG&G Office TSA): Lot 2, Block 3, Hatch Grandview Subdivision, Division No. 3, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

2. Technical Support Building

1520 Sawtelle Street, Idaho Falls (EG&G Office TSB): Lot 1, Block 3, Hatch Grandview Subdivision, Division No. 3, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

3. Energy Research Office Building

2525 Fremont Avenue, Idaho Falls (Parking Lot and Office Building): Lots 5 & 7, Block 1, Boyer Addition, Division No. 1 First Amended, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

4. ID—North Building

1 Energy Drive, Idaho Falls: [Actual property address is 850 ENERGY DRIVE (Energy Inc.)]: Lot 1, Block 1, Energy Plaza, an addition to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof. If the Parking Lot directly across the street to the South from Energy Inc. is also being used, the legal description

for that property is: Lot 1, Block 2, Energy Plaza, an addition to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

5. ID—South Building

785 Doe Place, Idaho Falls [Actual property address is 708 DOE Place (DOE Office)]: Lot 1 Block 1, D.O.E. Addition to the City of Idaho Falls, County of Bonneville, State of Idaho according to the recorded plat thereof.

6. May Street North Building

369 May Street, Idaho Falls (Litco Therman Science): Lots 41 & 42, Block 12, Capitol Hill Addition, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

7. May Street South Building

410 May Street, Idaho Falls (DOE): Lots 19, 20, 21 & 22, Capitol Hill Addition, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

8. Willow Creek Building

1955 Fremont Avenue Idaho Falls (Willow Creek Building): Lot 1, Block 1, Keefer Office Park Addition, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

9. University Place

1776 Science Center Drive, Idaho Falls (University Place): Government Lots 11 and 12, Section 12, Township 2 North, Range 37, East of the Boise Meridian, Bonneville County, Idaho, EXCEPTING THEREFROM: Beginning at a point on the East bank of the Snake River which bears S.31 degrees 12'43" W. 771.32 feet from the Center of Section 12, Township 2 North, Range 37 East of the Boise Meridian; running thence S.89 degrees 52' 00" E. 101.59 feet; thence N.10 degrees 01' 12" W. 48.69 feet; thence N.19 degrees 09'04" W. 34.02 feet; thence N.24 degrees 18' 12" E 72.29 feet; thence N.05 degrees 43' 14" W. 50.38 feet; thence N.03 degrees 30'22" E. 77.80 feet; thence S.86 degrees 35' 11" E. 28.53 feet; thence N.03 degrees 34' 41" E. 113.18 feet; thence N.03 degrees 41' 10" W. 111.80 feet; thence N.07 degrees 17' 24" W. 126.51 feet; thence N.05 degrees 14'36" W. 169.74 feet; thence N.11 degrees 21'28" E. 74.42 feet; thence N.01 degrees 38'49" W. 118.68 feet; thence N.00 degrees 23'55" E. 131.89 feet; thence N.34 degrees 04'37" E 66.30 feet; thence N.06 degrees 03'04" E. 116.72; thence N.15 degrees 30'06" W. 47.58 feet; thence N.62 degrees 58'40" W. 107.67 feet to a

point on the East bank of the Snake River; thence the following 14 courses along said East bank: (1) S.25 degrees 12'33" W. 31.66 feet; (2) S. 15 degrees 30'06" E. 77.32 feet; (3) S.06 degrees 03'04" W. 72.73 feet; (4) S.34 degrees 04'37" W. 71.61 feet; (5) S.00 degrees 23'55" W. 163.94 feet; (6) S.01 degrees 38'49" E 109.07 feet; (7) S.11 degrees 21'28" W. 77.61 feet; (8) S.05 degrees 14'36" E. 186.12 feet; (9) S.07 degrees 17'24" E 125.15 feet; (10) S.03 degrees 41'10" E. 102.31 feet; (11) S.03 degrees 34'41" W. 162.50 feet; (12) S.24 degrees 18'12" W. 151.21 feet; (13) S.19 degrees 09'04" E. 65.88 feet; & (14) S.10 degrees 01'12" E. 22.80 feet to the Point of Beginning.

10. North Holmes Complex

1570 N. Holmes Avenue, Idaho Falls [Actual property address is 1445 Northgate Mile], Lot 2, Block 1, Fred Meyer-Country Club Mall Subdivision to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

11. Idaho Falls Bus Lot & Dispatch Building

1345 Chaffin Lane, Idaho Falls [Actual property address is 1345 N. Woodruff Avenue (INEL Bus Station)]: The South 160.41 feet of Lot 8, and all of Lots 9 through 13, Block 1, Chaffin Addition, Division No. 2, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

12. North Holmes Laboratory

1405 Northgate Mile, Idaho Falls (EG&G Lab): Beginning at a point that is S.0 degrees 25'00" W. along the section line 1024.1 feet and S.89 degrees 53'00" E. 33.72 feet from the Northwest corner of Section 17, Township 2 North, Range 38, East of the Boise Meridian, Bonneville County, Idaho, and being on the East right-of-way line of Lewisville Highway, 40.0 feet from the centerline of said highway; thence S.89 degrees 53'00" E. 471.0 feet; thence N.0 degrees 13'30" E. 186.50 feet; thence N.89 degrees 53'00" W. 471.0 feet to the East right-of-way line of Lewisville Highway; thence S.0 degrees 13'30" W. 186.50 feet to the Point of Beginning. AND ALSO: Beginning at a point on the East line of Holmes Avenue that is S.0 degrees 25'00" W. 837.64 feet along the City monumented section line and S.89 degrees 53'00" E. 33.08 feet from the Northwest corner of Section 17, Township 2 North, Range 38, East of the Boise Meridian, Bonneville County, Idaho, said point of beginning being the Northwest corner of the property described by Instrument No. 739201, as

recorded in the Bonneville County Recorder's Office, and running thence S.89 degrees 53'00" E. 471.0 feet to the Northeast corner of said property; thence N.0 degrees 13'30" E. 1.13 feet; thence N.89 degrees 22'42" W. 260.76 feet; thence S.89 degrees 10'55" W. 210.29 feet to the Point of Beginning.

13. North Yellowstone Laboratory

1988 N. Yellowstone, Idaho Falls [Actual property address is 1980 N. Yellowstone Hwy (EG&G Office)]: Lot 1, Block 1, O'Dell Plaza, Division No. 1, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

14. Woodruff Avenue Warehouse

1965 N. Woodruff Avenue, Idaho Falls [Actual property address is 2010 N. Woodruff Avenue (Marshall's Tile & Supply)]: Lot 7, Block 4, Hodson Addition, First Amended, to the County of Bonneville, State of Idaho, according to the recorded plat thereof.

15. Idaho Innovation Center/Bonneville County Technology Center

2300 N. Yellowstone Highway, Idaho Falls (Bonneville County Parcels): Beginning at a point on the Southerly right-of-way line of U.S. Highway No. 191 that is S.0 degrees 16'17" W. 661.51 feet along the section line and N.89 degrees 43'43" W. 541.92 feet from the East Quarter Corner of Section 8, Township 2 North, Range 38, East of the Boise Meridian, Bonneville County, Idaho, said point of beginning being a point on a curve with a radius of 11399.20 and a tangent that bears S.55 degrees 07'29" W.; thence to the left along said curve 278.44 feet through a central angle of 2 degrees 13'44"; thence S.45 degrees 43'51" E. 190.28 feet; thence S.33 degrees 51'01" E. 65.69 feet to a point of curve with a radius of 89.98 feet; thence to the left along said curve 100.39 feet through a central angle of 63 degrees 55'20"; thence N. 61 degrees 35'32" E. 136.25 feet parallel with and 1.6 feet perpendicular from an existing building wall; thence N. 35 degrees 59'23" E. 56.44 feet; thence N.33 degrees 17'20" W. 336.50 feet to the Point of Beginning. AND ALSO: Beginning at a point on the Southerly right-of-way line of U.S. Highway No. 191, that is S.0 degrees 16'17" W. 567.49 feet along the section line and N.89 degrees 43'43" W. 406.29 feet from the East Quarter Corner of Section 8, Township 2 North, Range 38, East of the Boise Meridian, Bonneville County, Idaho, said point of beginning being a point on a curve with a radius of 11399.20 feet and a tangent that bears S.53 degrees 43'31" W.; thence to the left along said curve

165.04 feet through a central angle of 0 degrees 49'46"; thence S.33 degrees 17'20" E. 336.50 feet; thence N.35 degrees 59'23" E. 158.93 feet; thence N.1 degrees 55'02" W. 31.41 feet to the Southeast corner of an existing building; thence N.33 degrees 17'20" W. 256.82 feet along the East wall of said building extended, to the Point of Beginning.

16. Lincoln Road Storage

910 Lincoln Road, Idaho Falls (Schwendiman Wholesale): Beginning a point that is N.89 degrees 55'00" E. 196.2 feet from the Northwest corner of the Northeast Quarter of Section 17, Township 2 North, Range 38, East of the Boise Meridian, Bonneville County Idaho; and running thence N.89 degrees 55'00" E along the section line, 100.0 feet; thence South 536.05 feet to the North line of Bel-Aire Addition to the City of Idaho Falls; thence Westerly along the North line of said addition 100.02 feet; thence North 536.9 feet to the North line of said Section 17 to the Point of Beginning. LESS the South 47 feet thereof. AND ALSO LESS: Beginning at a point that is N.89 degrees 55'00" E 196.2 feet from the Northwest corner of the Northeast Quarter of said Section 17; thence South 28.48 feet; thence S.89 degrees 22'06" E. 100.01 feet; thence North 29.73 feet to the North line of Section 17; thence S.89 degrees 55'00" W. 100.0 feet to the Point of Beginning. AND ALSO LESS that certain property conveyed to the City of Idaho Falls by Right-of-Way Deed recorded as Instrument No. 707336, Deed Records of Bonneville County, Idaho.

17. North Boulevard Annex

2095 N. Boulevard, Idaho Falls [Actual property address is 2251 N. Boulevard (USA)]: Lot 1, Block 1, Marshall Research Park, Division No. 1, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof. AND ALSO, Lots 2 & 3, Marshall Research Park, Division No. 2, to the City of Idaho Falls, County of Bonneville, State of Idaho, according to the recorded plat thereof.

18. Parking Lot Located at US 20 and Shelley New Sweden Road

A parcel of land situated in the NW¹/₄ NW¹/₄, Section 21, Township 2 North, Range 37 East, Boise Meridian, Bonneville County, Idaho, more particularly described as follows: Commencing at the northwest corner of said northwest quarter of the northwest quarter (section corner, CP&F Instrument No. 944377); thence south 88 degrees 30'49" east (of record as

EAST), 40.78 feet, along the north boundary of said NW¹/₄ NW¹/₄ and along the southerly right of way of US Hwy-20, to the Point of Beginning; thence continuing south 88 degrees 30'49" east, a distance of 299.80 feet, along said north boundary and said right of way of US Hwy-20; thence south 84 degrees 39'51" east, a distance of 193.06 ft., along said right of way; thence 58.76 feet along the arc of a 25.00 foot radius curve right, said curve having a chord bearing south 17 degrees 19'56" east, and a distance of 46.14 feet; thence south 50 degrees 00'00" west, a distance of 304.50 feet; thence a distance of 351.58 feet along the arc of a 987.11 foot radius curve left, said curve having a chord bearing south 39 degrees 47'47" west, a distance of 349.73 feet; thence a distance of 79.16 feet along the arc of a 30.00 foot radius curve right, said curve having a chord bearing north 74 degrees 49'06" west, a distance of 58.11 feet; thence north 00 degrees 46'14" east (of record as north 00 degrees 16'51" east), a distance of 519.08 feet, parallel with the centerline of the existing Shelley New Sweden Road, to the Point of Beginning. Contains 3.424 acres, more or less.

19. North Bethesda Office Park/Rockville, Md

Fee Simple Estate as to Parcel 1: Being part of Lot 16, Higgins Estate, as shown and recorded in Plat Book 70 at Plat 6551 among the Land Records of Montgomery County, Maryland, and Beginning for the same at a point of the easterly side of Woodglen Drive (as now dedicated 85 feet wide), said point being the southwest corner of said Lot 16, thence with part of said easterly side (1) North 03 Degrees 53'27" West 398.72 feet to the beginning point from Investex Management Corporation to Montgomery County, Maryland for the widening of Wall Lane and recorded in Liber 6295 at Folio 309 among said land records, thence with the southerly side of said Wall Lane and the 5th and 4th lines reversed, the two following lines; (2) North 71 Degrees 00'04" East 12.94 feet, thence; (3) North 88 Degrees 57'56" East 265.00 feet to intersect the common dividing line of said Lot 16 and Lot 15, Higgins Estate, as shown and recorded in Plat Book 69 at Plat 6530 among said land records, thence leaving Wall Lane and with the common lines of Lots 15 and 16 the two following lines; (4) South 19 Degrees 32'26" East 153.85 feet, thence; (5) North 89 Degrees 00'49" East 142.19 feet to the westerly side of Wisconsin Avenue (Rockville Pike) Maryland Route No. 355, thence with

E. approximately 1 mile to the NE. corner, sec. 9, T. 5N., R. 30E.; Thence N. approximately 7 miles to the NW. corner, sec. 3, T. 6N., R. 30E.; Thence E. approximately 2 miles to the NE. corner, sec. 2, T. 6N., R. 30E.; Thence N. approximately 9 miles to NW. corner, sec. 24, T. 8N., R. 30E.; Thence E. approximately 10½ miles; Thence S. approximately 5 miles; Thence E. approximately one-half mile to the NE. corner, sec. 18, T. 7N., R. 33E.; Thence S. approximately one-half mile; Thence E. approximately 1 mile; Thence S. approximately one-half mile to the SE. corner, sec. 17, T. 7N., R. 33E.; Thence E. approximately 1 mile to the NE. corner, sec. 21, T. 7N., R. 33E.; Thence S. approximately 2 miles to the SW. corner, sec. 28, T. 7N., R. 33E.; Thence W. approximately one-half mile; Thence S. approximately one-half mile; Thence W. approximately one-fourth mile; Thence S. approximately 2½ miles; Thence E. approximately three-fourths mile; Thence S. approximately 1 mile; Thence E. approximately 2 miles; Thence N. approximately 1 mile; Thence E. approximately three-fourths mile; Thence S. approximately one-fourth mile; Thence E. approximately one-fourth mile; Thence SE. parallel to Idaho Highway No. 28 approximately 1¼ miles to the SE. corner of sec. 18, T. 6N., R. 34E.; Thence W. approximately 2 miles; Thence S. approximately 1 mile; Thence E. approximately 1 mile; Thence S. approximately 2 miles; Thence E. approximately 1 mile; Thence S. approximately 1 mile; Thence E. approximately 1¾ mile; Thence S. approximately 9½ mile; Thence W. approximately one-fourth mile; Thence S. approximately 4 mile; Thence W. approximately one-half mile; Thence S. approximately one-fourth mile; Thence W. approximately one-fourth mile to the SW. corner, sec. 16, T. 3N., R. 34E.; Thence S. approximately 1 mile to the SE. corner, sec. 20, T. 3N., R. 34E.; Thence W. approximately one-half mile; Thence S. approximately three-fourths mile; Thence W. approximately 2¾ mile; Thence S. approximately one-eighth mile; Thence in a westerly direction approximately 4¾ miles; parallel to U.S. Highway No. 20 to the point of intersection with the W. boundary line of sec. 31, T. 3N., R. 33E.; Thence S. approximately 7 mile to the SE. corner sec. 36, T. 2N., R. 32E.; Thence W. approximately 8¼ mile; Thence N. approximately one-half mile; Thence W. approximately one-fourth mile; Thence S. approximately one-fourth mile; Thence W. approximately one-fourth mile; Thence S. approximately one-fourth mile; Thence W. approximately one-fourth mile; Thence S.

approximately one-fourth mile; Thence W. approximately 1½ miles; Thence N. approximately one-eighth mile; Thence W. approximately one-fourth mile; Thence S. approximately one-eighth mile; Thence W. approximately 16½ miles to the point of beginning at the SW. corner, sec. 31, T. 2N., R. 28E.

Notices stating the pertinent prohibitions of §§ 860.3 and 860.4 and the penalties of 10 CFR 860.5 are being posted at all entrances of the above-referenced areas and at intervals along their perimeters, as provided in 10 CFR 860.6.

Dated at Washington, DC, this 4th day of May, 2000.

Joseph S. Mahaley,

Director, Office of Security Affairs.

[FR Doc. 00-11727 Filed 5-9-00; 8:45 am]

BILLING CODE 6450-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. RP00-261-000]

Columbia Gulf Transmission Company; Notice of Proposed Changes in FERC Gas Tariff

May 4, 2000.

Take notice that on May 1, 2000, Columbia Gulf Transmission Company (Columbia Gulf) tendered for filing as part of its FERC Gas Tariff, Second Revised Volume No. 1, the following revised tariff sheet, with a proposed effective date of June 1, 2000.

Fifth Revised Sheet No. 317

Columbia Gulf states that the purpose of this filing is to set forth in its pro forma service agreement, applicable to Rate Schedule FTS-1, FTS-2, ITS-1, and ITS-2, contained in its Tariff an additional type of permissible discount that would allow Columbia Gulf to accept a production and/or reserve commitment in consideration for the granting of a discount.

Columbia Gulf states that copies of its filing have been mailed to all firm and interruptible customers and affected state commissions.

Any person desiring to be heard or to protest said filing should file a motion to intervene or a protest with the Federal Energy Regulatory Commission, 888 First Street, N.E., Washington, D.C. 20426, in accordance with Sections 385.214 or 385.211 of the Commission's Rules and Regulations. All such motions or protests must be filed in accordance with Section 154.210 of the Commission's Regulations. Protest will

be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceedings. Any person wishing to become a party must file a motion to intervene. Copies of this filing are on file with the Commission and are available for public inspection in the Public Reference Room. This filing may be viewed on the web at <http://www.ferc.fed.us/online/rims.htm> (call 202-208-2222 for assistance).

David P. Boergers,

Secretary.

[FR Doc. 00-11618 Filed 5-9-00; 8:45 am]

BILLING CODE 6717-01-M

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. EL00-71-000]

City of Detroit, Michigan v. The Detroit Edison Company; Notice of Complaint

May 4, 2000.

Take notice that on May 2, 2000, The City of Detroit, Michigan (Detroit) submitted a Complaint pursuant to Sections 206 and 306 of the Federal Power Act against the Detroit Edison Company (DECo). The Complaint alleges that DECo has improperly applied a penalty charge to certain power delivered by DECo to Detroit on July 27, 1999; that the parties' contract does not and should not provide for a penalty charge in the circumstances at issue.

Copies of the filing were served upon the Respondents and the Michigan Public Service Commission.

Any person desiring to be heard or to protest this filing should file a motion to intervene or protest with the Federal Energy Regulatory Commission, 888 First Street, N.E., Washington, D.C. 20426, in accordance with Rules 211 and 214 of the Commission's Rules and Practice and Procedure (18 CFR 385.211 and 385.214). All such motions or protests must be filed on or before May 22, 2000. Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Any person wishing to become a party must file a motion to intervene. Copies of this filing are on file with the Commission and are available for public inspection in the Public Reference Room. This filing may also be viewed on the Internet at <http://www.ferc.fed.us/online/rims.htm> (call 202-208-2222) for assistance. Answers