

requirements include such items as LERRD's, costs attributable to deficient or deferred maintenance, removal of temporary works, cost-sharing requirements, and any other requirements contained in § 203.82. The project sponsor must acknowledge its responsibilities prior to the provision of Rehabilitation Assistance. If the existing PCA does not adequately address responsibilities, then a CA will be required.

§ 203.86 Transfer of completed work to local interests.

Responsibility for operation and maintenance of a project for which emergency work under Public Law 84-99 is undertaken will always remain with the non-Federal sponsor throughout the process, and thereafter. The Corps will notify the non-Federal sponsor by letter when repair/rehabilitation/work efforts are completed. Detailed instructions, and suggestions relative to proper maintenance and operation, may be furnished as an enclosure to this letter. The letter will remind the local interests that they are responsible for satisfactory maintenance of the flood control works in accordance with the terms of the PCA or CA. In appropriate cases for Federal projects, refer to the "Flood Control Regulation for Maintenance and Operation of Flood Control Works: (33 CFR part 208)" or the project's Operation and Maintenance Manual. Reporting requirements placed on the non-Federal sponsor will vary according to organization and other circumstances.

[FR Doc. 02-3515 Filed 2-25-02; 8:45 am]

BILLING CODE 3710-92-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[CA 256-0319b; FRL-7139-3]

Revisions to the California State Implementation Plan, Kern County Air Pollution Control District

AGENCY: Environmental Protection Agency (EPA).

ACTION: Proposed rule.

SUMMARY: EPA is proposing to approve a revision to the Kern County Air Pollution Control District (KCAPCD) portion of the California State Implementation Plan (SIP). This revision concerns nitrogen oxides (NO_x) emissions from internal combustion engines. We are proposing to approve a local rule that regulates this emission

source under the Clean Air Act as amended in 1990 (CAA or the Act).

DATES: Any comments on this proposal must arrive by March 28, 2002.

ADDRESSES: Mail comments to Andy Steckel, Rulemaking Office Chief (AIR-4), U.S. Environmental Protection Agency, Region IX, 75 Hawthorne Street, San Francisco, CA 94105.

You can inspect copies of the submitted rule revisions and EPA's technical support document (TSD) at our Region IX office during normal business hours. You may also see copies of the submitted rule revisions and TSD at the following locations:

Environmental Protection Agency, Air Docket (6102), Ariel Rios Building, 1200 Pennsylvania Avenue, NW., Washington DC 20460.

California Air Resources Board, Stationary Source Division, Rule Evaluation Section, 1001 "I" Street, Sacramento, CA 95814.

Kern County Air Pollution Control District, 2700 "M" Street, Suite 302, Bakersfield, CA 93301.

FOR FURTHER INFORMATION CONTACT: Al Petersen, Rulemaking Office (AIR-4), U.S. Environmental Protection Agency, Region IX; (415) 947-4118.

SUPPLEMENTARY INFORMATION: This proposal addresses the approval of local KCAPCD Rule 427. In the Rules and Regulations section of this **Federal Register**, we are approving this local rule in a direct final action without prior proposal because we believe this SIP revision is not controversial. If we receive adverse comments, however, we will publish a timely withdrawal of the direct final rule and address the comments in subsequent action based on this proposed rule. We do not plan to open a second comment period, so anyone interested in commenting should do so at this time. If we do not receive adverse comments, no further activity is planned. For further information, please see the direct final action.

Dated: January 28, 2002.

Wayne Nastri,

Regional Administrator, Region IX.

[FR Doc. 02-4399 Filed 2-25-02; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[MN64-01-7289b; FRL-7139-9]

Approval and Promulgation of Implementation Plans; Minnesota

AGENCY: Environmental Protection Agency (EPA).

ACTION: Proposed rule.

SUMMARY: We are proposing to approve a site-specific revision to the Minnesota Sulfur Dioxide (SO₂) State Implementation Plan (SIP) for the Northern States Power Company (NSP) Riverside Plant, located in Minneapolis, Hennepin County, Minnesota. The Minnesota Pollution Control Agency requested in their September 1, 1999 submittal that EPA approve into the Minnesota SO₂ SIP certain portions of the Title V permit for NSP's Riverside plant and remove the NSP Riverside Administrative Order from the state SO₂ SIP. The request is approvable because it satisfies the requirements of the Clean Air Act. Specifically, we are proposing to approve into the SIP only those portions of the permit cited as "Title I condition: State Implementation Plan for SO₂." In addition, we are proposing to remove the NSP Riverside Plant Administrative Order from the state SO₂ SIP. In the final rules section of this **Federal Register**, we are approving the SIP revision as a direct final rule without prior proposal, because we view this as a noncontroversial revision amendment and anticipate no adverse comments. A detailed rationale for the approval is set forth in the direct final rule. If no adverse comments are received in response to this proposed rule, no further activity is contemplated in relation to this proposed rule. If we receive adverse comments, the direct final rule will be withdrawn and all public comments received will be addressed in a subsequent final rule based on this proposed rule. We will not institute a second comment period on this action. Any parties interested in commenting on this action should do so at this time.

DATES: Written comments must be received on or before March 28, 2002.

ADDRESSES: Written comments should be sent to: Carlton T. Nash, Chief, Regulation Development Section, Air Programs Branch (AR-18J), EPA Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604-3590.

FOR FURTHER INFORMATION CONTACT: Christos Panos, Regulation Development Section, Air Programs Branch (AR-18J), EPA Region 5, 77 West Jackson Boulevard, Chicago, Illinois 60604, (312) 353-8328.

SUPPLEMENTARY INFORMATION: For additional information, see the Direct Final notice which is located in the Rules section of this **Federal Register**. Copies of the request and the EPA's analysis are available for inspection at the above address. (Please telephone

Christos Panos at (312) 353-8328 before visiting the Region 5 Office.)

Dated: January 17, 2002.

David A. Ullrich,

Acting Regional Administrator, Region 5.

[FR Doc. 02-4401 Filed 2-25-02; 8:45 am]

BILLING CODE 6560-50-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 261

[SW-FRL-7150-2]

Hazardous Waste Management System; Identification and Listing of Hazardous Waste; Proposed Exclusion

AGENCY: Environmental Protection Agency.

ACTION: Proposed rule and request for comment.

SUMMARY: The Environmental Protection Agency (EPA, also the Agency or we in this preamble) is proposing to grant a petition submitted by Weirton Steel Corporation (Weirton), to exclude (or delist) on a one-time basis certain solid wastes generated at its Weirton, West Virginia, facility from the lists of hazardous waste.

The Agency has tentatively decided to grant the petition based on an evaluation of specific information provided by the petitioner. This tentative decision, if finalized, would conditionally exclude the petitioned waste from the requirements of the hazardous waste regulations under the Resource Conservation and Recovery Act (RCRA).

DATES: EPA is requesting public comments on this proposed decision. We will accept comments on this proposal until April 12, 2002. Comments postmarked after the close of the comment period will be stamped "late." These late comments may not be considered in formulating a final decision.

Any person may request a hearing on this tentative decision to grant the petition by filing a request by March 13, 2002. The request must contain the information prescribed in 40 CFR 260.20(d).

ADDRESSES: Please send two copies of your comments to David M. Friedman, Technical Support Branch (3WC11), U.S. EPA Region III, 1650 Arch Street, Philadelphia, PA, 19103-2029.

Your request for a hearing should be addressed to James J. Burke, Director, Waste and Chemicals Management Division (3WC00), U.S. EPA Region III,

1650 Arch Street, Philadelphia, PA, 19103-2029.

The RCRA regulatory docket for this proposed rule is located at the offices of U.S. EPA Region III, 1650 Arch Street, Philadelphia, PA, 19103-2029, and is available for you to view from 8:30 a.m. to 5 p.m., Monday through Friday, except on Federal holidays. Please call David M. Friedman at (215) 814-3395 for appointments. The public may copy material from the regulatory docket at \$0.15 per page.

FOR FURTHER INFORMATION CONTACT: For technical information concerning this document, please contact David M. Friedman at the address above or at (215) 814-3395.

SUPPLEMENTARY INFORMATION: The information in this section is organized as follows:

- I. Background
 - A. What laws and regulations give EPA the authority to delist waste?
 - B. What does Weirton request in its petition?
- II. Waste-Specific Information
 - A. How was the waste generated by Weirton?
 - B. What information did Weirton submit to support its petition?
- III. EPA's Evaluation of the Petition
 - A. What method did EPA use to evaluate risk?
 - B. What other factors did EPA consider in its evaluation?
 - C. What conclusion did EPA reach?
- IV. Conditions for Exclusion
 - A. What conditions are associated with this exclusion?
 - B. What happens if Weirton fails to meet the conditions of this exclusion?
- V. Effect on State Authorization
- VI. Effective Date
- VII. Administrative Requirements

I. Background

A. What Laws and Regulations Give EPA the Authority To Delist Waste?

EPA published amended lists of hazardous wastes from non-specific and specific sources on January 16, 1981, as part of its final and interim final regulations implementing Section 3001 of RCRA. These lists have been amended several times, and are found at 40 CFR 261.31 and 261.32.

We list these wastes as hazardous because: (1) They typically and frequently exhibit one or more of the characteristics of hazardous wastes identified in Subpart C of 40 CFR Part 261 (i.e., ignitability, corrosivity, reactivity, and toxicity), or (2) they meet the criteria for listing contained in 40 CFR 261.11(a)(2) or (a)(3).

Individual waste streams may vary, however, depending on raw materials, industrial processes, and other factors. Thus, while a waste that is described in

these regulations generally is hazardous, a specific waste from an individual facility meeting the listing description may not be.

For this reason, 40 CFR 260.20 and 260.22 provide an exclusion procedure which allows a person to demonstrate that a specific listed waste from a particular generating facility should not be regulated as a hazardous waste, and should, therefore, be delisted.

According to 40 CFR 260.22(a)(1), in order to have these wastes excluded, a petitioner must first show that wastes generated at its facility do not meet any of the criteria for which the wastes were listed. The criteria which we use to list wastes are found in 40 CFR 261.11. An explanation of how these criteria apply to a particular waste is contained in the background document for that listed waste.

In addition to the criteria that we considered when we originally listed the waste, we are also required by the provisions of 40 CFR 260.22(a)(2) to consider any other factors (including additional constituents), if there is a reasonable basis to believe that these factors could cause the waste to be hazardous.

In a delisting petition, the petitioner must demonstrate that the waste does not exhibit any of the hazardous waste characteristics defined in Subpart C of 40 CFR Part 261 (i.e., ignitability, corrosivity, reactivity, and toxicity), and must present sufficient information for EPA to determine whether the waste contains any other constituents at hazardous levels.

A generator remains obligated under RCRA to confirm that its waste remains non-hazardous based on the hazardous waste characteristics defined in Subpart C of 40 CFR Part 261, even if EPA has delisted its waste.

We also define residues from the treatment, storage, or disposal of listed hazardous wastes and mixtures containing listed hazardous wastes as hazardous wastes. (See 40 CFR 261.3(a)(2)(iv) and (c)(2)(i), referred to as the "mixture" and "derived-from" rules, respectively.) These wastes are also eligible for exclusion but remain hazardous wastes until delisted.

B. What Does Weirton Request in Its Petition?

On March 3, 1999, Weirton petitioned EPA to exclude on a one-time basis the wastewater treatment sludge contained in an inactive surface impoundment (the East Lagoon) and two tanks (the Figure 8 tanks) from the list of hazardous wastes contained in 40 CFR 261.31. The lagoon and tanks were removed from service in September,