

(iv) FDA-approved products for *Salmonella* control may be added to either unfinished or finished feed.

* * * * *

(g) *U.S. H5/H7 Avian Influenza Clean*. This program is intended to be the basis from which the turkey breeding industry may conduct a program for the prevention and control of the H5 and H7 subtypes of avian influenza. It is intended to determine the presence of the H5 and H7 subtypes of avian influenza in breeding turkeys through routine serological surveillance of each participating breeding flock. A flock, and the hatching eggs and poults produced from it, will qualify for this classification when the Official State Agency determines that it has met one of the following requirements:

(1) It is a primary breeding flock in which a minimum of 30 birds has been tested negative for antibodies to the H5 and H7 subtypes of avian influenza by the agar gel immunodiffusion test specified in § 147.9 of this chapter when more than 4 months of age. To retain this classification:

(i) A sample of at least 30 birds must be tested negative at intervals of 90 days; or

(ii) A sample of fewer than 30 birds may be tested, and found to be negative, at any one time if all pens are equally represented and a total of 30 birds are tested within each 90-day period.

(2) It is a multiplier breeding flock in which a minimum of 30 birds has been tested negative for antibodies to the H5 and H7 subtypes of avian influenza by the agar gel immunodiffusion test specified in § 147.9 when more than 4 months of age. To retain this classification:

(i) A sample of at least 30 birds must be tested negative at intervals of 180 days; or

(ii) A sample of fewer than 30 birds may be tested, and found to be negative, at any one time if all pens are equally represented and a total of 30 birds are tested within each 180-day period.

(3) For both primary and multiplier breeding flocks, if a killed influenza vaccine against avian influenza subtypes other than H5 and H7 is used, then the hemagglutinin and the neuraminidase subtypes of the vaccine must be reported to the Official State Agency for laboratory and reporting purposes.

* * * * *

11. In § 145.53, a new paragraph (e) would be added to read as follows:

§ 145.53 Terminology and classification; flocks and products.

* * * * *

(e) *U.S. Avian Influenza Clean*. This program is intended to be the basis from which the breeding-hatchery industry may conduct a program for the prevention and control of avian influenza. It is intended to determine the presence of avian influenza in waterfowl, exhibition poultry and game bird breeding flocks through routine serological surveillance of each participating breeding flock. A flock, and the hatching eggs and chicks produced from it, will qualify for this classification when the Official State Agency determines that it has met one of the following requirements:

(1) It is a primary breeding flock in which a minimum of 30 birds has been tested negative for antibodies to avian influenza by the agar gel immunodiffusion test specified in § 147.9 of this chapter when more than 4 months of age. To retain this classification:

(i) A sample of at least 30 birds must be tested negative at intervals of 90 days; or

(ii) A sample of fewer than 30 birds may be tested, and found to be negative, at any one time if all pens are equally represented and a total of 30 birds are tested within each 90-day period.

(2) It is a multiplier breeding flock in which a minimum of 30 birds has been tested negative for antibodies to avian influenza by the agar gel immunodiffusion test specified in § 147.9 of this chapter when more than 4 months of age. To retain this classification:

(i) A sample of at least 30 birds must be tested negative at intervals of 180 days; or

(ii) A sample of fewer than 30 birds may be tested, and found to be negative, at any one time if all pens are equally represented and a total of 30 unvaccinated sentinel birds are tested within each 180-day period.

PART 147—AUXILIARY PROVISIONS ON NATIONAL POULTRY IMPROVEMENT PLAN

12. The authority citation for part 147 would continue to read as follows:

Authority: 7 U.S.C. 8301–8317; 7 CFR 2.22, 2.80, and 371.4.

13. Section 147.12 would be amended as follows:

a. In paragraph (b), introductory text, the words “or the rapid detection method” would be added after the word “procedures.”

b. A new paragraph (b)(3) would be added to read as set forth below.

§ 147.12 Procedures for collection, isolation, and identification of *Salmonella* from environmental samples, cloacal swabs, chick box papers, and meconium samples.

* * * * *

(b) * * *
(3) *Approved rapid detection method*.

After selective enrichment, a rapid ruthenium-labeled *Salmonella* sandwich immunoassay may be used to determine the presence of *Salmonella*. Positive samples from the immunoassay are then inoculated to selective plates (such as BGN and XLT4). Incubate the plates at 37 °C for 20 to 24 hours. Inoculate three to five *Salmonella*-suspect colonies from the plates into triple sugar iron (TSI) and lysine iron agar (LIA) slants. Incubate the slants at 37 °C for 20 to 24 hours. Screen colonies by serological (*i.e.*, serogroup) and biochemical (*e.g.*, API) procedures as shown in illustration 2. As a supplement to screening three to five *Salmonella*-suspect colonies on TSI and LIA slants, a group D colony lift assay may be utilized to signal the presence of hard-to-detect group D *Salmonella* colonies on agar plates.

* * * * *

Done in Washington, DC, this 19th day of May 2003.

Kevin Shea,

Acting Administrator, Animal and Plant Health Inspection Service.

[FR Doc. 03–12995 Filed 5–22–03; 8:45 am]

BILLING CODE 3410–34–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. 2002–NM–82–AD]

RIN 2120–AA64

Airworthiness Directives; McDonnell Douglas Model DC–9–81 (MD–81), DC–9–82 (MD–82), DC–9–83 (MD–83), DC–9–87 (MD–87), and MD–88 Airplanes

AGENCY: Federal Aviation Administration, DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: This document proposes the adoption of a new airworthiness directive (AD) that is applicable to certain McDonnell Douglas Model DC–9–81 (MD–81), DC–9–82 (MD–82), DC–9–83 (MD–83), DC–9–87 (MD–87), and MD–88 airplanes. This proposal would require a one-time visual inspection to determine if discrepant circuit breakers are installed, and corrective action if

necessary. This action is necessary to prevent internal overheating and arcing of circuit breakers and airplane wiring due to long-term use and breakdown of internal components of the circuit breakers, which could result in smoke and fire in the flight compartment and main cabin. This action is intended to address the identified unsafe condition.

DATES: Comments must be received by July 7, 2003.

ADDRESSES: Submit comments in triplicate to the Federal Aviation Administration (FAA), Transport Airplane Directorate, ANM-114, Attention: Rules Docket No. 2002-NM-82-AD, 1601 Lind Avenue, SW., Renton, Washington 98055-4056. Comments may be inspected at this location between 9 a.m. and 3 p.m., Monday through Friday, except Federal holidays. Comments may be submitted via fax to (425) 227-1232. Comments may also be sent via the Internet using the following address: *9-anm-nprmcomment@faa.gov*. Comments sent via fax or the Internet must contain "Docket No. 2002-NM-82-AD" in the subject line and need not be submitted in triplicate. Comments sent via the Internet as attached electronic files must be formatted in Microsoft Word 97 for Windows or ASCII text.

The service information referenced in the proposed rule may be obtained from Boeing Commercial Aircraft Group, Long Beach Division, 3855 Lakewood Boulevard, Long Beach, California 90846, Attention: Data and Service Management, Dept. C1-L5A (D800-0024). This information may be examined at the FAA, Transport Airplane Directorate, 1601 Lind Avenue, SW., Renton, Washington; or at the FAA, Los Angeles Aircraft Certification Office, 3960 Paramount Boulevard, Lakewood, California.

FOR FURTHER INFORMATION CONTACT:

Elvin K. Wheeler, Aerospace Engineer, Systems and Equipment Branch, ANM-130L, FAA, Los Angeles Aircraft Certification Office, 3960 Paramount Boulevard, Lakewood, California 90712-4137; telephone (562) 627-5344; fax (562) 627-5210.

SUPPLEMENTARY INFORMATION:

Comments Invited

Interested persons are invited to participate in the making of the proposed rule by submitting such written data, views, or arguments as they may desire. Communications shall identify the Rules Docket number and be submitted in triplicate to the address specified above. All communications received on or before the closing date for comments, specified above, will be

considered before taking action on the proposed rule. The proposals contained in this action may be changed in light of the comments received.

Submit comments using the following format:

- Organize comments issue-by-issue. For example, discuss a request to change the compliance time and a request to change the service bulletin reference as two separate issues.
- For each issue, state what specific change to the proposed AD is being requested.
- Include justification (*e.g.*, reasons or data) for each request.

Comments are specifically invited on the overall regulatory, economic, environmental, and energy aspects of the proposed rule. All comments submitted will be available, both before and after the closing date for comments, in the Rules Docket for examination by interested persons. A report summarizing each FAA-public contact concerned with the substance of this proposal will be filed in the Rules Docket.

Commenters wishing the FAA to acknowledge receipt of their comments submitted in response to this action must submit a self-addressed, stamped postcard on which the following statement is made: "Comments to Docket Number 2002-NM-82-AD." The postcard will be date stamped and returned to the commenter.

Availability of NPRMs

Any person may obtain a copy of this NPRM by submitting a request to the FAA, Transport Airplane Directorate, ANM-114, Attention: Rules Docket No. 2002-NM-82-AD, 1601 Lind Avenue, SW., Renton, Washington 98055-4056.

Discussion

As part of its practice of re-examining all aspects of the service experience of a particular aircraft whenever an accident occurs, the FAA has become aware of incidents of smoke and electrical odor in the flight compartment and cabin area of McDonnell Douglas Model DC-9-81, -82, and -83 airplanes. Investigation revealed that long-term use and breakdown of the internal components of circuit breakers manufactured by Wood Electric Corporation or Wood Electric Division of Potter Brumfield Corporation contributed to internal overheating and arcing of the circuit breakers. This condition, if not corrected, could result in smoke and fire in the flight compartment and main cabin.

Explanation of Relevant Service Information

The FAA has reviewed and approved Boeing Alert Service Bulletin MD80-24A194, Revision 01, dated March 11, 2003, which describes procedures for a one-time visual inspection of the circuit breakers to determine if discrepant circuit breakers are installed (includes circuit breakers manufactured by Wood Electric and Wood Electric Division of Brumfield Potter Corporations, and incorrect circuit breakers installed per Boeing Alert Service Bulletin MD80-24A194, dated February 19, 2002, and replacement of any discrepant circuit breaker with a new, approved circuit breaker. Accomplishment of the actions specified in Revision 01 of the service bulletin is intended to adequately address the identified unsafe condition.

Explanation of Requirements of Proposed Rule

Since an unsafe condition has been identified that is likely to exist or develop on other products of this same type design, the proposed AD would require accomplishment of the actions specified in Revision 01 of the service bulletin described previously.

Cost Impact

There are approximately 1,177 airplanes of the affected design in the worldwide fleet. The FAA estimates that 709 airplanes of U.S. registry would be affected by this proposed AD, that it would take approximately 80 work hours per airplane to accomplish the proposed inspection of the circuit breakers (over 700 installed on each airplane), and that the average labor rate is \$60 per work hour. Based on these figures, the cost impact of the proposed AD on U.S. operators is estimated to be \$3,403,200, or \$4,800 per airplane.

The cost impact figure discussed above is based on assumptions that no operator has yet accomplished any of the proposed requirements of this AD action, and that no operator would accomplish those actions in the future if this proposed AD were not adopted. The cost impact figures discussed in AD rulemaking actions represent only the time necessary to perform the specific actions actually required by the AD. These figures typically do not include incidental costs, such as the time required to gain access and close up, planning time, or time necessitated by other administrative actions.

Regulatory Impact

The regulations proposed herein would not have a substantial direct effect on the States, on the relationship between the national government and

the States, or on the distribution of power and responsibilities among the various levels of government. Therefore, it is determined that this proposal would not have federalism implications under Executive Order 13132.

For the reasons discussed above, I certify that this proposed regulation (1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under the DOT Regulatory Policies and Procedures (44 FR 11034, February 26, 1979); and (3) if promulgated, will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act. A copy of the draft regulatory evaluation prepared for this action is contained in the Rules Docket. A copy of it may be obtained by contacting the Rules Docket at the location provided under the caption ADDRESSES.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Safety.

The Proposed Amendment

Accordingly, pursuant to the authority delegated to me by the Administrator, the Federal Aviation Administration proposes to amend part 39 of the Federal Aviation Regulations (14 CFR part 39) as follows:

PART 39—AIRWORTHINESS DIRECTIVES

1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

2. Section 39.13 is amended by adding the following new airworthiness directive:

McDonnell Douglas: Docket 2002–NM–82–AD.

Applicability: Model DC–9–81 (MD–81), DC–9–82 (MD–82), DC–9–83 (MD–83), DC–9–87 (MD–87), and MD–88 airplanes; as listed in Boeing Alert Service Bulletin MD80–24A194, Revision 01, dated March 11, 2003; certificated in any category.

Note 1: This AD applies to each airplane identified in the preceding applicability provision, regardless of whether it has been modified, altered, or repaired in the area subject to the requirements of this AD. For airplanes that have been modified, altered, or repaired so that the performance of the requirements of this AD is affected, the owner/operator must request approval for an alternative method of compliance in accordance with paragraph (c) of this AD. The request should include an assessment of the effect of the modification, alteration, or repair on the unsafe condition addressed by this AD; and, if the unsafe condition has not

been eliminated, the request should include specific proposed actions to address it.

Compliance: Required as indicated, unless accomplished previously.

To prevent internal overheating and arcing of circuit breakers and airplane wiring due to long-term use and breakdown of internal components of the circuit breakers, which could result in smoke and fire in the flight compartment and main cabin, accomplish the following:

Inspection and Replacement, If Necessary

(a) Within 18 months after the effective date of this AD: Perform a one-time general visual inspection of the circuit breakers to determine if discrepant circuit breakers are installed (includes circuit breakers manufactured by Wood Electric and Wood Electric Division of Brumfield Potter Corporations, and incorrect circuit breakers installed per Boeing Alert Service Bulletin MD80–24A194, dated February 19, 2002), per Boeing Alert Service Bulletin MD80–24A194, Revision 01, dated March 11, 2003.

Note 2: For the purposes of this AD, a general visual inspection is defined as: "A visual examination of an interior or exterior area, installation, or assembly to detect obvious damage, failure, or irregularity. This level of inspection is made from within touching distance unless otherwise specified. A mirror may be necessary to enhance visual access to all exposed surfaces in the inspection area. This level of inspection is made under normally available lighting conditions such as daylight, hangar lighting, flashlight, or droplight and may require removal or opening of access panels or doors. Stands, ladders, or platforms may be required to gain proximity to the area being checked."

(1) If no discrepant circuit breaker is found: No further action is required by this paragraph.

(2) If any discrepant circuit breaker is found: Before further flight, replace the circuit breaker with a new, approved circuit breaker, per the service bulletin.

Part Installation

(b) As of the effective date of this AD, no person shall install, on any airplane, a circuit breaker having a part number listed in the "Existing Part Number" column in the table specified in paragraph 2.C.2. of Boeing Alert Service Bulletin MD80–24A194, Revision 01, dated March 11, 2003.

Alternative Methods of Compliance

(c) An alternative method of compliance or adjustment of the compliance time that provides an acceptable level of safety may be used if approved by the Manager, Los Angeles Aircraft Certification Office (ACO), FAA. Operators shall submit their requests through an appropriate FAA Principal Maintenance Inspector, who may add comments and then send it to the Manager, Los Angeles ACO.

Note 3: Information concerning the existence of approved alternative methods of compliance with this AD, if any, may be obtained from the Los Angeles ACO.

Special Flight Permit

(d) Special flight permits may be issued in accordance with sections 21.197 and 21.199 of the Federal Aviation Regulations (14 CFR 21.197 and 21.199) to operate the airplane to a location where the requirements of this AD can be accomplished.

Issued in Renton, Washington, on May 19, 2003.

Vi L. Lipski,

Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. 03–12965 Filed 5–22–03; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. 2001–NM–391–AD]

RIN 2120–AA64

Airworthiness Directives; Bombardier Model DHC–8–102, –103, –106, –201, –202, –301, –311, and –315 Airplanes

AGENCY: Federal Aviation Administration, DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: This document proposes the adoption of a new airworthiness directive (AD) that is applicable to certain Bombardier Model DHC–8–102, –103, –106, –201, –202, –301, –311, and –315 airplanes. This proposal would require modification of the No. 3 electrical equipment panel behind the avionics rack, and modification of the No. 2 propeller de-ice timer. This action is necessary to prevent incorrect altitude information transmitted by the Mode S transponder and simultaneous loss of the Traffic Alert and Collision Avoidance System (TCAS), and increasing the possibility of an air traffic conflict. This action is intended to address the identified unsafe condition.

DATES: Comments must be received by June 23, 2003.

ADDRESSES: Submit comments in triplicate to the Federal Aviation Administration (FAA), Transport Airplane Directorate, ANM–114, Attention: Rules Docket No. 2001–NM–391–AD, 1601 Lind Avenue, SW., Renton, Washington 98055–4056. Comments may be inspected at this location between 9 a.m. and 3 p.m., Monday through Friday, except Federal holidays. Comments may be submitted via fax to (425) 227–1232. Comments may also be sent via the Internet using the following address: 9-anm-nprmcomment@faa.gov. Comments sent