400 and 780 nWb, and coercivity of between 60 and 100 oersteds. This product is currently supplied under the trade name "SemiVac 90."

Analysis of Comments Received

All issues raised in this review are addressed in the Issues and Decision Memorandum ("Decision Memorandum") from Christian Marsh, Deputy Assistant Secretary for Antidumping and Countervailing Duty Operations, to Paul Piquado, Acting Deputy Assistant Secretary for Import Administration, dated concurrently with this notice, which is hereby adopted by this notice. Parties can find a complete discussion of all issues raised in this review and the corresponding recommendation in this public memorandum which is on file in the Central Records Unit, Room 7046 of the main Commerce building. In addition, a complete version of the Decision Memorandum can be accessed directly on the Internet at http:// ia.ita.doc.gov/frn. The paper copy and electronic version of the Decision Memorandum are identical in content.

Final Results of Review

We determine that revocation of the antidumping duty order on SSSS in coils from Mexico would be likely to lead to continuation or recurrence of dumping at the following weighted-average margins:

Manufacturer/exporter	Margin (percent)
MexinoxAll Others	30.69 30.69

In accordance with section 752(c)(3) of the Act, we will notify the U.S. International Trade Commission of the final results of this sunset review.

Notification Regarding Administrative Protective Order

This notice serves as a final reminder to parties subject to administrative protective order ("APO") of their responsibility concerning the disposition of proprietary material disclosed under APO in accordance with 19 CFR 351.305. Timely notification of return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

This sunset review and notice are being published in accordance with sections 751(c), 752, and 777(i)(1) of the Act.

Dated: April 28, 2011.

Paul Piguado,

Acting Deputy Assistant Secretary for Import Administration.

[FR Doc. 2011–11005 Filed 5–4–11; 8:45 am] BILLING CODE 3510–DS–P

DEPARTMENT OF COMMERCE

International Trade Administration [A-475-824]

Stainless Steel Sheet and Strip in Coils From Italy: Final Results of the Full Five-Year ("Sunset") Review of the Antidumping Duty Order

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

SUMMARY: Pursuant to sections 751(c) and 752 of the Tariff Act of 1930, as amended ("the Act"), the Department of Commerce ("Department") finds, as a result of this review, that revocation of the antidumping duty order on stainless steel sheet and strip ("SSSS") in coils from Italy would be likely to lead to a continuation of dumping.

DATES: Effective Date: May 5, 2011. FOR FURTHER INFORMATION CONTACT:

David Cordell or Angelica Mendoza, AD/CVD Operations, Office 7, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW., Washington, DC 20230; telephone: (202) 482–0408, or (202) 482–3019, respectively.

SUPPLEMENTARY INFORMATION

Background

On December 27, 2010, the Department published in the Federal **Register**, a notice of the *Preliminary* Results of the second sunset review of the antidumping duty order on SSSS in coils from Italy. See Stainless Steel Sheet and Strip in Coils From Italy: Preliminary Results of the Full Second Sunset Review of the Antidumping Duty Order, 75 FR 81214 (December 27, 2010) ("Preliminary Results"). In those Preliminary Results, we preliminarily determined that revocation of the order would likely result in continuation or recurrence of dumping. On February 4, 2011, Department officials met with counsel to ThyssenKrupp Acciai Speciali Terni S.p.A. ("TKAST").1 On February 15, 2011, TKAST submitted a case brief in response to the

Department's *Preliminary Results*,² and on February 22, 2011, the domestic interested parties ³ submitted a rebuttal brief. A hearing was requested by TKAST on January 24, 2011, and the request was withdrawn on February 23, 2011.

Scope of the Order

For purposes of the order, the products covered are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (e.g., cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific dimensions of sheet and strip following such processing. The merchandise subject to the order is currently classified in the Harmonized Tariff Schedule of the United States ("HTS") at subheadings: 7219.13.00.31, 7219.13.00.51, 7219.13.00.71, 7219.13.00.81, 7219.14.00.30, 7219.14.00.65, 7219.14.00.90, 7219.32.00.05, 7219.32.00.20, 7219.32.00.25, 7219.32.00.35, 7219.32.00.36, 7219.32.00.38, 7219.32.00.42, 7219.32.00.44, 7219.33.00.05, 7219.33.00.20, 7219.33.00.25, 7219.33.00.35, 7219.33.00.36, 7219.33.00.38, 7219.33.00.42, 7219.33.00.44, 7219.34.00.05, 7219.34.00.20, $7219.34.00.25,\,7219.34.00.30,\,$ 7219.34.00.35, 7219.35.00.05, 7219.35.00.15, 7219.35.00.30, 7219.35.00.35, 7219.90.00.10, 7219.90.00.20, 7219.90.00.25, 7219.90.00.60, 7219.90.00.80, 7220.12.10.00, 7220.12.50.00, 7220.20.10.10, 7220.20.10.15, 7220.20.10.60, 7220.20.10.80, 7220.20.60.05, 7220.20.60.10, 7220.20.60.15, 7220.20.60.60, 7220.20.60.80, 7220.20.70.05, 7220.20.70.10, 7220.20.70.15, 7220.20.70.60, 7220.20.70.80, 7220.20.80.00, 7220.20.90.30, 7220.20.90.60, 7220.90.00.10,

¹ See Memo to the File from Angelica Mendoza, dated February 8, 2011, in which the Department also placed on the record the Foreign Trade Zone Board ("FTZB") Examiner's Report and the FTZB Determination on the Alabama Mill.

² In support of TKAST's positions, the European Union also filed comments on the same day.

³ AK Steel Corporation; Allegheny Ludlum Corporation; North American Stainless; the United Steel, Paper and Forestry, Rubber, Manufacturing, Energy, Allied Industrial Service Workers International Union; United Auto Workers ("UAW") Local 3303; and UAW Local 4104 (collectively, "domestic interested parties").

7220.90.00.15, 7220.90.00.60, 7220.90.00.80.

Although the HTS subheadings are provided for convenience and customs purposes, the Department's written description of the merchandise subject to the order is dispositive. Excluded from the scope of the order is the following: (1) Sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled; (2) sheet and strip that is cut to length; (3) plate (i.e., flat-rolled stainless steel products of a thickness of 4.75 mm or more); (4) flat wire (i.e., cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm; and (5) razor blade steel. Razor blade steel is a flat-rolled product of stainless steel, not further worked than cold-rolled (cold-reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. See Chapter 72 of the HTS, "Additional U.S. Note" 1(d). Flapper valve steel is also excluded from the scope of the order. This product is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors. Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6

mm over 685 mm length. Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of the order. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron. Permanent magnet iron-chromiumcobalt alloy stainless strip is also excluded from the scope of the order. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III." 4

Certain electrical resistance alloy steel is also excluded from the scope of the order. This product is defined as a nonmagnetic stainless steel manufactured to American Society of Testing and Materials (ASTM) specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36" ⁵

Certain martensitic precipitationhardenable stainless steel is also excluded from the scope of the order. This high-strength, ductile stainless steel product is designated under the Unified Numbering System (UNS) as S45500-grade steel, and contains, by

weight, 11 to 13 percent chromium, and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17." 6

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of the order. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).7 This steel is similar to AISI grade 420 but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo." The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for

⁴ "Arnokrome III" is a trademark of the Arnold Engineering Company.

^{5 &}quot;Gilphy 36" is a trademark of Imphy, S.A.

 ^{6 &}quot;Durphynox 17" is a trademark of Imphy, S.A.
7 This list of uses is illustrative and provided for descriptive purposes only.

example, "GIN6." Also excluded from the order is a permanent magnet iron-chromium-cobalt stainless steel strip containing, by weight, 13 percent chromium, 6 percent cobalt, 71 percent iron, 6 percent nickel and 4 percent molybdenum. The product is supplied in widths up to 1.27 cm (12.7 mm), inclusive, with a thickness between 45 and 75 microns, inclusive. This product exhibits magnetic remanence between 400 and 780 nWb, and coercivity of between 60 and 100 oersteds. This product is currently supplied under the trade name "SemiVac 90."

Analysis of Comments Received

All issues raised in this review are addressed in the Issues and Decision Memorandum ("Decision Memorandum") from Christian Marsh, Deputy Assistant Secretary for Antidumping and Countervailing Duty Operations, to Paul Piquado, Acting Deputy Assistant Secretary for Import Administration, dated concurrently with this notice, which is hereby adopted by this notice. Parties can find a complete discussion of all issues raised in this review and the corresponding recommendation in this public memorandum, which is on file in the Central Records Unit, Room 7046 of the main Commerce building. In addition, a complete version of the Decision Memorandum can be accessed directly on the Internet at http:// ia.ita.doc.gov/frn. The paper copy and electronic version of the Decision Memorandum are identical in content.

Final Results of Review

We determine that revocation of the antidumping duty order on SSSS in coils from Italy would be likely to lead to continuation or recurrence of dumping at the following weighted-average margins:

Manufacturer/exporter	Margin (percent)
TKASTAll Others	2.11 2.11

In accordance with section 752(c)(3) of the Act, we will notify the U.S. International Trade Commission of the final results of this full sunset review.

Notification Regarding Administrative Protective Order

This sunset review and notice are in accordance with sections 751(c), 752, and 777(i)(1) of the Act. This notice serves as a final reminder to parties subject to administrative protective

order ("APO") of their responsibility concerning the disposition of proprietary material disclosed under APO in accordance with 19 CFR 351.305. Timely notification of return/destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

Dated: April 28, 2011.

Paul Piquado,

Acting Deputy Assistant Secretary for Import Administration.

[FR Doc. 2011–11004 Filed 5–4–11; 8:45 am]

BILLING CODE 3510-DS-P

CORPORATION FOR NATIONAL AND COMMUNITY SERVICE

Proposed Information Collection; Comment Request

AGENCY: Corporation for National and Community Service.

ACTION: Notice.

SUMMARY: The Corporation for National and Community Service (hereinafter the "Corporation"), as part of its continuing effort to reduce paperwork and respondent burden, conducts a preclearance consultation program to provide the general public and federal agencies with an opportunity to comment on proposed and/or continuing collections of information in accordance with the Paperwork Reduction Act of 1995 (PRA95) (44 U.S.C. Sec. 3506(c)(2)(A)). This program helps to ensure that requested data can be provided in the desired format, reporting burden (time and financial resources) is minimized, collection instruments are clearly understood, and the impact of collection requirement on respondents can be properly assessed.

Currently, the Corporation is soliciting comments concerning its proposed renewal of its Interest Payment Form. This form is the official document AmeriCorps members and institutions use to collect information necessary for disbursing interest payments, as detailed in 42 U.S.C. 12602 through 12604. Copies of the information collection request can be obtained by contacting the office listed in the ADDRESSES section of this notice.

DATES: Written comments must be submitted to the individual and office listed in the **ADDRESSES** section by July 5, 2011.

ADDRESSES: You may submit comments, identified by the title of the information

collection activity, by any of the following methods:

- (1) By mail sent to: Corporation for National and Community Service, National Service Trust; Attention Bruce Kellogg; 1201 New York Avenue, NW., Washington, DC 20525.
- (2) By hand delivery or by courier to the Corporation's mailroom at Room 8100 at the mail address given in paragraph (1) above, between 9 a.m. and 4 p.m. Monday through Friday, except Federal holidays.
- (3) By fax to: (202) 606–3492, Attention: Bruce Kellogg.
- (4) Electronically through the Corporation's e-mail address system: bkellogg@cns.gov. Individuals who use a telecommunications device for the deaf (TTY-TDD) may call (202) 606–3472 between 8:30 a.m. and 5 p.m. Eastern time, Monday through Friday.

FOR FURTHER INFORMATION CONTACT: Bruce Kellogg, (202) 606–6954, or by e-mail at *bkellogg@cns.gov*.

SUPPLEMENTARY INFORMATION: The Corporation is particularly interested in comments that:

- Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the Corporation, including whether the information will have practical utility;
- Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;
- Enhance the quality, utility, and clarity of the information to be collected; and
- Minimize the burden of the collection of information on those who are expected to respond, including the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology (e.g., permitting electronic submissions of responses).

Background

This form or its electronic equivalent is used by AmeriCorps members to request interest payments, by schools and lenders to verify eligibility for the payments, and by both parties to verify certain legal requirements.

Current Action

The Corporation seeks to renew the current information collection. The Interest Payment Form is unchanged.

The information collection will be used in the same manner as the existing application. The Corporation also seeks to continue using the current

⁸ "GIN4 Mo," "GIN5" and "GIN6" are the proprietary grades of Hitachi Metals America, Ltd.