

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: November 18, 2011.

Sandra K. Knight,

Deputy Associate Administrator for Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2011-31271 Filed 12-5-11; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2011-0002]

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Final rule.

SUMMARY: Base (1% annual-chance) Flood Elevations (BFEs) and modified BFEs are made final for the communities listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing BFEs and modified BFEs for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated in the table below.

ADDRESSES: The final BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064, or (email) *Luis.Rodriguez3@fema.dhs.gov*.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) makes the final determinations listed below for the modified BFEs for each community listed. These modified elevations have been published in newspapers of local circulation and ninety (90) days have elapsed since that publication. The Deputy Federal Insurance and Mitigation Administrator has resolved any appeals resulting from this notification.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67. FEMA has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and FIRM available at the address cited below for each community. The BFEs and modified BFEs are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act. This final rule is categorically excluded from the requirements of 44 CFR part

10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601-612, a regulatory flexibility analysis is not required.

Regulatory Classification. This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 13132, Federalism. This final rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This final rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

PART 67—[AMENDED]

■ 1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

■ 2. The tables published under the authority of § 67.11 are amended as follows:

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in Meters (MSL) Modified	Communities affected
Boone County, Indiana, and Incorporated Areas			
Docket No.: FEMA-B-1148			
Etter Ditch	Approximately 530 feet downstream of Wilson Road	+914	Town of Whitestown, Unincorporated Areas of Boone County.
Fishback Creek	Just upstream of Indianapolis Road Approximately 0.53 mile downstream of County Road 550 South.	+928 +897	City of Lebanon, Town of Whitestown, Unincorporated Areas of Boone County.
Green Ditch	Approximately 0.61 mile upstream of County Road 400 East. At the confluence with Etter Ditch Just upstream of South Cozy Lane	+949 +916 +922	Town of Whitestown.

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in Meters (MSL) Modified	Communities affected
Mann Ditch	At the confluence with Prairie Creek	+932	City of Lebanon, Unincorporated Areas of Boone County.
	Approximately 0.46 mile upstream of the confluence with Prairie Creek.	+933	
Prairie Creek	Approximately 1,320 feet downstream of 221st Street	+875	City of Lebanon, Unincorporated Areas of Boone County.
White Lick Creek	Approximately 0.94 mile upstream of Indianapolis Road ...	+945	Town of Whitestown, Unincorporated Areas of Boone County.
	Approximately 0.22 mile downstream of County Road 650 South.	+929	
	Approximately 0.53 mile upstream of State Road 267	+947	

* National Geodetic Vertical Datum.
 + North American Vertical Datum.
 # Depth in feet above ground.
 ^ Mean Sea Level, rounded to the nearest 0.1 meter.

ADDRESSES

City of Lebanon

Maps are available for inspection at the Municipal Building, 401 South Meridian Street Lebanon, IN 46052.

Town of Whitestown

Maps are available for inspection at the Town Hall, 3 South Main Street Whitestown, IN 46075.

Unincorporated Areas of Boone County

Maps are available for inspection at the Boone County Area Plan Commission, 116 West Washington Street Lebanon, IN 46052.

**Lake County, Indiana, and Incorporated Areas
 Docket No.: FEMA-B-1076**

Dyer Ditch	Just upstream of 213th Street	+619	Town of Dyer, Town of Schererville, Unincorporated Areas of Lake County.
Hart Ditch	Just upstream of 77th Avenue	+638	Town of Dyer, Town of Munster.
	At the confluence with the Little Calumet River	+596	
Lake Michigan	Approximately 1,650 feet upstream of Hart Street	+637	City of East Chicago, City of Gary, City of Hammond, City of Whiting
	Entire shoreline within community	+585	
Main Beaver Dam Ditch	Just downstream of Broadway	+684	Town of Merrillville.
	Approximately 1,000 feet upstream of Broadway	+684	
	Approximately 1,600 feet downstream of 91st Avenue	+689	
	Just downstream of 91st Avenue	+689	
Main Beaver Dam Ditch	Approximately 730 feet west of Clark Road	+690	Town of Schererville
Main Beaver Dam Ditch South Tributary.	Approximately 425 feet downstream of U.S. Route 231	+694	
McConnel Ditch	Just downstream of 113th Avenue	+695	Town of Lowell.
	Approximately 1,280 feet downstream of Morse Street	+674	
Niles Ditch	Just downstream of Morse Street	+678	Town of Merrillville.
	Just upstream of 101st Avenue	+676	
Seberger Ditch	Approximately 150 feet upstream of 101st Avenue	+676	Town of Griffith, Town of Schererville.
	Just upstream of East Main Street	+620	
Spring Street Ditch	Approximately 200 feet upstream of Redar Drive	+633	Town of Griffith.
	Approximately 0.5 mile east of Kennedy Avenue	+622	
	Just upstream of the railroad	+622	
Turkey Creek	Approximately 500 feet upstream of I-65	+614	Town of Merrillville, Town of Schererville, Unincorporated Areas of Lake County.
	Approximately 150 feet upstream of 85th Street	+670	
Unnamed Tributary (backwater effects from West Creek).	Just upstream of Conrail Railroad	+674	Unincorporated Areas of Lake County.
	Just downstream of Louisville and Nashville Railroad	+674	

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in Meters (MSL) Modified	Communities affected
--------------------	----------------------------------	--	----------------------

* National Geodetic Vertical Datum.
 + North American Vertical Datum.
 # Depth in feet above ground.
 ^ Mean Sea Level, rounded to the nearest 0.1 meter.

ADDRESSES

City of East Chicago

Maps are available for inspection at 4444 Railroad Avenue East Chicago, IN 46312.

City of Gary

Maps are available for inspection at 401 West Broadway, Gary, IN 46402.

City of Hammond

Maps are available for inspection at 5925 Calumet Avenue Hammond, IN 46322.

City of Whiting

Maps are available for inspection at 1443 119th Street Whiting, IN 46394.

Town of Dyer

Maps are available for inspection at 1 Town Square, Dyer, IN 46311.

Town of Griffith

Maps are available for inspection at 111 North Broad Street Griffith, IN 46319.

Town of Lowell

Maps are available for inspection at 501 East Main Street Lowell, IN 46356.

Town of Merrillville

Maps are available for inspection at 7820 Broadway, Merrillville, IN 46410.

Town of Munster

Maps are available for inspection at 1005 Ridge Road Munster, IN 46321.

Town of Schererville

Maps are available for inspection at 10 East Joliet Street Schererville, IN 46375.

Unincorporated Areas of Lake County

Maps are available for inspection at 2293 North Main Street Crown Point, IN 46307.

**Holmes County, Mississippi, and Incorporated Areas
 Docket No.: FEMA-B-1159**

Yazoo River	Approximately 12 miles downstream of County Road 511	+121	Town of Cruger, Unincorporated Areas of Holmes County.
	Approximately 6.5 miles downstream of County Road 511	+123	

* National Geodetic Vertical Datum.
 + North American Vertical Datum.
 # Depth in feet above ground.
 ^ Mean Sea Level, rounded to the nearest 0.1 meter.

ADDRESSES

Town of Cruger

Maps are available for inspection at the Town Hall, 225 Railroad Street Cruger, MS 38924.

Unincorporated Areas of Holmes County

Maps are available for inspection at the Holmes County Courthouse, 300 Yazoo Street Lexington, MS 39095.

**Elk County, Pennsylvania (All Jurisdictions)
 Docket No.: FEMA-B-1140**

Alysworth Run	Approximately 1,192 feet upstream of West Main Street ...	+1397	Township of Ridgway.
	Approximately 75 feet downstream of Grant Road	+1420	
Clarion River	Approximately 935 feet upstream of the confluence with Alysworth Run.	+1374	Township of Ridgway.
Clarion River	Approximately 1,193 feet downstream of Gillis Avenue	+1374	Township of Ridgway.
	Approximately 1,200 feet downstream of the confluence with Mason Creek.	+1384	
Elk Creek	Approximately 0.56 mile upstream of the confluence with Mason Creek.	+1387	Township of Ridgway.
	Approximately 1.18 miles upstream of the confluence with Mohan Run.	+1408	
Elk Creek	Approximately 0.44 mile downstream of U.S. Route 219 ...	+1414	Township of Ridgway.
	Approximately 1,867 feet downstream of the confluence with Elk Creek Tributary 1.	+1473	

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in Meters (MSL) Modified	Communities affected
Little Toby Creek	Approximately 1,885 feet upstream of the confluence with Daguscahonda Run. Approximately 0.71 mile downstream of the bridge over Coal Hollow Road. Approximately 0.62 mile downstream of the bridge over Coal Hollow Road.	+1474 +1674 +1692	Township of Fox.

* National Geodetic Vertical Datum.
 + North American Vertical Datum.
 # Depth in feet above ground.
 ^ Mean Sea Level, rounded to the nearest 0.1 meter.

ADDRESSES

Township of Fox

Maps are available for inspection at the Fox Township Municipal Building, 116 Irishtown Road Kersey, PA 15846.

Township of Ridgway

Maps are available for inspection at the Township Municipal Building, 164 Ridgway Drive, Ridgway, PA 15853.

**Franklin County, Pennsylvania (All Jurisdictions)
 Docket No.: FEMA-B-1144**

Back Creek	At the confluence with Conococheague Creek	+481	Township of Antrim, Township of Peters.
Conodoguinet Creek	Approximately 180 feet upstream of the confluence with Conococheague Creek. Approximately 500 feet downstream of Burnt Mill Road	+481 +544	Township of Letterkenny, Township of Lurgan.
Middle Spring Creek	Approximately 1.49 miles upstream of Tanyard Hill Road (State Route 433). Approximately 20 feet upstream of Hot Point Avenue (Avon Drive).	+603 +630	Township of Southampton.
Tributary to Falling Spring Branch.	Approximately 80 feet upstream of Hot Point Avenue (Avon Drive). At the confluence with Falling Spring Branch	+630 +631	Township of Guilford.
Unnamed Tributary to West Branch Antietam Creek.	At the upstream inlet of the I-81 culvert Approximately 1,900 feet downstream of the Access Road Bridge. Approximately 100 feet downstream of the Access Road Bridge.	+631 +637 +647	Township of Washington.

* National Geodetic Vertical Datum.
 + North American Vertical Datum.
 # Depth in feet above ground.
 ^ Mean Sea Level, rounded to the nearest 0.1 meter.

ADDRESSES

Township of Antrim

Maps are available for inspection at the Antrim Township Municipal Building, 10655 Antrim Church Road Greencastle, PA 17225.

Township of Guilford

Maps are available for inspection at the Guilford Township Building, 115 Spring Valley Road Chambersburg, PA 17201.

Township of Letterkenny

Maps are available for inspection at the Letterkenny Township Building, 4924 Orrstown Road Orrstown, PA 17244.

Township of Lurgan

Maps are available for inspection at the Lurgan Township Building, 8650 McClays Mill Road Newburg, PA 17240.

Township of Peters

Maps are available for inspection at the Peters Township Building, 5342 Lemar Road Mercersburg, PA 17236.

Township of Southampton

Maps are available for inspection at the Township Building, 705 Municipal Drive, Southampton, PA 17257.

Township of Washington

Maps are available for inspection at the Washington Township Building, 13013 Welty Road Waynesboro, PA 17268.

**Lawrence County, Pennsylvania (All Jurisdictions)
 Docket No.: FEMA-B-1128**

Beaver River	Approximately 0.49 mile downstream of the confluence with Wampum Run.	+763	Borough of New Beaver, Borough of Wampum.
--------------------	---	------	---

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in Meters (MSL) Modified	Communities affected
Beaver River	Approximately 1 mile downstream of the confluence with Jenkins Run.	+767	
Big Run Tributary 5	Approximately 400 feet downstream of the confluence with the Shenango River.	+776	Township of Taylor.
Mahoning River	Approximately 80 feet downstream of the confluence with the Shenango River.	+776	
Neshannock Creek	Approximately 0.45 mile downstream of Harlandsburg Road.	+1157	Township of Hickory.
Neshannock Creek	Approximately 1,362 feet upstream of the intersection of Harlandsburg Road and Cameron Road.	+1159	
Neshannock Creek	Approximately 0.69 mile downstream of the intersection of Washington Street and Winter Road.	+785	Township of Union.
Neshannock Creek	Approximately 0.68 mile downstream of the intersection of Washington Street and Winter Road.	+785	
Neshannock Creek	Approximately 1,500 feet downstream of the confluence with Lick Run.	+849	Township of Hickory.
Neshannock Creek	Approximately 1,230 feet upstream of the confluence with Lick Run.	+859	
Neshannock Creek Tributary 3	Approximately 0.45 mile upstream of the confluence with Neshannock Creek Tributary 5.	+924	Township of Wilmington.
Shenango River	Approximately 0.47 mile downstream of the intersection of Highland Avenue and Neshannock Falls Road.	+925	
Shenango River	Approximately 50 feet upstream of Lakewood-Neshannock Falls Road.	+901	Township of Hickory.
Shenango River	Approximately 540 feet upstream of Lakewood-Neshannock Falls Road.	+901	
Shenango River	Approximately 800 feet downstream of the confluence with the Shenango River.	+777	Township of Taylor.
Shenango River	Approximately 1,200 feet downstream of Mahoning Avenue.	+787	
Slippery Rock Creek	Approximately 40 feet upstream of the confluence with Shenango River Tributary 2.	+804	Township of Mahoning, Township of Pulaski, Township of Union.
Slippery Rock Creek	Approximately 0.70 mile upstream of the confluence with Shenango River Tributary 5.	+809	
Slippery Rock Creek	Approximately 400 feet downstream of Portersville Road ..	+831	Township of Perry.
Slippery Rock Creek	Approximately 1,460 feet upstream of Van Gorder Mill Road.	+848	

* National Geodetic Vertical Datum.

+ North American Vertical Datum.

Depth in feet above ground.

^ Mean Sea Level, rounded to the nearest 0.1 meter.

ADDRESSES

Borough of New Beaver

Maps are available for inspection at the New Beaver Borough Office, 778 Wampum New Galilee Road New Galilee, PA 16141.

Borough of Wampum

Maps are available for inspection at the Borough Secretary's Office, 355 Main Street Wampum, PA 16157.

Township of Hickory

Maps are available for inspection at the Hickory Township Hall, 127 Eastbrook-Neshannock Falls Road New Castle, PA 16105.

Township of Mahoning

Maps are available for inspection at the Mahoning Township Municipal Building, 4538 West State Street Hillsville, PA 16132.

Township of Perry

Maps are available for inspection at the Perry Township Hall, 284 Reno Road Portersville, PA 16051.

Township of Pulaski

Maps are available for inspection at the Township Hall, 1172 State Route 208, Pulaski, PA 16117.

Township of Taylor

Maps are available for inspection at the Taylor Township Board of Supervisors Office, 218 Industrial Street West Pittsburg, PA 16160.

Township of Union

Maps are available for inspection at the Union Township Board of Supervisors Office, 1910 Wilson Drive, New Castle, PA 16101.

Township of Wilmington

Maps are available for inspection at the Wilmington Township Hall, 669 Wilson Mill Road New Castle, PA 16105.

(Catalog of Federal Domestic Assistance No. 97.022, "Flood Insurance.")

Dated: November 18, 2011.

Sandra K. Knight,

Deputy Associate Administrator for Mitigation, Department of Homeland Security, Federal Emergency Management Agency.

[FR Doc. 2011-31276 Filed 12-5-11; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket ID FEMA-2011-0002]

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Final rule.

SUMMARY: Base (1% annual-chance) Flood Elevations (BFEs) and modified BFEs are made final for the communities listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing BFEs and modified BFEs for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated in the table below.

ADDRESSES: The final BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Luis Rodriguez, Chief, Engineering Management Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-4064, or (email) Luis.Rodriguez3@fema.dhs.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA) makes the final determinations listed below for the modified BFEs for each community listed. These modified elevations have been published in newspapers of local circulation and ninety (90) days have elapsed since that publication. The Deputy Federal Insurance and Mitigation Administrator has resolved any appeals resulting from this notification.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67. FEMA has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and FIRM available at the address cited below for each community. The BFEs and modified BFEs are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act. This final rule is categorically excluded from the requirements of 44 CFR part

10, Environmental Consideration. An environmental impact assessment has not been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601-612, a regulatory flexibility analysis is not required.

Regulatory Classification. This final rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 13132, Federalism. This final rule involves no policies that have federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This final rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

PART 67—[AMENDED]

■ 1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

■ 2. The tables published under the authority of § 67.11 are amended as follows:

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground ^ Elevation in Meters (MSL) Modified	Communities affected
--------------------	----------------------------------	---	----------------------

**Saline County, Illinois, and Incorporated Areas
Docket No.: FEMA-B-1134**

Bankston Fork (backwater effects from Ohio River).	At the confluence with Middle Fork Saline River	+367	City of Harrisburg, Unincorporated Areas of Saline County.
Brier Creek	Approximately 1,150 feet upstream of St. Mary's Drive At the confluence with Middle Fork Saline River	+367 +367	Unincorporated Areas of Saline County.
Cockerel Branch (backwater effects from Ohio River).	Approximately 0.53 mile upstream of Illinois Route 34 Approximately 1.1 miles downstream of County Highway 13.	+367 +367	Unincorporated Areas of Saline County.
Eldorado Tributary	At Thaxton Road At the confluence with Middle Fork Saline River	+367 +367	Unincorporated Areas of Saline County.