and rounded corners. Drawn Stainless Steel Sinks are available in various shapes and configurations and may be described in a number of ways including flush mount, top mount, or undermount (to indicate the attachment relative to the countertop). Stainless steel sinks with multiple drawn bowls that are joined through a welding operation to form one unit are covered by the scope of the investigation. Drawn Stainless Steel Sinks are covered by the scope of the investigation whether or not they are sold in conjunction with non-subject accessories such as faucets (whether attached or unattached), strainers, strainer sets, rinsing baskets, bottom grids, or other accessories.

Excluded from the scope of the investigation are stainless steel sinks with fabricated bowls. Fabricated bowls do not have seamless corners, but rather are made by notching and bending the stainless steel, and then welding and finishing the vertical corners to form the bowls. Stainless steel sinks with fabricated bowls may sometimes be referred to as "zero radius" or "near zero radius" sinks.

The products covered by this investigation are currently classified in the Harmonized Tariff Schedule of the United States ("HTSUS") under statistical reporting number 7324.10.0000. Although the HTSUS subheading is provided for convenience and customs purposes, the written description of the products under investigation is dispositive of its inclusion as subject merchandise.

This notice is issued and published pursuant to section 777(i) of the Tariff Act of 1930, as amended.

Dated: April 6, 2012.

## Paul Piquado,

Assistant Secretary for Import Administration.

[FR Doc. 2012-9049 Filed 4-13-12; 8:45 am]

BILLING CODE 3510-DS-P

#### DEPARTMENT OF COMMERCE

## International Trade Administration

[A-570-875]

Non-Malleable Cast Iron Pipe Fittings From the People's Republic of China: Initiation and Preliminary Results of Changed Circumstances Review, and Intent To Revoke Order in Part

**AGENCY:** Import Administration, International Trade Administration, Department of Commerce.

**DATES:** Effective Date: April 16, 2012. **SUMMARY:** In accordance with section 751(b) of the Tariff Act of 1930, as

amended (the Act), and 19 CFR 351.216(b), Ford Motor Company (Ford) filed a request for a changed circumstances review of the antidumping duty (AD) order on nonmalleable cast iron pipe fittings from the People's Republic of China (PRC) so that the order can be revoked with respect to a particular brake fluid tube connector (connector). The domestic industry has affirmatively expressed a lack of interest in the continuation of the order with respect to this product. In response to the request, the Department is initiating a changed circumstances review and issuing a notice of preliminary intent to revoke, in part, this order. Interested parties are invited to comment on these preliminary results.

FOR FURTHER INFORMATION CONTACT: Zev Primor or Robert Bolling, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue NW., Washington DC 20230; telephone (202) 482–4114 and (202) 482–3434, respectively.

## **Background**

On April 7, 2003, the Department published an AD order on nonmalleable cast iron pipe fittings from the PRC.<sup>1</sup> On March 6, 2012, Ford requested revocation in part of the AD order pursuant to sections 751(b)(1) and 782(h) of the Act, with respect to Ford's connector. The connector is a "joint block" for brake fluid tubes and is made of non-malleable cast iron to Society of Automotive Engineers (SEA) automotive standard J431. The tubes have an inside diameter of 3.44 millimeters (0.1355 inches) and the inside diameters of the fluid flow channels of the connector are 3.2 millimeters (0.1260 inches) and 3.8 millimeters (0.1496 inches). The end of the tube is forced by pressure over the end of a flared opening in the connector also known as "flared joint." The flared joint, once made fast, permits brake fluid to flow through channels that never exceed 3.8 millimeters (0.1496 inches) in diameter.

#### Scope of the Order

The products covered by the order are finished and unfinished non-malleable cast iron pipe fittings with an inside diameter ranging from ½ inch to 6 inches, whether threaded or unthreaded, regardless of industry or proprietary specifications. The subject fittings include elbows, ells, tees, crosses, and reducers as well as flanged fittings. These pipe fittings are also

known as "cast iron pipe fittings" or "gray iron pipe fittings." These cast iron pipe fittings are normally produced to ASTM A-126 and ASME B.16.4 specifications and are threaded to ASME B1.20.1 specifications. Most building codes require that these products are Underwriters Laboratories (UL) certified. The scope does not include cast iron soil pipe fittings or grooved fittings or grooved couplings.

Fittings that are made out of ductile iron that have the same physical characteristics as the gray or cast iron fittings subject to the scope above or which have the same physical characteristics and are produced to ASME B.16.3, ASME B.16.4, or ASTM A-395 specifications, threaded to ASME B1.20.1 specifications and UL certified, regardless of metallurgical differences between gray and ductile iron, are also included in the scope of the order. These ductile fittings do not include grooved fittings or grooved couplings. Ductile cast iron fittings with mechanical joint ends (MJ), or push on ends (PO), or flanged ends and produced to the American Water Works Association (AWWA) specifications AWWA C110 or AWWA C153 are not included.

Imports of subject merchandise are currently classifiable in the Harmonized Tariff Schedule of the United States (HTSUS) under item numbers 7307.11.00.30, 7307.11.00.60, 7307.19.30.60, 7307.19.30.85. HTSUS subheadings are provided for convenience and customs purposes. The written description of the scope of the order is dispositive.<sup>2</sup>

## Initiation and Preliminary Results of Changed Circumstances Review, and Intent To Revoke Order in Part

At the request of Ford, and in accordance with sections 751(d)(1) and 751(b)(1) of the Act and 19 CFR 351.216, the Department is initiating a changed circumstances review of non-malleable cast iron pipe fittings from the PRC to determine whether partial revocation of

<sup>&</sup>lt;sup>1</sup> See Notice of Antidumping Duty Order: Non-Malleable Cast Iron Pipe Fittings From the People's Republic of China, 68 FR 16765 (April 7, 2003).

 $<sup>^{2}</sup>$  On April 21, 2009, in consultation with the U.S. Customs and Border Protection (CBP), the Department added the following HTSUS classification to the AD/CVD module for pipe fittings: 7326.90.8588. See Memorandum from Abdelali Elouaradia, Office Director, Import Administration, Office 4 to Stephen Claeys, Deputy Assistant Secretary, Import Administration regarding the Final Scope Ruling on Black Cast Iron Cast, Green Ductile Flange and Twin Tee, antidumping duty order on non-malleable iron cast pipe fittings from the PRC, dated September 19, 2008. See also Memorandum to the file from Karine Gziryan, Financial Analyst, Office 4, regarding Module Update adding HTSUS number for twin tin fitting included in the scope of antidumping order on non-malleable iron cast pipe fittings from the PRC, dated April 22, 2009.

the AD order is warranted with respect to the connector, as described above. Section 782(h)(2) of the Act and 19 CFR 351.222(g)(1)(i) provide that the Department may revoke an order (in whole or in part) if it determines that producers accounting for substantially all of the production of the domestic like product have no further interest in the order, in whole or in part. In addition, in the event the Department determines that expedited action is warranted, 19 CFR 351.221(c)(3)(ii) permits the Department to combine the notices of initiation and preliminary results.

On February 28, 2012, Anvil International and Ward Manufacturing, petitioners in the original investigation, submitted a statement indicating that they account for approximately 95 percent of the domestic production of the like product. Further, Petitioners stated that they have no interest in producing the auto part described in the Ford's changed circumstances request and agree to the exclusion of the above-described connector from the scope of the AD duty order.<sup>3</sup>

In accordance with section 751(b) of the Act, and 19 CFR 351.222(g)(l)(i) and 351.221(c)(3), we are initiating this changed circumstances review and have determined that expedited action is warranted. In accordance with 19 CFR 351.222(g), we find that Petitioners' affirmative statement of no interest constitutes good cause for the conduct of this review. Additionally, our decision to expedite this review stems from the domestic industry's lack of interest in applying the AD order to the connector, described above, and covered by this request.

Based on the expression of no interest by Petitioners and absent any objection by other domestic interested parties, we preliminarily determine that substantially all of the domestic producers of the like product have no interest in the continued application of the AD order on non-malleable cast iron pipe fittings from the PRC to the merchandise that is subject to this request. Therefore, we are notifying the public of our intent to revoke, in part, the AD order as it relates to imports of the connector, as described above, from the PRC. We intend to modify the scope of the AD order to read as follows:

Specifically excluded from the scope of the order is a certain brake fluid tube connector. The brake fluid tube connector is a "joint block" for brake fluid tubes and is made of nonmalleable cast iron to SEA automotive standard J431. The inside diameters of the fluid flow channels of the connector are 3.2 millimeters (0.1260 inches) and 3.8 millimeters (0.1496 inches).

#### **Public Comment**

Interested parties are invited to comment on these preliminary results. Written comments may be submitted no later than 14 days after the date of publication of these preliminary results. Rebuttals to written comments, limited to issues raised in such comments, may be filed no later than 21 days after the date of publication. The Department will issue the final results of this changed circumstances review, which will include the results of its analysis raised in any such written comments, no later than 270 days after the date on which this review was initiated, or within 45 days if all parties agree to our preliminary results.4

If final revocation occurs, we will instruct CBP to end the suspension of liquidation for the merchandise covered by the revocation on the effective date of the notice of revocation and to release any cash deposit or bond. The current requirement for a cash deposit of estimated AD duties on all subject merchandise will continue unless and until it is modified pursuant to the final results of this changed circumstances review.

This initiation and preliminary results of review and notice are in accordance with section 751(b) of the Act and 19 CFR 351.216, 351.221, and 351.222.

Dated: April 10, 2012.

#### Paul Piquado,

Assistant Secretary for Import Administration.

[FR Doc. 2012-9079 Filed 4-13-12; 8:45 am]

BILLING CODE 3510-DS-P

## **DEPARTMENT OF COMMERCE**

# National Oceanic and Atmospheric Administration

#### RIN 0648-XB159

#### Marine Mammals; File No. 17217

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Notice; receipt of application.

**SUMMARY:** Notice is hereby given that the Saint Louis Zoo, 1 Government Drive, St. Louis, MO 63110, has applied in due form for a permit to import four

harbor seals (*Phoca vitulina*) for the purposes of public display.

**DATES:** Written, telefaxed, or email comments must be received on or before May 16, 2012.

**ADDRESSES:** The application and related documents are available upon written request or by appointment in the following offices:

Permits and Conservation Division, Office of Protected Resources, NMFS, 1315 East-West Highway, Room 13705, Silver Spring, MD 20910; phone (301) 427–8401; fax (301) 713–0376; and

Southeast Region, NMFS, 263 13th Avenue South, Saint Petersburg, Florida 33701; phone (727) 824–5312; fax (727) 824–5309.

Written comments on this application should be submitted to the Chief, Permits and Conservation Division, at the address listed above. Comments may also be submitted by facsimile to (301) 713–0376, or by email to NMFS.Pr1Comments@noaa.gov. Please include the File No. 17217 in the subject line of the email comment.

Those individuals requesting a public hearing should submit a written request to the Chief, Permits and Conservation Division at the address listed above. The request should set forth the specific reasons why a hearing on this application would be appropriate.

**FOR FURTHER INFORMATION CONTACT:** Jennifer Skidmore or Colette Cairns, (301) 427–8401.

**SUPPLEMENTARY INFORMATION:** The subject permit is requested under the authority of the Marine Mammal Protection Act of 1972, as amended (MMPA; 16 U.S.C. 1361 *et seq.*), and the regulations governing the taking and importing of marine mammals (50 CFR part 216).

The applicant requests authorization to import four female harbor seals from the Storybrook Gardens, 1958 Storybrook Lane, London, Ontario, N6K 4Y6, Canada for purposes of public display at the St. Louis Zoo. The receiving facility: (1) Is open to the public on regularly scheduled basis with access that is not limited or restricted other than by charging an admission fee; (2) offers an educational program based on professionally recognized standards; and (3) holds an Exhibitor's License, number 43–C–0032, issued by the U.S. Department of Agriculture under the Animal Welfare Act (7 U.S.C. 2131-59). The import would occur upon receipt of the permit and the permit would expire one year after the date of issuance.

In addition to determining whether the applicant meets the three public display criteria, NMFS must determine

 $<sup>^3</sup>$  See Petitioners' submission dated February 28, 2012.

<sup>&</sup>lt;sup>4</sup> See 19 CFR 351.216(e).

<sup>&</sup>lt;sup>5</sup> See 19 CFR 351.222(g)(4).