

NATIONAL SCIENCE FOUNDATION**Notice of Permit Applications Received Under the Antarctic Conservation Act of 1978****AGENCY:** National Science Foundation.**ACTION:** Notice of Permit Applications Received under the Antarctic Conservation Act of 1978, Public Law 95-541.**SUMMARY:** The National Science Foundation (NSF) is required to publish a notice of permit applications received to conduct activities regulated under the Antarctic Conservation Act of 1978. NSF has published regulations under the Antarctic Conservation Act at Title 45 Part 670 of the Code of Federal Regulations. This is the required notice of permit applications received.**DATES:** Interested parties are invited to submit written data, comments, or views with respect to this permit application by October 31, 2013. This application may be inspected by interested parties at the Permit Office, address below.**ADDRESSES:** Comments should be addressed to Permit Office, Room 755, Division of Polar Programs, National Science Foundation, 4201 Wilson Boulevard, Arlington, Virginia 22230.**FOR FURTHER INFORMATION CONTACT:** Adrian Dahood, ACA Permit Officer, at the above address or ACAPERmits@nsf.gov or (703) 292-7149.**SUPPLEMENTARY INFORMATION:** The National Science Foundation, as directed by the Antarctic Conservation Act of 1978 (Pub. L. 95-541), as amended by the Antarctic Science, Tourism and Conservation Act of 1996, has developed regulations for the establishment of a permit system for various activities in Antarctica and designation of certain animals and certain geographic areas requiring special protection. The regulations establish such a permit system to designate Antarctic Specially Protected Areas.**Application Details****1. Applicant**

Andrew Klein, Department of Geography, Texas A&M University, College Station, Texas.

Permit Application: 2014-021.*Activity for Which Permit is**Requested:* ASPA; Due to change in scope of the research, Andrew Klein has withdrawn his application for ACA permit 2014-012 and replaced it with this application which better describes his field work.

This permit would allow entry to a number of ASPAs in the vicinities of

McMurdo Station and Palmer Station for the purpose of collecting soil and marine sediment samples. The samples would be taken as part of the ongoing effort to monitor the spatial scale of human impacts in Antarctica. Samples taken near Palmer Station will be compared with those taken during the *Bahia Pariso* spill, which occurred near Palmer Station in 1989. Sampling sites would be situated to avoid disturbing native birds and mammals.

The applicants request entry to the Barwick and Balham Valleys (ASPA 123) to collect surface soil samples for geochemical analysis. This effort would support the ASPA's values to be protected by providing baseline measurements on the level and extent of human contamination in areas of known human disturbance. This baseline is critical for future scientific work in the Dry Valleys which may use the site for comparisons to other Dry Valley sites which are more routinely used for scientific research. Without accurate baseline data such future studies could incorrectly assume the area is pristine. The work falls within what is allowed by the current management plan as "Essential management activities, including monitoring and inspection" as described in section 7(iii) of the ASPA's management plan.

Location: ASPA 113 Litchfield Island; ASPA 116 New College Valley; ASPA 123 Barwick and Balham Valleys ASPA 124 Cape Crozier; ASPA 131 Canada Glacier; ASPA 138 Linnaeus Terrace ASPA 139 Biscoe Point; ASPA 155 Cape Evans; ASPA 157 Backdoor Bay; ASPA 158 Hut Point; ASPA 172 Lower Taylor Glacier and Blood Falls; ASMA 2 McMurdo Dry Valleys; ASMA 7 Southwest Anvers Island and Palmer Basin.*Dates:* November 12, 2013 to April 30, 2017.**Nadene G. Kennedy,***Polar Coordination Specialist, Division of Polar Programs.*

[FR Doc. 2013-23892 Filed 9-30-13; 8:45 am]

BILLING CODE 7555-01-P**NATIONAL TRANSPORTATION SAFETY BOARD****SES Performance Review Board****AGENCY:** National Transportation Safety Board.**ACTION:** Notice.**SUMMARY:** Notice is hereby given of the appointment of members of the National Transportation Safety Board, Performance Review Board (PRB).**FOR FURTHER INFORMATION CONTACT:**

Emily T. Carroll, Chief, Human Resources Division, Office of Administration, National Transportation Safety Board, 490 L'Enfant Plaza SW., Washington, DC 20594-0001, (202)314-6233.

SUPPLEMENTARY INFORMATION: Section 4314(c)(1) through (5) of Title 5, United States Code requires each agency to establish, in accordance with regulations prescribed by the Office of Personnel Management, one or more SES Performance Review Boards. The board reviews and evaluates the initial appraisal of a senior executive's performance by the supervisor and considers recommendations to the appointing authority regarding the performance of the senior executive.

The following have been designated as members of the Performance Review Board of the National Transportation Safety Board:

The Honorable Christopher A. Hart, Member, National Transportation Safety Board; PRB Chair.

The Honorable Robert L. Sumwalt, III; Member, National Transportation Safety Board.

David K. Tochen, General Counsel, National Transportation Safety Board.

Florence A. Carr, Deputy Managing Director, Federal Maritime Commission.

Jerold Gidner, Deputy Director, Office of Strategic Employee and Organizational Development, Department of the Interior.

David L. Mayer, Managing Director, National Transportation Safety Board (substitute only for Mr. Tochen's rating review).

Anthony P. Scardino, Chief Financial Officer, U.S. Patent and Trademark Office (Alternate).

Dated: September 25, 2013.

Candi R. Bing,*Federal Register Coordinator.*

[FR Doc. 2013-23807 Filed 9-30-13; 8:45 am]

BILLING CODE 7533-01-P**NUCLEAR REGULATORY COMMISSION****[NRC-2013-0224]****Biweekly Notice; Applications and Amendments to Facility Operating Licenses and Combined Licenses Involving No Significant Hazards Considerations****Background**

Pursuant to Section 189a. (2) of the Atomic Energy Act of 1954, as amended (the Act), the U.S. Nuclear Regulatory

Commission (the NRC) is publishing this regular biweekly notice. The Act requires the Commission publish notice of any amendments issued, or proposed to be issued and grants the Commission the authority to issue and make immediately effective any amendment to an operating license or combined license, as applicable, upon a determination by the Commission that such amendment involves no significant hazards consideration, notwithstanding the pendency before the Commission of a request for a hearing from any person.

This biweekly notice includes all notices of amendments issued, or proposed to be issued from September 5, 2013 to September 18, 2013. The last biweekly notice was published on September 17, 2013 (78 FR 57180).

ADDRESSES: You may submit comment by any of the following methods (unless this document describes a different method for submitting comments on a specific subject):

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC–2013–0224. Address questions about NRC dockets to Carol Gallagher; telephone: 301–287–3422; email: Carol.Gallagher@nrc.gov. For technical questions, contact the individual(s) listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *Mail comments to:* Cindy Bladey, Chief, Rules, Announcements, and Directives Branch (RADB), Office of Administration, Mail Stop: 3WFN–06–A44MP, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

For additional direction on accessing information and submitting comments, see “Accessing Information and Submitting Comments” in the **SUPPLEMENTARY INFORMATION** section of this document.

SUPPLEMENTARY INFORMATION:

I. Accessing Information and Submitting Comments

A. Accessing Information

Please refer to Docket ID NRC–2013–0224 when contacting the NRC about the availability of information regarding this document. You may access publicly-available information related to this action by the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC–2013–0224.

- *NRC’s Agencywide Documents Access and Management System (ADAMS):* You may access publicly-available documents online in the NRC Library at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search,

select “ADAMS Public Documents” and then select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC’s Public Document Room (PDR) reference staff at 1–800–397–4209, 301–415–4737, or by email to pdr.resource@nrc.gov. Documents may be viewed in ADAMS by performing a search on the document date and docket number.

- *NRC’s PDR:* You may examine and purchase copies of public documents at the NRC’s PDR, Room O1–F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

B. Submitting Comments

Please include Docket ID NRC–2013–0224 in the subject line of your comment submission, in order to ensure that the NRC is able to make your comment submission available to the public in this docket.

The NRC cautions you not to include identifying or contact information that you do not want to be publicly disclosed in your comment submission. The NRC posts all comment submissions at <http://www.regulations.gov> as well as entering the comment submissions into ADAMS. The NRC does not routinely edit comment submissions to remove identifying or contact information.

If you are requesting or aggregating comments from other persons for submission to the NRC, then you should inform those persons not to include identifying or contact information that they do not want to be publicly disclosed in their comment submission. Your request should state that the NRC does not routinely edit comment submissions to remove such information before making the comment submissions available to the public or entering the comment submissions into ADAMS.

Notice of Consideration of Issuance of Amendments to Facility Operating Licenses and Combined Licenses, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing

The Commission has made a proposed determination that the following amendment requests involve no significant hazards consideration. Under the Commission’s regulations in section 50.92 of Title 10 of the *Code of Federal Regulations* (10 CFR), this means that operation of the facility in accordance with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; or (2) create the possibility of a new or different kind of accident from

any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. The basis for this proposed determination for each amendment request is shown below.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of 60 days after the date of publication of this notice. The Commission may issue the license amendment before expiration of the 60-day period provided that its final determination is that the amendment involves no significant hazards consideration. In addition, the Commission may issue the amendment prior to the expiration of the 30-day comment period should circumstances change during the 30-day comment period such that failure to act in a timely way would result, for example in derating or shutdown of the facility. Should the Commission take action prior to the expiration of either the comment period or the notice period, it will publish in the **Federal Register** a notice of issuance. Should the Commission make a final No Significant Hazards Consideration Determination, any hearing will take place after issuance. The Commission expects that the need to take this action will occur very infrequently.

Within 60 days after the date of publication of this notice, any person(s) whose interest may be affected by this action may file a request for a hearing and a petition to intervene with respect to issuance of the amendment to the subject facility operating license or combined license. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission’s “Agency Rules of Practice and Procedure” in 10 CFR Part 2. Interested person(s) should consult a current copy of 10 CFR 2.309, which is available at the NRC’s PDR, located at One White Flint North, Room O1–F21, 11555 Rockville Pike (first floor), Rockville, Maryland 20852. The NRC regulations are accessible electronically from the NRC Library on the NRC’s Web site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or a presiding officer designated by the Commission or by the Chief Administrative Judge of the Atomic Safety and Licensing Board Panel, will

rule on the request and/or petition; and the Secretary or the Chief Administrative Judge of the Atomic Safety and Licensing Board will issue a notice of a hearing or an appropriate order.

As required by 10 CFR 2.309, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements: (1) the name, address, and telephone number of the requestor or petitioner; (2) the nature of the requestor's/petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the requestor's/petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the requestor's/petitioner's interest. The petition must also identify the specific contentions which the requestor/petitioner seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the requestor/petitioner shall provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the requestor/petitioner intends to rely in proving the contention at the hearing. The requestor/petitioner must also provide references to those specific sources and documents of which the petitioner is aware and on which the requestor/petitioner intends to rely to establish those facts or expert opinion. The petition must include sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the requestor/petitioner to relief. A requestor/petitioner who fails to satisfy these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing.

If a hearing is requested, the Commission will make a final

determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held. If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment. If the final determination is that the amendment request involves a significant hazards consideration, then any hearing held would take place before the issuance of any amendment.

All documents filed in NRC adjudicatory proceedings, including a request for hearing, a petition for leave to intervene, any motion or other document filed in the proceeding prior to the submission of a request for hearing or petition to intervene, and documents filed by interested governmental entities participating under 10 CFR 2.315(c), must be filed in accordance with the NRC E-Filing rule (72 FR 49139; August 28, 2007). The E-Filing process requires participants to submit and serve all adjudicatory documents over the Internet, or in some cases to mail copies on electronic storage media. Participants may not submit paper copies of their filings unless they seek an exemption in accordance with the procedures described below.

To comply with the procedural requirements of E-Filing, at least 10 days prior to the filing deadline, the participant should contact the Office of the Secretary by email at hearing.docket@nrc.gov, or by telephone at 301-415-1677, to request (1) a digital identification (ID) certificate, which allows the participant (or its counsel or representative) to digitally sign documents and access the E-Submittal server for any proceeding in which it is participating; and (2) advise the Secretary that the participant will be submitting a request or petition for hearing (even in instances in which the participant, or its counsel or representative, already holds an NRC-issued digital ID certificate). Based upon this information, the Secretary will establish an electronic docket for the hearing in this proceeding if the Secretary has not already established an electronic docket.

Information about applying for a digital ID certificate is available on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals/apply-certificates.html>. System requirements for accessing the E-Submittal server are detailed in the

NRC's "Guidance for Electronic Submission," which is available on the agency's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>. Participants may attempt to use other software not listed on the Web site, but should note that the NRC's E-Filing system does not support unlisted software, and the NRC Meta System Help Desk will not be able to offer assistance in using unlisted software.

If a participant is electronically submitting a document to the NRC in accordance with the E-Filing rule, the participant must file the document using the NRC's online, Web-based submission form. In order to serve documents through the Electronic Information Exchange System, users will be required to install a Web browser plug-in from the NRC's Web site. Further information on the Web-based submission form, including the installation of the Web browser plug-in, is available on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>.

Once a participant has obtained a digital ID certificate and a docket has been created, the participant can then submit a request for hearing or petition for leave to intervene. Submissions should be in Portable Document Format (PDF) in accordance with the NRC guidance available on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>. A filing is considered complete at the time the documents are submitted through the NRC's E-Filing system. To be timely, an electronic filing must be submitted to the E-Filing system no later than 11:59 p.m. Eastern Time on the due date. Upon receipt of a transmission, the E-Filing system time-stamps the document and sends the submitter an email notice confirming receipt of the document. The E-Filing system also distributes an email notice that provides access to the document to the NRC's Office of the General Counsel and any others who have advised the Office of the Secretary that they wish to participate in the proceeding, so that the filer need not serve the documents on those participants separately. Therefore, applicants and other participants (or their counsel or representative) must apply for and receive a digital ID certificate before a hearing request/petition to intervene is filed so that they can obtain access to the document via the E-Filing system.

A person filing electronically using the agency's adjudicatory E-Filing system may seek assistance by contacting the NRC Meta System Help Desk through the "Contact Us" link

located on the NRC's Web site at <http://www.nrc.gov/site-help/e-submittals.html>, by email to MSHD.Resource@nrc.gov, or by a toll-free call at 1-866 672-7640. The NRC Meta System Help Desk is available between 8 a.m. and 8 p.m., Eastern Time, Monday through Friday, excluding government holidays.

Participants who believe that they have a good cause for not submitting documents electronically must file an exemption request, in accordance with 10 CFR 2.302(g), with their initial paper filing requesting authorization to continue to submit documents in paper format. Such filings must be submitted by: (1) first class mail addressed to the Office of the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemaking and Adjudications Staff; or (2) courier, express mail, or expedited delivery service to the Office of the Secretary, Sixteenth Floor, One White Flint North, 11555 Rockville Pike, Rockville, Maryland, 20852, Attention: Rulemaking and Adjudications Staff. Participants filing a document in this manner are responsible for serving the document on all other participants. Filing is considered complete by first-class mail as of the time of deposit in the mail, or by courier, express mail, or expedited delivery service upon depositing the document with the provider of the service. A presiding officer, having granted an exemption request from using E-Filing, may require a participant or party to use E-Filing if the presiding officer subsequently determines that the reason for granting the exemption from use of E-Filing no longer exists.

Documents submitted in adjudicatory proceedings will appear in the NRC's electronic hearing docket which is available to the public at <http://ehd1.nrc.gov/ehd/>, unless excluded pursuant to an order of the Commission, or the presiding officer. Participants are requested not to include personal privacy information, such as social security numbers, home addresses, or home phone numbers in their filings, unless an NRC regulation or other law requires submission of such information. However, a request to intervene will require including information on local residence in order to demonstrate a proximity assertion of interest in the proceeding. With respect to copyrighted works, except for limited excerpts that serve the purpose of the adjudicatory filings and would constitute a Fair Use application, participants are requested not to include

copyrighted materials in their submission.

Petitions for leave to intervene must be filed no later than 60 days from the date of publication of this notice. Requests for hearing, petitions for leave to intervene, and motions for leave to file new or amended contentions that are filed after the 60-day deadline will not be entertained absent a determination by the presiding officer that the filing demonstrates good cause by satisfying the following three factors in 10 CFR 2.309(c)(1)(i)-(iii).

For further details with respect to this license amendment application, see the application for amendment which is available for public inspection at the NRC's PDR, located at One White Flint North, Room O1-F21, 11555 Rockville Pike (first floor), Rockville, Maryland 20852. Publicly available documents created or received at the NRC are accessible electronically through ADAMS in the NRC Library at <http://www.nrc.gov/reading-rm/adams.html>. Persons who do not have access to ADAMS or who encounter problems in accessing the documents located in ADAMS, should contact the NRC's PDR Reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov.

Luminant Generation Company LLC, Docket Nos. 50-445, and 50-446, Comanche Peak Nuclear Power Plant, Units 1 and 2, Somervell County, Texas

Date of amendment request: August 29, 2013.

Brief description of amendments: The amendment would revise Technical Specification (TS) 3.4.17, "Steam Generator (SG) Tube Integrity," TS 5.5.9, "Unit 1 Model D76 and Unit 2 Model D5 Steam Generator (SG) Program", and TS 5.6.9, "Unit 1 Model D76 and Unit 2 Model D5 Steam Generator Tube Inspection Report." The proposed changes address implementation issues associated with inspection periods, and address other administrative changes and clarifications. The proposed amendment is consistent with NRC-approved Technical Specifications Task Force (TSTF) change traveler TSTF-510, Revision 2, "Revision to Steam Generator Program Inspection Frequencies and Tube Sample Selection." The availability of this improvement was announced in the **Federal Register** on October 27, 2011 (76 FR 66763), as part of the consolidated line item improvement process.

Luminant Generation Company LLC has proposed minor non-technical variations from the TS changes

proposed in TSTF-510, Revision 2. Comanche Peak Nuclear Power Plant (CPNPP), Units 1 and 2, TSs utilize different numbering and titles than the Standard Technical Specifications on which TSTF-510 is based, since SGs for CPNPP, Units 1 and 2, are of different models. These differences are administrative in nature and do not affect the applicability of TSTF-510 to the CPNPP, Units 1 and 2, TSs.

Basis for proposed no significant hazards consideration determination: As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed change involve a significant increase in the probability or consequences of an accident previously evaluated?

Response: No.

The proposed change revises the Steam Generator (SG) Program to modify the frequency of verification of SG tube integrity and SG tube sample selection. A steam generator tube rupture (SGTR) event is one of the design basis accidents that are analyzed as part of a plant's licensing basis. The proposed SG tube inspection frequency and sample selection criteria will continue to ensure that the SG tubes are inspected such that the probability of a SGTR is not increased. The consequences of a SGTR are bounded by the conservative assumptions in the design basis accident analysis. The proposed change will not cause the consequences of a SGTR to exceed those assumptions.

Therefore, it is concluded that the proposed change does not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed change create the possibility of a new or different kind of accident from any accident previously evaluated?

Response: No.

The proposed changes to the Steam Generator Program will not introduce any adverse changes to the plant design basis or postulated accidents resulting from potential tube degradation. The proposed change does not affect the design of the SGs or their method of operation. In addition, the proposed change does not impact any other plant system or component.

Therefore, the proposed change does not create the possibility of a new or different type of accident from any accident previously evaluated.

3. Does the proposed change involve a significant reduction in a margin of safety?

Response: No.

The SG tubes in pressurized water reactors are an integral part of the reactor coolant pressure boundary and, as such, are relied upon to maintain the primary system's pressure and inventory. As part of the reactor coolant pressure boundary, the SG tubes are unique in that they are also relied upon as a heat transfer surface between the primary

and secondary systems such that residual heat can be removed from the primary system. In addition, the SG tubes also isolate the radioactive fission products in the primary coolant from the secondary system. In summary, the safety function of a SG is maintained by ensuring the integrity of its tubes. Steam generator tube integrity is a function of the design, environment, and the physical condition of the tube. The proposed change does not affect tube design or operating environment. The proposed change will continue to require monitoring of the physical condition of the SG tubes such that there will not be a reduction in the margin of safety compared to the current requirements.

Therefore, it is concluded that the proposed change does not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

Attorney for licensee: Timothy P. Matthews, Esq., Morgan, Lewis and Bockius, 1111 Pennsylvania Avenue NW., Washington, DC 20004.

NRC Branch Chief: Michael T. Markley.

South Carolina Electric and Gas Docket Nos. 52–027, and 52–028, Virgil C. Summer Nuclear Station (VCSNS), Units 2 and 3, Fairfield County, South Carolina

Date of amendment request: July 2, 2013.

Description of amendment request: The proposed change would amend Combined License Nos. NPF–93 and NPF–94 for the VCSNS, Units 2 and 3 by departing from the Combined License Appendix C information. The changes correct editorial errors and promote consistency with the Updated Final Safety Analysis Report Tier 2 information.

Because, this proposed change requires a departure from Tier 1 information in the Westinghouse Advanced Passive 1000 DCD, the licensee also requested an exemption from the requirements of the Generic DCD Tier 1 in accordance with 52.63(b)(1).

Basis for proposed no significant hazards consideration determination: As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed amendment involve a significant increase in the probability or consequences of an accident previously evaluated?

Response: No.

The proposed editorial and consistency plant-specific Tier 1 [sic, Appendix C] update does not involve a technical change, e.g., there is no design parameter or requirement, calculation, analysis, function, or qualification change. No structure, system, component (SSC) design or function would be affected. No design or safety analysis would be affected. The proposed changes do not affect any accident initiating event or component failure, thus the probabilities of the accidents previously evaluated are not affected. No function used to mitigate a radioactive material release and no radioactive material release source term is involved, thus the radiological releases in the accident analyses are not affected.

Therefore, the proposed amendment does not involve an increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed amendment create the possibility of a new or different kind of accident from any accident previously evaluated?

Response: No.

The proposed editorial and consistency plant-specific Tier 1 [sic, Appendix C] update would not affect the design or function of any SSC, but will instead provide consistency between the SSC designs and functions currently presented in the UFSAR and the Tier 1 [sic, Appendix C] information. The proposed (non-technical) changes would not introduce a new failure mode, fault, or sequence of events that could result in a radioactive material release.

Therefore, the proposed amendment does not create the possibility of a new or different kind of accident.

3. Does the proposed amendment involve a significant reduction in a margin of safety?

Response: No.

The proposed editorial and consistency plant-specific Tier 1 [sic, Appendix C] update is nontechnical, thus would not affect any design parameter, function, or analysis. There would be no change to an existing design basis, design function, regulatory criterion, or analysis. No safety analysis or design basis acceptance limit/criterion is involved.

Therefore, the proposed amendment does not reduce the margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

Attorney for licensee: Ms. Kathryn M. Sutton, Morgan, Lewis & Bockius LLC, 1111 Pennsylvania Avenue NW., Washington, DC 20004–2514.

NRC Branch Chief: Lawrence Burkhart.

South Carolina Electric and Gas Docket Nos. 52–027, and 52–028, Virgil C. Summer Nuclear Station (VCSNS), Units 2 and 3, Fairfield County, South Carolina

Date of amendment request: July 17, 2013.

Description of amendment request: The proposed change would amend Combined License Nos. NPF–93 and NPF–94 for the VCSNS, Units 2 and 3 by departing from Tier 2 and Tier 2* material related to fire area boundaries and contained within the updated final safety analysis report (UFSAR). The proposed changes would alter the layout of the Annex Building and Turbine Building, change Turbine Building Stairwell S08, and clarify a UFSAR figure of the Annex Building heating, ventilation, and air conditioning shafts.

Basis for proposed no significant hazards consideration determination: As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed amendment involve a significant increase in the probability or consequences of an accident previously evaluated?

Response: No.

The proposed Annex Building and Turbine Building layout changes, Turbine Building stairwell changes to support egress functions, and an Annex Building ventilation shaft Updated Final Safety Analysis Report (UFSAR) figure clarification would not affect any safety-related equipment or function. The modified configurations would continue to maintain the associated fire protection (i.e., barrier) functions. The safe shutdown fire analysis is not affected, and the fire protection analysis results remain acceptable. The affected rooms and equipment do not contain or interface with safety-related equipment. The proposed changes do not involve any accident initiating event, thus the probabilities of the accidents previously evaluated are not affected. The affected rooms do not represent a radioactive material barrier, and this activity does not involve the containment of radioactive material. The radioactive material source terms and release paths used in the safety analyses are unchanged, thus the radiological releases in the accident analyses are not affected. Therefore, the consequences of an accident previously evaluated are not affected.

Therefore, the proposed amendment does not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed amendment create the possibility of a new or different kind of accident from any accident previously evaluated?

Response: No.

The proposed Annex Building and Turbine Building layout changes, Turbine Building stairwell changes to support egress functions,

and an Annex Building ventilation shaft UFSAR figure clarification would not change the performance of the fire barriers. Fire zone loadings and associated fire analyses remain within their acceptance limits. The affected rooms do not contain equipment whose failure could initiate an accident. The fire boundary changes do not create a new failure or sequence of events that could initiate a new or different kind of accident.

Therefore, the proposed amendment does not create the possibility of a new or different kind of accident.

3. Does the proposed amendment involve a significant reduction in a margin of safety?

Response: No.

The proposed Annex Building and Turbine Building layout changes, Turbine Building stairwell changes to support egress functions, and an Annex Building ventilation shaft UFSAR figure clarification would not change the fire protection performance of any fire barrier. No safety or fire requirement acceptance criterion would be exceeded or challenged. The safe shutdown fire analysis is not affected. No safety-related equipment, area, or function is involved. The amounts of combustible material loadings in the affected fire zones remain within their applicable limits. The proposed fire boundary changes comply with existing design codes and regulatory criteria, and do not affect any safety analysis.

Therefore, the proposed amendment does not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

Attorney for licensee: Ms. Kathryn M. Sutton, Morgan, Lewis & Bockius LLC, 1111 Pennsylvania Avenue NW., Washington, DC 20004-2514.

NRC Branch Chief: Lawrence Burkhardt.

South Carolina Electric and Gas Docket Nos. 52-027, and 52-028, Virgil C. Summer Nuclear Station (VCSNS), Units 2 and 3, Fairfield County, South Carolina

Date of amendment request: August 7, 2013.

Description of amendment request:

The proposed change would amend Combined License Nos. NPF-93 and NPF-94 for the VCSNS, Units 2 and 3 by departing from the Combined License Appendix C information and the plant-specific Design Control Document (DCD) Tier 2 and Tier 2* material by changing the Turbine Building structures and layout by: (1) Changing the door location on the motor-driven fire pump room in the Turbine Building, (2) clarifying the column line designations for the

southwest and southeast walls of the Turbine Building first bay, (3) changing the floor to ceiling heights at three different elevations in the Turbine Building main area, and (4) increasing elevations and wall thickness in certain walls of the Turbine Building first Bay.

Because, this proposed change requires a departure from Tier 1 information in the Westinghouse Advanced Passive 1000 DCD, the licensee also requested an exemption from the requirements of the Generic DCD Tier 1 in accordance with 52.63(b)(1).

Basis for proposed no significant hazards consideration determination:

As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed amendment involve a significant increase in the probability or consequences of an accident previously evaluated?

Response: No.

The proposed changes to the Turbine Building configuration do not alter the assumed initiators to any analyzed event. Changing the door location does not affect the operation of any systems or equipment inside or outside the Turbine Building that could initiate an analyzed accident. Clarifying the column line designations does not affect the operation of any systems or equipment inside or outside the Turbine Building that could initiate an analyzed accident. The changes in elevation and wall thickness do not affect the operation of any systems or equipment inside or outside the Turbine Building that could initiate an analyzed accident. In preparing this license amendment, it was considered if the changes to the Turbine Building door location, column line designations, wall thickness, and floor elevations would have an adverse impact on the ability of the Turbine Building structure to perform its design function to protect the systems, equipment, and components within this building. It was concluded that there was no adverse impact, because design of this structure, including the redesigned first bay wall heights and thicknesses, will continue to be in accordance with the same codes and standards as stated in the VCSNS, Units 2 and 3 Updated Final Safety Analysis Report (UFSAR). The Turbine Building first bay continues to maintain its seismic Category II rating. Based on the above, the probability of an accident previously evaluated will not be increased by these proposed changes. The proposed Turbine Building configuration changes will not affect radiological dose consequence analysis. The affected portions of the Turbine Building are unrelated to radiological analyses. Therefore, no accident source term parameter or fission product barrier is impacted by these changes. Structures, systems, and components (SSCs) required for mitigation of analyzed accidents are not affected by these changes, and the

function of the Turbine Building to provide weather protection for SSCs inside the building is not adversely affected by these changes. Mitigation of a high energy line break (HELB) in the Turbine Building first bay is not adversely affected by this change, because additional vent area will be added to the south wall of the first bay above the Auxiliary Building roof. This additional vent area will exceed the vent area that is blocked by the change to the Turbine Building main area elevations. Consequently, this activity will not increase the consequences of any analyzed accident, including the main steam line limiting break.

Therefore, the proposed amendment does not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed amendment create the possibility of a new or different kind of accident from any accident previously evaluated?

Response: No.

The proposed Turbine Building configuration changes to the location of a door leading to the Motor-Driven Fire Pump room, column line designations, floor elevations in the main area, and wall heights and thicknesses in the first bay do not change the design function of the Turbine Building or any of the systems or equipment in the Turbine Building or in any other Nuclear Island structures. In assessing the proposed changes, it was considered if they would lead to a different type of possible accident than those previously evaluated. The proposed changes do not adversely affect any system design functions or methods of operation. The proposed changes do not introduce any new equipment or components or change the operation of any existing systems or equipment in a manner that would result in a new failure mode, malfunction, or sequence of events that could affect safety-related or nonsafety-related equipment. This activity will not create a new sequence of events that would result in significant fuel cladding failures. With the implementation of these changes to the design of this structure, including the redesigned first bay wall heights and thicknesses, the structure will continue to be in accordance with the same codes and standards as stated in the VCSNS, Units 2 and 3 UFSAR. The Turbine Building First Bay continues to maintain its seismic Category II rating. Based on the above, it was concluded that the proposed changes would not lead to a different type of possible accident than those previously considered.

Therefore, the proposed amendment does not create the possibility of a new or different kind of accident.

3. Does the proposed amendment involve a significant reduction in a margin of safety?

Response: No.

The margin of safety for the design of the Turbine Building, including the seismic Category II Turbine Building first bay, is determined by the use of the current codes and standards and adherence to the assumptions used in the analyses of this structure and the events associated with this structure. The relocated door to the motor-driven fire pump room will continue to meet the current 3-hour fire rating requirements.

The revised column line designations do not represent a physical plant modification, and have no adverse impact on plant construction or operation. The design of the Turbine Building, including the increased elevations in the main area and the increased height and thickness of the redesigned first bay walls, will continue to be in accordance with the same codes and standards as stated in the UFSAR. The increased elevation of the first bay roof to allow the installation of blow-out panels will provide additional gross vent area for the first bay, which more than compensates for the current vent area that will be blocked by the change in the Turbine Building main area elevations. Consequently, this activity will not adversely affect the first bay's ability to relieve pressure in the event of the limiting main steam line break, and consequently this activity will not reduce the current margin of safety associated with this event to the design pressure limits for Wall 11 of the Nuclear Island and the walls of the first bay. The first bay will continue to maintain a seismic Category II rating. Adhering to the same codes and standards for the Turbine Building structural design and maintaining a seismic Category II rating for the Turbine Building first bay preserves the current structural safety margins.

Therefore, the proposed amendment does not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

Attorney for licensee: Ms. Kathryn M. Sutton, Morgan, Lewis & Bockius LLC, 1111 Pennsylvania Avenue NW., Washington, DC 20004-2514.
NRC Branch Chief: Lawrence Burkhardt.

Notice of Issuance of Amendments to Facility Operating Licenses and Combined Licenses

During the period since publication of the last biweekly notice, the Commission has issued the following amendments. The Commission has determined for each of these amendments that the application complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which are set forth in the license amendment.

A notice of consideration of issuance of amendment to facility operating license or combined license, as applicable, proposed no significant hazards consideration determination, and opportunity for a hearing in

connection with these actions, was published in the **Federal Register** as indicated.

Unless otherwise indicated, the Commission has determined that these amendments satisfy the criteria for categorical exclusion in accordance with 10 CFR 51.22. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared for these amendments. If the Commission has prepared an environmental assessment under the special circumstances provision in 10 CFR 51.22(b) and has made a determination based on that assessment, it is so indicated.

For further details with respect to the action see (1) the applications for amendment, (2) the amendment, and (3) the Commission's related letter, Safety Evaluation and/or Environmental Assessment as indicated. All of these items are available for public inspection at the Commission's Public Document Room (PDR), located at One White Flint North, Room O1-F21, 11555 Rockville Pike (first floor), Rockville, Maryland 20852. Publicly available documents created or received at the NRC are accessible electronically through the Agencywide Documents Access and Management System (ADAMS) in the NRC Library at <http://www.nrc.gov/reading-rm/adams.html>. If you do not have access to ADAMS or if there are problems in accessing the documents located in ADAMS, contact the PDR's Reference staff at 1-800-397-4209, 301-415-4737 or by email to pdr.resource@nrc.gov.

Florida Power and Light Company, Docket No. 50-250, Turkey Point Nuclear Generating, Unit 3, Miami-Dade County, Florida

Date of application for amendment: March 8, 2013, as supplemented by letter dated July 12, 2013.

Brief description of amendment: The amendment allows a one-time (temporary) 2-month extension of Technical Specifications (TSs) Surveillance Requirement 4.5.1.1.d involving an operability demonstration of emergency core cooling system accumulator check valves.

Date of issuance: September 10, 2013.

Effective date: As of the date of issuance and shall be implemented within 60 days of issuance.

Amendment No.: 258.

Renewed Facility Operating License No. DPR-31: Amendment revised the license and the TSs.

Date of initial notice in Federal Register: May 28, 2013 (78 FR 31982). The supplement dated July 12, 2013, did not expand the scope of the

application as originally noticed, and did not change the NRC staff's original proposed no significant hazards consideration determination as published in the **Federal Register**.

The Commission's related evaluation of the amendment is contained in a Safety Evaluation dated September 10, 2013.

No significant hazards consideration comments received: No.

Nebraska Public Power District, Docket No. 50-298, Cooper Nuclear Station, Nemaha County, Nebraska

Date of amendment request: February 12, 2013.

Brief description of amendment: The amendment modified the Cooper Nuclear Station license condition 2.E to require incorporation of the commitments listed in appendix A of NUREG-1944 in the updated safety analysis report to be managed in accordance with 10 CFR 50.59.

Date of issuance: September 12, 2013.

Effective date: As of the date of issuance and shall be implemented within 30 days of issuance.

Amendment No.: 247.

Renewed Facility Operating License No. DPR-46: Amendment revised the Facility Operating License.

Date of initial notice in Federal Register: July 5, 2013 (78 FR 40519).

The Commission's related evaluation of the amendment is contained in a Safety Evaluation dated September 12, 2013.

No significant hazards consideration comments received: No.

NextEra Energy Duane Arnold, LLC, Docket No. 50-331, Duane Arnold Energy Center, Linn County, Iowa

Date of application for amendment: August 5, 2011, as supplemented by letters dated October 14, 2011, April 23, 2012, May 23, 2012, July 9, 2012, October 15, 2012, January 11, 2013, February 12, 2013, March 6, 2013, May 1, 2013, May 29, 2013, two supplements dated July 2, 2013, and August 5, 2013, and August 28, 2013.

Brief description of amendment: The proposed amendment would transition the DAEC fire protection program to a new risk-informed, performance-based alternative per 10 CFR 50.48(c) which incorporates by reference the National Fire Protection Association (NFPA) Standard 805 (NFPA 805), "Performance-Based Standard for Fire Protection for Light Water Reactor Electric Generating Plants—2001."

Date of issuance: September 10, 2013.

Effective date: As of the date of issuance and shall be implemented within 180 days from the date of issuance.

Amendment No.: 286.

Renewed Facility Operating License No. DPR-49: Amendments revise the Renewed Facility Operating License.

*Date of initial notice in **Federal Register**:* October 2, 2012 (77 FR 60151). The supplemental information dated October 14, 2011, April 23, 2012, May 23, 2012, July 9, 2012, October 15, 2012, January 11, 2013, February 12, 2013, March 6, 2013, May 1, 2013, May 29, 2013, two supplements dated July 2, 2013, and August 5, 2013, and August 28, 2013, provided additional information that clarified the application, did not expand the scope of the application as originally noticed, and did not change the staff's original proposed no significant hazards consideration determination as published in the **Federal Register**.

The Commission's related evaluation of the amendment is contained in a Safety Evaluation dated September 10, 2013.

No significant hazards consideration comments received: No.

Northern States Power Company—Minnesota, Docket No. 50-306, Prairie Island Nuclear Generating Plant, Unit 2, Goodhue County, Minnesota

Date of application for amendment: July 25, 2012, as supplemented by letter dated July 25, 2013.

Brief description of amendment: The amendment revised technical specification TS 5.5.14 to except the licensee from the requirement to perform an appendix J Type A test, containment integrated leakage rate test (ILRT), following modifications to the containment pressure boundary resulting from the replacement of the Prairie Island Nuclear Generating Plant, Unit 2 steam generators, scheduled for fall 2013.

Date of issuance: September 11, 2013.

Effective date: As of the date of issuance and shall be implemented within 60 days of issuance.

Amendment No.: 297.

Renewed Facility Operating License No. DPR-60: Amendment revises the Renewed Facility Operating License and Technical Specifications.

*Date of initial notice in **Federal Register**:* September 14, 2012 (77 FR 56880).

The Commission's related evaluation of the amendment is contained in a Safety Evaluation dated September 11, 2013.

No significant hazards consideration comments received: No.

Pacific Gas and Electric Company, Docket Nos. 50-275, and 50-323, Diablo Canyon Nuclear Power Plant, Units 1 and 2, San Luis Obispo County, California

Date of application for amendments: September 12, 2012.

Brief description of amendments: The amendments revised Technical Specification (TS) 5.5.7, "Reactor Coolant Pump Flywheel Inspection Program," to extend the reactor coolant pump (RCP) motor flywheel examination frequency from the currently approved 10-year examination frequency to an interval not to exceed 20 years, in accordance with NRC-approved Technical Specifications Task Force (TSTF) change traveler TSTF-421-A, Revision 0, "Revision to RCP Flywheel Inspection Program (WCAP-15666)," that has been approved generically for the Westinghouse Standard Technical Specifications (STS), NUREG-1431.

A notice announcing the availability of this proposed TS change using the Consolidated Line Item Improvement Process was published in the **Federal Register** on October 22, 2003 (68 FR 60422). The TSTF-421 model safety evaluation, model no significant hazards consideration determination, and model license amendment request were published in the **Federal Register** on June 24, 2003 (68 FR 37590).

Date of issuance: September 5, 2013.

Effective date: As of its date of issuance and shall be implemented within 120 days from the date of issuance.

Amendment Nos.: Unit 1—216; Unit 2—218.

Facility Operating License Nos. DPR-80 and DPR-82: The amendments revised the Facility Operating Licenses and Technical Specifications.

*Date of initial notice in **Federal Register**:* November 27, 2012 (77 FR 70841).

The Commission's related evaluation of the amendments is contained in a Safety Evaluation dated September 5, 2013.

No significant hazards consideration comments received: No.

STP Nuclear Operating Company, Docket Nos. 50-498, and 50-499, South Texas Project, Units 1 and 2, Matagorda County, Texas

Date of amendment request: April 25, 2013.

Brief description of amendment: The existing Technical Specification (TS) 5.1, "Site," Figures 5.1-1 through 5.1-4 for South Texas Project (STP), Units 1 and 2, identifies a Visitor's Center;

however, the Visitor's Center has been demolished. In addition, Figures 5.1-1, 5.1-3, and 5.1-4 identify the Emergency Operations Facility (EOF) within the Nuclear Training Facility; however, the EOF was relocated to Center of Energy Development building located in Bay City, Texas, approximately 12.5 air miles from the plant site in 2009. The amendments revise Figures 5.1-1 through 5.1-4 to remove references to the Visitor's Center and EOF and is administrative in nature.

Date of issuance: September 9, 2013.

Effective date: As of the date of issuance and shall be implemented within 30 days of issuance.

Amendment Nos.: Unit 1—201; Unit 2—189.

Facility Operating License Nos. NPF-76 and NPF-80: The amendments revised the Facility Operating Licenses and Technical Specifications.

*Date of initial notice in **Federal Register**:* June 25, 2013 (78 FR 38085).

The Commission's related evaluation of the amendments is contained in a Safety Evaluation dated September 9, 2013.

No significant hazards consideration comments received: No.

Notice of Issuance of Amendments to Facility Operating Licenses and Combined Licenses and Final Determination of No Significant Hazards Consideration and Opportunity for a Hearing (Exigent Public Announcement or Emergency Circumstances)

During the period since publication of the last biweekly notice, the Commission has issued the following amendments. The Commission has determined for each of these amendments that the application for the amendment complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission's rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission's rules and regulations in 10 CFR Chapter I, which are set forth in the license amendment.

Because of exigent or emergency circumstances associated with the date the amendment was needed, there was not time for the Commission to publish, for public comment before issuance, its usual notice of consideration of issuance of amendment, proposed no significant hazards consideration determination, and opportunity for a hearing.

For exigent circumstances, the Commission has either issued a **Federal Register** notice providing opportunity for public comment or has used local

media to provide notice to the public in the area surrounding a licensee's facility of the licensee's application and of the Commission's proposed determination of no significant hazards consideration. The Commission has provided a reasonable opportunity for the public to comment, using its best efforts to make available to the public means of communication for the public to respond quickly, and in the case of telephone comments, the comments have been recorded or transcribed as appropriate and the licensee has been informed of the public comments.

In circumstances where failure to act in a timely way would have resulted, for example, in derating or shutdown of a nuclear power plant or in prevention of either resumption of operation or of increase in power output up to the plant's licensed power level, the Commission may not have had an opportunity to provide for public comment on its no significant hazards consideration determination. In such case, the license amendment has been issued without opportunity for comment. If there has been some time for public comment but less than 30 days, the Commission may provide an opportunity for public comment. If comments have been requested, it is so stated. In either event, the State has been consulted by telephone whenever possible.

Under its regulations, the Commission may issue and make an amendment immediately effective, notwithstanding the pendency before it of a request for a hearing from any person, in advance of the holding and completion of any required hearing, where it has determined that no significant hazards consideration is involved.

The Commission has applied the standards of 10 CFR 50.92 and has made a final determination that the amendment involves no significant hazards consideration. The basis for this determination is contained in the documents related to this action. Accordingly, the amendments have been issued and made effective as indicated.

Unless otherwise indicated, the Commission has determined that these amendments satisfy the criteria for categorical exclusion in accordance with 10 CFR 51.22. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared for these amendments. If the Commission has prepared an environmental assessment under the special circumstances provision in 10 CFR 51.12(b) and has made a determination based on that assessment, it is so indicated.

For further details with respect to the action see (1) the application for amendment, (2) the amendment to Facility Operating License or Combined License, as applicable, and (3) the Commission's related letter, Safety Evaluation and/or Environmental Assessment, as indicated. All of these items are available for public inspection at the NRC's Public Document Room (PDR), located at One White Flint North, Room O1-F21, 11555 Rockville Pike (first floor), Rockville, Maryland 20852. Publicly available documents created or received at the NRC are accessible electronically through the Agencywide Documents Access and Management System (ADAMS) in the NRC Library at <http://www.nrc.gov/reading-rm/adams.html>. If you do not have access to ADAMS or if there are problems in accessing the documents located in ADAMS, contact the PDR's Reference staff at 1-800-397-4209, 301-415-4737 or by email to pdr.resource@nrc.gov.

The Commission is also offering an opportunity for a hearing with respect to the issuance of the amendment. Within 60 days after the date of publication of this notice, any person(s) whose interest may be affected by this action may file a request for a hearing and a petition to intervene with respect to issuance of the amendment to the subject facility operating license or combined license. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Agency Rules of Practice and Procedure" in 10 CFR Part 2. Interested person(s) should consult a current copy of 10 CFR 2.309, which is available at the NRC's PDR, located at One White Flint North, Room O1-F21, 11555 Rockville Pike (first floor), Rockville, Maryland 20852, and electronically on the Internet at the NRC's Web site, <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. If there are problems in accessing the document, contact the PDR's Reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or a presiding officer designated by the Commission or by the Chief Administrative Judge of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the Chief Administrative Judge of the Atomic Safety and Licensing Board will issue a notice of a hearing or an appropriate order.

As required by 10 CFR 2.309, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and

how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements: (1) the name, address, and telephone number of the requestor or petitioner; (2) the nature of the requestor's/petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the requestor's/petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the requestor's/petitioner's interest. The petition must also identify the specific contentions which the requestor/petitioner seeks to have litigated at the proceeding.

Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the requestor/petitioner shall provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. The petition must include sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The contention must be one which, if proven, would entitle the petitioner to relief. A requestor/petitioner who fails to satisfy these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing. Since the Commission has made a final determination that the amendment involves no significant hazards consideration, if a hearing is requested, it will not stay the effectiveness of the amendment. Any hearing held would take place while the amendment is in effect.

All documents filed in the NRC adjudicatory proceedings, including a request for hearing, a petition for leave to intervene, any motion or other document filed in the proceeding prior to the submission of a request for

hearing or petition to intervene, and documents filed by interested governmental entities participating under 10 CFR 2.315(c), must be filed in accordance with the NRC's E-Filing rule (72 FR 49139; August 28, 2007). The E-Filing process requires participants to submit and serve all adjudicatory documents over the Internet, or in some cases to mail copies on electronic storage media. Participants may not submit paper copies of their filings unless they seek an exemption in accordance with the procedures described below.

To comply with the procedural requirements of E-Filing, at least 10 days prior to the filing deadline, the participant should contact the Office of the Secretary by email at hearing.docket@nrc.gov, or by telephone at 301-415-1677, to request (1) a digital identification (ID) certificate, which allows the participant (or its counsel or representative) to digitally sign documents and access the E-Submittal server for any proceeding in which it is participating; and (2) advise the Secretary that the participant will be submitting a request or petition for hearing (even in instances in which the participant, or its counsel or representative, already holds an NRC-issued digital ID certificate). Based upon this information, the Secretary will establish an electronic docket for the hearing in this proceeding if the Secretary has not already established an electronic docket.

Information about applying for a digital ID certificate is available on NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals/apply-certificates.html>. System requirements for accessing the E-Submittal server are detailed in NRC's "Guidance for Electronic Submission," which is available on the agency's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>. Participants may attempt to use other software not listed on the Web site, but should note that the NRC's E-Filing system does not support unlisted software, and the NRC Meta System Help Desk will not be able to offer assistance in using unlisted software.

If a participant is electronically submitting a document to the NRC in accordance with the E-Filing rule, the participant must file the document using the NRC's online, Web-based submission form. In order to serve documents through the Electronic Information Exchange System, users will be required to install a Web browser plug-in from the NRC's Web site. Further information on the Web-based submission form, including the

installation of the Web browser plug-in, is available on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>.

Once a participant has obtained a digital ID certificate and a docket has been created, the participant can then submit a request for hearing or petition for leave to intervene. Submissions should be in Portable Document Format (PDF) in accordance with the NRC guidance available on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>. A filing is considered complete at the time the documents are submitted through the NRC's E-Filing system. To be timely, an electronic filing must be submitted to the E-Filing system no later than 11:59 p.m. Eastern Time on the due date.

Upon receipt of a transmission, the E-Filing system time-stamps the document and sends the submitter an email notice confirming receipt of the document. The E-Filing system also distributes an email notice that provides access to the document to the NRC's Office of the General Counsel and any others who have advised the Office of the Secretary that they wish to participate in the proceeding, so that the filer need not serve the documents on those participants separately. Therefore, applicants and other participants (or their counsel or representative) must apply for and receive a digital ID certificate before a hearing request/petition to intervene is filed so that they can obtain access to the document via the E-Filing system.

A person filing electronically using the agency's adjudicatory E-Filing system may seek assistance by contacting the NRC Meta System Help Desk through the "Contact Us" link located on the NRC Web site at <http://www.nrc.gov/site-help/e-submittals.html>, by email to MSHD.Resource@nrc.gov, or by a toll-free call at 1-866-672-7640. The NRC Meta System Help Desk is available between 8 a.m. and 8 p.m., Eastern Time, Monday through Friday, excluding government holidays.

Participants who believe that they have a good cause for not submitting documents electronically must file an exemption request, in accordance with 10 CFR 2.302(g), with their initial paper filing requesting authorization to continue to submit documents in paper format. Such filings must be submitted by: (1) First class mail addressed to the Office of the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemaking and Adjudications Staff; or (2) courier, express mail, or expedited delivery

service to the Office of the Secretary, Sixteenth Floor, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852, Attention: Rulemaking and Adjudications Staff. Participants filing a document in this manner are responsible for serving the document on all other participants. Filing is considered complete by first-class mail as of the time of deposit in the mail, or by courier, express mail, or expedited delivery service upon depositing the document with the provider of the service. A presiding officer, having granted an exemption request from using E-Filing, may require a participant or party to use E-Filing if the presiding officer subsequently determines that the reason for granting the exemption from use of E-Filing no longer exists.

Documents submitted in adjudicatory proceedings will appear in the NRC's electronic hearing docket which is available to the public at <http://ehd1.nrc.gov/ehd/>, unless excluded pursuant to an order of the Commission, or the presiding officer. Participants are requested not to include personal privacy information, such as social security numbers, home addresses, or home phone numbers in their filings, unless an NRC regulation or other law requires submission of such information. However, a request to intervene will require including information on local residence in order to demonstrate a proximity assertion of interest in the proceeding. With respect to copyrighted works, except for limited excerpts that serve the purpose of the adjudicatory filings and would constitute a Fair Use application, participants are requested not to include copyrighted materials in their submission.

Tennessee Valley Authority (TVA), Docket No. 50-259, Browns Ferry Nuclear Plant, Unit 1, Limestone County, Alabama

Date of amendment request: August 14, 2013, as supplemented by letters dated August 21 and September 6, 2013.

Brief description of amendment request: The amendment changes Technical Specification (TS) 3.4.9, "RCS [Reactor Coolant System] Pressure and Temperature (P/T) Limits," to delete the Notes that cover the RCS P/T limit curves on Figure 3.4.9-1, "Pressure/Temperature Limits for Mechanical Heatup, Cooldown Following Shutdown, and Reactor Critical Operation," and Figure 3.4.9-2, "Pressure/Temperature Limits for Reactor In-Service Leak and Hydraulic Testing," that are valid for 16 effective full-power years (EFPY) of operation and allows the usage of the figures up

to 16 EFPY. The current notes state, "Do Not Use This Figure. This curve applies to operations > [greater than] 12 EFPY. For current operation, use previous curve, which is valid up to 12 EFPY." TVA requested this change under exigent circumstances, which required an NRC expedited review of the requested change to support approval by September 19, 2013. The supplemental letters dated August 21 and September 6, 2013, provided additional information that clarified the application, did not expand the scope of the application as originally noticed, and did not change the staff's original proposed no significant hazards consideration (NSHC) determination as published in the **Federal Register**.

Date of issuance: September 13, 2013.

Effective date: The license amendment is effective as of its date of issuance.

Amendment No.: 284.

Facility Operating License No. DPR-33: Amendment revised the TSs.

Public comments requested as to proposed no significant hazards consideration: Yes, a notice was published on August 23, 2013 (78 FR 52571). The notice provided an opportunity to submit comments on the Commission's proposed NSHC determination. No comments have been received. The notice also provided an opportunity to request a hearing by October 22, 2013, but indicated that if the Commission makes a final NSHC determination, any such hearing would take place after issuance of the amendment.

The Commission's related evaluation of the amendment, finding of exigent circumstances, state consultation, and final NSHC determination are contained in a safety evaluation dated September 13, 2013.

Attorney for licensee: General Counsel, Tennessee Valley Authority, 400 West Summit Hill Drive, ET 11A, Knoxville, Tennessee 37902.

NRC Acting Branch Chief: Douglas A. Broadus.

Dated at Rockville, Maryland, this 23rd day of September 2013.

For the Nuclear Regulatory Commission.

John D. Monninger,

Deputy Director, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.

[FR Doc. 2013-23609 Filed 9-30-13; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[NRC-2013-0001]

Sunshine Act Meeting

DATES: Weeks of September 30, October 7, 14, 21, 28, November 4, 2013.

PLACE: Commissioners' Conference Room, 11555 Rockville Pike, Rockville, Maryland.

STATUS: Public and Closed.

Week of September 30, 2013

There are no meetings scheduled for the week of September 30, 2013.

Week of October 7, 2013—Tentative

There are no meetings scheduled for the week of October 7, 2013.

Week of October 14, 2013—Tentative

Wednesday, October 16, 2013

1:00 p.m. Briefing on Flooding and Other Extreme Weather Events (Public Meeting); (Contact: George Wilson, 301-415-1711).

This meeting will be webcast live at the Web address—<http://www.nrc.gov/>.

Friday, October 18, 2013

9:00 a.m. Meeting with the Advisory Committee on the Medical Uses of Isotopes (Public Meeting); (Contact: Sophie Holiday, 301-415-7865).

This meeting will be webcast live at the Web address—<http://www.nrc.gov/>.

1:00 p.m. Briefing on Proposed Rulemaking Concerning the Medical Use of Byproduct Material (Public Meeting); (Contact: Ashley Cockerham, 240-888-7129).

This meeting will be webcast live at the Web address—<http://www.nrc.gov/>.

Week of October 21, 2013—Tentative

There are no meetings scheduled for the week of October 21, 2013.

Week of October 28, 2013—Tentative

Thursday, October 31, 2013

10:00 a.m. NRC All Employees Meeting (Public Meeting), Marriott Bethesda North Hotel, 5701 Marinelli Road, Rockville, MD 20852.

Week of November 4, 2013—Tentative

There are no meetings scheduled for the week of November 4, 2013.

* * * * *

The schedule for Commission meetings is subject to change on short notice. To verify the status of meetings, call (recording)—301-415-1292.

Contact person for more information: Rochelle Baval, 301-415-1651.

* * * * *

The NRC Commission Meeting Schedule can be found on the Internet at: <http://www.nrc.gov/public-involve/public-meetings/schedule.html>.

* * * * *

The NRC provides reasonable accommodation to individuals with disabilities where appropriate. If you need a reasonable accommodation to participate in these public meetings, or need this meeting notice or the transcript or other information from the public meetings in another format (e.g. braille, large print), please notify Kimberly Meyer, NRC Disability Program Manager, at 301-287-0727, or by email at Kimberly.Meyer-Chambers@nrc.gov. Determinations on requests for reasonable accommodation will be made on a case-by-case basis.

* * * * *

Members of the public may request to receive this information electronically. If you would like to be added to the distribution, please contact the Office of the Secretary, Washington, DC 20555 (301-415-1969), or send an email to Darlene.Wright@nrc.gov.

Dated: September 26, 2013.

Rochelle C. Baval,

Policy Coordinator, Office of the Secretary.

[FR Doc. 2013-24051 Filed 9-27-13; 4:15 pm]

BILLING CODE 7590-01-P

OFFICE OF PERSONNEL MANAGEMENT

Privacy Act of 1974: System of Records

AGENCY: U.S. Office of Personnel Management (OPM).

ACTION: Notice of amendment to system of records.

SUMMARY: OPM has amended an existing system of records subject to the Privacy Act of 1974. This action is necessary to meet the requirements of the Privacy Act to publish in the **Federal Register** notice of the existence and character of systems of records maintained by the agency.

DATES: The changes will be effective 30 days after the publication of this notice. Comments will be accepted until October 31, 2013.

ADDRESSES: Written comments must be sent to the U.S. Office of Personnel Management, Merit System Accountability and Compliance, ATTN: Robert D. Hendler (OPM\Govt-9), 1900 E Street NW., Room 6484, Washington, DC 20415.