

By order of the Commission.

Issued: November 3, 2014.

**William R. Bishop**

*Supervisory Hearings and Information  
Officer.*

[FR Doc. 2014-26470 Filed 11-4-14; 11:15 am]

BILLING CODE 7020-02-P

## DEPARTMENT OF JUSTICE

[Docket No. ODAG 151]

### Notice of Reopening of Comment Period on Federal Advisory Committee Draft Recommendations

**AGENCY:** Department of Justice.

**ACTION:** Notice of reopening of comment period.

**SUMMARY:** This notice announces the reopening of the comment period on the subcommittee draft work products of the National Commission on Forensic Science.

**DATES:** Electronic comments must be submitted on or before November 21, 2014. The electronic Federal Docket Management System (FDMS) will accept comments until Midnight Eastern Time at the end of that day.

**FOR FURTHER INFORMATION CONTACT:**

Brette Steele, Senior Advisor on Forensic Science and Senior Counsel to the Deputy Attorney General, 950 Pennsylvania Avenue NW., Washington, DC 20530, by email at [Brette.L.Steele@usdoj.gov](mailto:Brette.L.Steele@usdoj.gov), or by phone at (202) 305-0180.

**SUPPLEMENTARY INFORMATION:** On October 10, 2014, the Department of Justice published in the **Federal Register** a Notice announcing the October 28-29, 2014, Federal Advisory Committee Meeting of the National Commission on Forensic Science (79 FR 61340). That Notice also announced that comments on subcommittee draft work products must be submitted on or before October 27, 2014.

In response to public requests, this Notice extends the deadline for submitting comments on subcommittee draft work products until November 21, 2014.

**Posting of Public Comments:** Draft work products introduced at the October 28-29, Commission meeting are available at <http://www.regulations.gov>. To ensure proper handling of comments, please reference "Docket No. ODAG 151" on all electronic and written correspondence. The Department encourages all comments on subcommittee work products be submitted electronically through <http://www.regulations.gov> using the

electronic comment form provided on that site. Paper comments that duplicate the electronic submission are not necessary as all comments submitted to <http://www.regulations.gov> will be posted for public review and are part of the official docket record.

In accordance with the Federal Records Act, please note that all comments received are considered part of the public record, and shall be made available for public inspection online at <http://www.regulations.gov>. The comments to be posted may include personally identifiable information (such as your name, address, etc.) and confidential business information voluntarily submitted by the commenter.

You are not required to submit personal identifying information in order to comment on this meeting. Nevertheless, if you want to submit personally identifiable information (such as your name, address, etc.) as part of your comment, but do not want it to be made available for public inspection and posted online, you must include the phrase "PERSONALLY IDENTIFIABLE INFORMATION" in the first paragraph of your comment. You must also place all the personally identifiable information you do not want made available for public inspection or posted online in the first paragraph of your comment and identify what information you want redacted.

If you want to submit confidential business information as part of your comment, but do not want it to be made available for public inspection and posted online, you must include the phrase "CONFIDENTIAL BUSINESS INFORMATION" in the first paragraph of your comment. You must also prominently identify confidential business information to be redacted within the comment. If a comment has so much confidential business information that it cannot be effectively redacted, all or part of that comment may not be made available for public inspection or posted online.

Personally identifiable information and confidential business information identified and located as set forth above will be redacted and the comment, in redacted form, will be made available for public inspection and posted on <http://www.regulations.gov>.

Dated: October 31, 2014.

**Brette L. Steele,**

*Senior Advisor on Forensic Science to the  
Deputy Attorney General.*

[FR Doc. 2014-26403 Filed 11-5-14; 8:45 am]

BILLING CODE 4410-18-P

## DEPARTMENT OF LABOR

### Occupational Safety and Health Administration

[Docket No. OSHA-2013-0012]

### Proposed Modification to the List of Appropriate NRTL Program Test Standards and the Scopes of Recognition of Several NRTLs

**AGENCY:** Occupational Safety and Health Administration (OSHA), Labor.

**ACTION:** Notice.

**SUMMARY:** In this notice, OSHA proposes to: (1) Add new test standards to the Nationally Recognized Testing Laboratories (NRTL) Program's list of appropriate test standards; (2) delete or replace several test standards from the NRTL Program's list of appropriate test standards; and (3) update the scopes of recognition of several NRTLs.

**DATES:** Submit comments, information, and documents in response to this notice, or requests for an extension of time to make a submission, on or before December 8, 2014. All submissions must bear a postmark or provide other evidence of the submission date.

**ADDRESSES:**

1. *Electronically:* Tender submissions electronically to the Federal eRulemaking Portal at <http://www.regulations.gov>. Follow the instructions online for making electronic submissions.

2. *Facsimile:* If submissions, including attachments, are not longer than ten (10) pages, commenters may fax them to the OSHA Docket Office at (202) 693-1648.

3. *Regular or express mail, hand delivery, or messenger (courier) service:* Tender submissions to the OSHA Docket Office, Docket No. OSHA-2013-0012, Technical Data Center, Room N-2625, U.S. Department of Labor, 200 Constitution Avenue NW., Washington, DC 20210; telephone: (202) 693-2350 (TTY number: (877) 889-5627). Note that security procedures may result in significant delays in receiving submissions sent by regular mail. Contact the OSHA Docket Office for information about security procedures concerning delivery of materials by regular or express mail, hand delivery, or messenger (courier) service. The hours of operation for the OSHA Docket Office are 8:15 a.m.-4:45 p.m., e.t.

4. *Instructions:* All submissions must include the Agency name and the OSHA docket number (OSHA-2013-0012). OSHA places comments and other materials, including any personal information, in the public docket

without revision, and these materials may be available online at <http://www.regulations.gov>. Therefore, the Agency cautions commenters about submitting statements they do not want made available to the public, or submitting comments that contain personal information (either about themselves or others) such as Social Security numbers, birth dates, and medical data.

5. *Docket*: To read or download submissions or other material in the docket, go to <http://www.regulations.gov> or the OSHA Docket Office at the address above. All documents in the docket are listed in the <http://www.regulations.gov> index; however, some information (e.g., copyrighted material) is not publicly available to read or download through the Web site. All submissions, including copyrighted material, are available for inspection and copying at the OSHA Docket Office. Contact the OSHA Docket Office for assistance in locating docket submissions.

6. *Extension of comment period*: Submit requests for an extension of the comment period on or before December 8, 2014 to the Office of Technical Programs and Coordination Activities, Directorate of Technical Support and Emergency Management, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue NW., Room N-3655, Washington, DC 20210, or by fax to (202) 693-1644.

**FOR FURTHER INFORMATION CONTACT:** Information regarding this notice is available from the following sources:

1. *Press inquiries*: Contact Mr. Frank Meilinger, Director, OSHA Office of Communications, Room N-3647, U.S. Department of Labor, 200 Constitution Avenue NW., Washington, DC 20210; telephone: (202) 693-1999; email: [Meilinger.frank2@dol.gov](mailto:Meilinger.frank2@dol.gov).

2. *General and technical information*: Contact Mr. Kevin Robinson, Acting Director, NRTL Program, Occupational Safety and Health Administration, Room N-3655, U.S. Department of Labor, 200 Constitution Avenue NW., Washington, DC 20210; telephone (202) 693-2110; email [robinson.kevin@dol.gov](mailto:robinson.kevin@dol.gov). OSHA's Web page includes information about the NRTL Program (see <http://www.osha.gov> and select "N" in the "A to Z Index" located at the top of the Web page).

3. *Copies of this Federal Register notice*: Electronic copies of this **Federal Register** notice are available at <http://www.regulations.gov>. This **Federal Register** notice, as well as other relevant information, is also available on OSHA's Web page at <http://www.osha.gov>.

## SUPPLEMENTARY INFORMATION:

### I. Background

The NRTL Program recognizes organizations that provide product-safety testing and certification services to manufacturers. These organizations perform testing and certification for purposes of the Program, to U.S. consensus-based product-safety test standards. The products covered by the NRTL Program consist of those items for which OSHA safety standards require "certification" by an NRTL. The requirements affect electrical products and 38 other types of products. OSHA does not develop or issue these test standards, but generally relies on standards-development organizations (SDOs), which develop and maintain the standards using a method that provides input and consideration of views of industry groups, experts, users, consumers, governmental authorities and others having broad experience in the safety field involved.

#### A. Addition of New Test Standards to the NRTL List of Appropriate Test Standards

Periodically, OSHA will propose to add new test standards to the NRTL list of appropriate test standards following an evaluation of the test standard document. To qualify as an appropriate test standard, the Agency evaluates the document to (1) verify it represents a product category for which OSHA requires certification by an NRTL, (2) verify the document represents an end product and not a component, and (3) verify the document defines safety test specifications (not installation or operational performance specifications). OSHA becomes aware of new test standards through various avenues. For example, OSHA may become aware of new test standards by: (1) Monitoring notifications issued by certain SDOs; (2) reviewing applications by NRTLs or applicants seeking recognition to include a new test standard in their scopes of recognition; and (3) obtaining notification from manufacturers, manufacturing organizations, government agencies, or other parties that a new test standard may be appropriate to add to its list of appropriate standards. OSHA may determine to include a new test standard in the list, for example, if the test standard is for a particular type of product that another test standard also covers, covers a type of product that no standard previously covered, or is otherwise new to the NRTL Program.

#### B. SDO Deletion and Replacement of Test Standards

The NRTL Program regulations require that appropriate test standards be current (29 CFR 1910.7(c)). A test standard withdrawn by a standards-development organization is no longer considered an appropriate test standard (Directive, App. C.XIV.B). It is OSHA's policy to remove recognition of withdrawn test standards by issuing a correction notice in the **Federal Register** for all NRTLs recognized for the withdrawn test standards. However, SDOs frequently will designate a replacement standard for standards they withdraw. OSHA will recognize an NRTL for an appropriate replacement test standard if the NRTL has the requisite testing and evaluation capability for the replacement test standard.

One method that NRTLs may use to show such capability involves an analysis to determine whether any testing and evaluation requirements of existing test standards in an NRTL's scope are comparable (i.e., are completely or substantially identical) to the requirements in the replacement test standard. If OSHA's analysis shows the replacement test standard does not require additional or different technical capability than an existing test standard(s), the replacement test standard is comparable to the existing test standard(s), and OSHA can add the replacement test standard to affected NRTLs' scopes of recognition. If OSHA's analysis shows the replacement test standard requires an additional or different technical capability, or the replacement test standard is not comparable to any existing test standards, each affected NRTL that seeks to have OSHA add the replacement test standard to the NRTL's scope of recognition must provide information to OSHA that demonstrates technical capability.

#### C. Other Reasons for Removal of Test Standards From the NRTL List of Appropriate Test Standards

OSHA may choose to remove a test standard from the NRTL list of appropriate test standards based on an internal review in which NRTL Program staff review the NRTL list of appropriate test standards to determine if the test standards conform to the definition of an appropriate test standard defined in NRTL Program regulations and policy. There are several reasons for removing a test standard based on this review. First, a document that provides the methodology for a single test is a test method rather than an appropriate test

standard (29 CFR 1910.7(c)). As stated above, a test standard must specify the safety requirements for a specific type of product(s). A test method, however, is a “specified technical procedure for performing a test” (Directive, App. B). As such, a test method is not an appropriate test standard. While an NRTL may use a test method to determine if certain safety requirements are met, a test method is not itself a safety requirement for a specific product category.

Second, a document that focuses primarily on usage, installation, or maintenance requirements would also not be considered an appropriate test standard (Directive, App. D.IV.B). In some cases, however, a document may also provide safety test specifications in addition to usage, installation, and maintenance requirements. In such cases, the document would be retained as an appropriate test standard based on the safety test specifications.

Finally, a document may not be considered an appropriate test standard if the document covers products for which OSHA does not require testing and certification (Directive, App.

D.IV.A). Similarly, a document that covers electrical-product components would not be considered an appropriate test standard. These documents apply to types of components that have limitation(s) or condition(s) on their use, in that they are not appropriate for use as end-use products. These documents also specify that these types of components are for use only as part of an end-use product. NRTLs, however, evaluate such components only in the context of evaluating whether end-use products requiring NRTL approval are safe for use in the workplace. Testing such components alone would not indicate that the end-use products containing the components are safe for use. Accordingly, as a matter of policy, OSHA considers that documents covering such components are not appropriate test standards under the NRTL Program. OSHA notes, however, that it is not proposing to delete from NRTLs’ scopes of recognition any test standards covering end-use products that contain such components.<sup>1</sup>

In addition, OSHA notes that, to conform to a test standard covering an end-use product, an NRTL must still

determine that the components in the product comply with the components’ specific test standards. In making this determination, NRTLs may test the components themselves, or accept the testing of a qualified testing organization that a given component conforms to its particular test standard. OSHA reviews each NRTL’s procedures to determine which approach the NRTL will use to address components, and reviews the end-use product testing to verify the NRTL appropriately addresses that product’s components.

## II. Proposal To Add New Test Standards to the NRTL Program’s List of Appropriate Test Standards

In this notice, OSHA proposes to add several new test standards to the NRTL Program’s list of appropriate test standards. Table 1 below lists test standards that are new to the NRTL Program. OSHA preliminarily determined that these test standards are appropriate test standards and proposes to include these test standards in the NRTL Program’s list of appropriate test standards. OSHA seeks public comment on this preliminary determination.

TABLE 1—TEST STANDARDS OSHA IS PROPOSING TO ADD TO THE NRTL PROGRAM’S LIST OF APPROPRIATE TEST STANDARDS

Test standard	Test standard title
AAMI HA60601–1–11 .....	Medical Electrical Equipment—Part 1–11: General requirements for basic safety and essential performance—Collateral Standard: Requirements for medical electrical equipment and medical electrical systems used in the home healthcare.
AAMI 60601–2–2 .....	Medical electrical equipment—Part 2–2: Particular requirements for the basic safety and essential performance of high frequency surgery equipment and high frequency surgical accessories.
AAMI 60601–2–4 .....	Medical electrical equipment—Part 2–4: Particular requirements for basic safety and essential performance of cardiac defibrillators.
AAMI 60601–2–16 .....	Medical electrical equipment,—Part 2–16: Particular requirements for basic safety and essential performance of hemodialysis, hemodiafiltration and hemofiltration equipment.
AAMI 60601–2–19 .....	Medical Electrical Equipment—Part 2–19: Particular requirements for the basic safety and essential performance of infant incubators.
AAMI 60601–2–20 .....	Medical Electrical Equipment—Part 2–20: Particular requirements for the basic safety and essential performance of infant transport incubators.
AAMI 60601–2–21 .....	Medical Electrical Equipment—Part 2–21: Particular requirements for the basic safety and essential performance of infant radiant warmers.
AAMI 60601–2–25 .....	Medical electrical equipment—Part 2–25: Particular requirements for the basic safety and essential performance of electrocardiographs.
AAMI 60601–2–27 .....	Medical electrical equipment—Part 2–27: Particular requirements for the basic safety and essential performance of electrocardiographic monitoring equipment.
AAMI 60601–2–47 .....	Medical electrical equipment—Part 2–47: Particular requirements for the basic safety and essential performance of ambulatory electrocardiographic systems.
AAMI 60601–2–50 .....	Medical Electrical Equipment—Part 2–50: Particular requirements for the basic safety and essential performance of infant phototherapy equipment.
AAMI 80601–2–30 .....	Medical electrical equipment—Part 2–30: Particular requirements for the basic safety and essential performance of automated non-invasive sphygmomanometers.
AAMI 80601–2–58 .....	Medical Electrical Equipment—Part 2–58: Particular requirements for the basic safety and essential performance of lens removal devices and vitrectomy devices for ophthalmic surgery.
ISA 60079–25 .....	Explosive Atmospheres—Part 25: Intrinsically Safe Electrical Systems.
ISA 60079–27 .....	Explosive atmospheres—Part 27: Fieldbus Intrinsically Safe Concept (FISCO) and Fieldbus Non-Incendive Concept (FNICO).

<sup>1</sup> OSHA notes also that some types of devices covered by these documents, such as capacitors and transformers, may be end-use products themselves, and tested under other test standards applicable to

such products. For example, the following test standard covers transformers that are end-use products: UL 1562 Standard for Transformers, Distribution, Dry-Type—Over 600 Volts. OSHA is

not proposing to delete such test standards from NRTLs’ scopes of recognition.

TABLE 1—TEST STANDARDS OSHA IS PROPOSING TO ADD TO THE NRTL PROGRAM'S LIST OF APPROPRIATE TEST STANDARDS—Continued

Test standard	Test standard title
UL 60745–2–23 .....	Hand-Held Motor-Operated Electric Tools—Safety—Part 2–23: Particular Requirements for Die Grinders and Small Rotary Tools.

### III. Proposal To Delete or Replace Several Test Standards From the NRTL Program's List of Appropriate Test Standards

In this notice, OSHA proposes to delete several withdrawn and deleted test standards from the NRTL Program's list of appropriate test standards. OSHA also proposes to incorporate into the NRTL Program's list of appropriate test standards replacement test standards for

some of the withdrawn and deleted test standards.

Table 2 lists the test standards that OSHA proposes to delete from the NRTL Program's list of appropriate test standards, as well as an abbreviated rationale for OSHA's proposed action. For a full discussion of the rationale, see Sections I.B and I.C of this notice. Table 2 also lists corresponding replacement test standards that OSHA proposes to incorporate into the NRTL Program's list

of appropriate test standards (when applicable). OSHA seeks public comment on this preliminary determination.

OSHA notes also that Table 2 lists the subject test standards and the proposed action with regard to each of these test standards without indicating how the proposed action will affect individual NRTLs. Section IV of this notice discusses how the proposed action will affect individual NRTLs.

TABLE 2—LIST OF TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO NRTLs SCOPES OF RECOGNITION

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
FM 3620—Purged and Pressurized Electrical Equipment for Hazardous Locations. UL 60950—Information Technology Equipment	FM 3620 includes references to out-of-date standards. Standard has been withdrawn and directly replaced by a new standard.	NFPA 496—Purged and Pressurized Enclosures for Electrical Equipment. UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements is currently listed as an appropriate NRTL standard.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements. UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements UL 61010C–1—Process Control Equipment UL 1004—Electrical Motors .....	These three standards have been withdrawn and consolidated into a single standard.  Standard has been withdrawn .....	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements is currently listed as an appropriate NRTL standard.
UL 681—Installation and Classification of Burglar and Holdup Alarm System.	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	UL 1004–1—Rotating Electrical machines—General Requirements is currently listed as an appropriate NRTL standard. None.
UL 827—Central-Station Alarm Services .....	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	None.

OSHA seeks comment on whether its proposed deletions and incorporations are appropriate, and whether it omitted any appropriate replacement test standard that is comparable to a withdrawn test standard. If OSHA determines that it omitted any appropriate replacement test standard that is comparable to a withdrawn test standard, it will, in its final determination, incorporate that

replacement test standard into the scope of recognition of each affected NRTL.

### IV. Proposed Modifications to Affected NRTLs' Scopes of Recognition

In this notice, OSHA proposes to update the scopes of recognition of several NRTLs. The tables in this section (Table 3 thru Table 16) list, for each affected NRTL, the test standard(s) that OSHA proposes to delete from its

scope of recognition and, when applicable, the test standard(s) that OSHA proposes to incorporate into its scope of recognition to replace withdrawn (and deleted) test standards. OSHA seeks comment on whether the proposed deletions and incorporations are correct and whether the replacement standard(s) require additional or different technical capability.

TABLE 3—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF CANADIAN STANDARDS ASSOCIATION (CSA)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
FM 3620—Purged and Pressurized Electrical Equipment for Hazardous Locations.	FM 3620 includes references to out-of-date standards.	NFPA 496—Purged and Pressurized Enclosures for Electrical Equipment.

TABLE 3—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF CANADIAN STANDARDS ASSOCIATION (CSA)—Continued

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements. UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements. UL 61010C–1—Process Control Equipment .....	These standards have been withdrawn and consolidated into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.
UL 1004—Electrical Motors .....	Standard has been withdrawn .....	NRTLs wishing to add UL 1004–1 must submit an application to OSHA.
UL 681—Installation and Classification of Burglar and Holdup Alarm System.	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	None.
UL 827—Central-Station Alarm Services .....	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	None.

TABLE 4—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF CURTIS-STRAUS LLC (CSL)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements. UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements.	These standards have been withdrawn and consolidated into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.

TABLE 5—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION FM APPROVALS LLC (FM)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
FM 3620—Purged and Pressurized Electrical Equipment for Hazardous Locations. UL 60950—Information Technology Equipment	FM 3620 includes references to out-of-date standards. Standard has been withdrawn and directly replaced by a new standard.	NFPA 496—Purged and Pressurized Enclosures for Electrical Equipment. UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements. UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements. UL 827—Central-Station Alarm Services .....	These standards have been withdrawn and consolidated into a single standard.  Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.  None.

TABLE 6—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF INTERTEK TESTING SERVICES NA, INC. (ITSNA)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements. UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements. UL 61010C–1—Process Control Equipment.	These standards have been withdrawn and consolidated into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.

TABLE 6—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF INTERTEK TESTING SERVICES NA, INC. (ITSNA)—Continued

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 1004—Electrical Motors .....	Standard has been withdrawn .....	NRTLs wishing to add UL 1004–1 must submit an application to OSHA.
UL 681—Installation and Classification of Burglar and Holdup Alarm System.	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	None.
UL 827—Central-Station Alarm Services .....	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	None.

TABLE 7—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF MET LABORATORIES, INC. (MET)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements.	These standards have been withdrawn and consolidated into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.
UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements.		
UL 61010C–1—Process Control Equipment.		

TABLE 8—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF NEMKO-CCL (CCL)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements.	Standard has been withdrawn and consolidated with others into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.

TABLE 9—TEST STANDARD OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF NSF INTERNATIONAL (NSF)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements.	Standard has been withdrawn and consolidated with others into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.

TABLE 10—TEST STANDARD OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF QPS EVALUATION SERVICES (QPS)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.

TABLE 11—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION SGS NORTH AMERICA, INC. (SGS)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements. UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements	These standards have been withdrawn and consolidated into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.

TABLE 12—TEST STANDARD OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF SOUTHWEST RESEARCH INSTITUTE (SWRI)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.

TABLE 13—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF TUV RHINELAND OF NORTH AMERICA, INC. (TUV)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements. UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements UL 61010C–1—Process Control Equipment	These standards have been withdrawn and consolidated into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.
UL 1004—Electrical Motors .....	Standard has been withdrawn .....	NRTLs wishing to add UL 1004–1 must submit an application to OSHA.
UL 681—Installation and Classification of Burglar and Holdup Alarm System.	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	None.
UL 827—Central-Station Alarm Services .....	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	None.

TABLE 14—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF TUV SUD AMERICA, INC. (TUVAM)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements. UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements UL 1004—Electrical Motors .....	These standards have been withdrawn and consolidated into a single standard.  Standard has been withdrawn .....	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.  NRTLs wishing to add UL 1004–1 must submit an application to OSHA.

TABLE 15—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF TUV SUD PRODUCT SERVICES (TUVPSG)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements.	These standards have been withdrawn and consolidated into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.
UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements		
UL 1004—Electrical Motors .....	Standard has been withdrawn .....	NRTLs wishing to add UL 1004–1 must submit an application to OSHA.

TABLE 16—TEST STANDARDS OSHA PROPOSES TO DELETE FROM OR INCORPORATE INTO THE SCOPE OF RECOGNITION OF UNDERWRITERS LABORATORIES INC. (UL)

Proposed deleted test standard	Reason for proposed deletion	Proposed replacement test standard(s) (if applicable)
UL 60950—Information Technology Equipment	Standard has been withdrawn and directly replaced by a new standard.	UL 60950–1—Information Technology Equipment—Safety—Part 1: General Requirements.
UL 61010A–1—Electrical Equipment for Laboratory Use; Part 1: General Requirements.	These standards have been withdrawn and consolidated into a single standard.	UL 61010–1—Electrical Equipment for Measurement, Control, and Laboratory Use; Part 1: General Requirements.
UL 61010B–1—Electrical Measuring and Test Equipment; Part 1: General Requirements		
UL 1004—Electrical Motors .....	Standard has been withdrawn .....	NRTLs wishing to add UL 1004–1 must submit an application to OSHA.
UL 681—Installation and Classification of Burglar and Holdup Alarm System.	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	None.
UL 827—Central-Station Alarm Services .....	Standard is an installation standard and not an end-product standard. It does not meet the requirements of the NRTL Program.	None.

OSHA will incorporate into its informational Web pages the modifications OSHA decides to make to each NRTL's scope of recognition. These Web pages detail the scope of recognition for each NRTL, including the test standards the NRTL may use to test and certify products under OSHA's NRTL Program. OSHA also will add, to its "Current List of Appropriate Test Standards under the NRTL Program" Web page, those test standards it adds to the NRTL list of appropriate test standards, and add, to its "Current List of Removed Test Standards" Web page, those test standards that OSHA no longer recognizes or permits under the NRTL Program. Access to these Web pages is available at <http://www.osha.gov/dts/otpca/nrtl/index.html>.

#### V. Authority and Signature

David Michaels, Ph.D., MPH, Assistant Secretary of Labor for Occupational Safety and Health, 200 Constitution Avenue NW., Washington, DC 20210, authorized the preparation of this notice. Accordingly, the Agency is issuing this notice pursuant to 29 U.S.C. 657(g)(2)), Secretary of Labor's Order

No. 1–2012 (77 FR 3912, Jan. 25, 2012), and 29 CFR 1910.7.

Signed at Washington, DC, on October 31, 2014.

**David Michaels,**

*Assistant Secretary of Labor for Occupational Safety and Health.*

[FR Doc. 2014–26368 Filed 11–5–14; 8:45 am]

**BILLING CODE 4510–26–P**

#### NATIONAL SCIENCE FOUNDATION

##### Proposal Review Panel for Computing and Communication Foundations; Notice of Meeting

In accordance with the Federal Advisory Committee Act (Pub. L. 92–463, as amended), the National Science Foundation announces the following meeting:

*Name:* Proposal Review Panel for Expeditions in Computing (EIC) Program (#1192) Site Visit.

*Date/Time:* December 9, 2014, 6:00 p.m.–9:00 p.m.; December 10, 2014, 8:00 a.m.–8:00 p.m.; December 11, 2014, 8:30 a.m.–3:00 p.m.

*Place:* Yale University, New Haven, Connecticut.

*Type of Meeting:* Partial closed.

*Contact Person For More Information:* Ephraim Glinert, National Science Foundation, 4201 Wilson Boulevard, Room 1125, Arlington, VA 22230. Telephone: (703) 292–8950.

*Purpose Of Meeting:* To assess the progress of the EIC Award: CCF–1139078, Collaborative Research: Socially Assistive Robots", and to provide advise and recommendations concerning further NSF support for the project.

*Agenda:* EIC Site Visit.

#### Tuesday, December 9, 2014

6:00 p.m. to 9:00 p.m.: Closed. Site Team and NSF Staff meets to discuss Site Visit materials, review process and charge.

#### Wednesday, December 10, 2014

8:00 a.m. to 1:00 p.m.: Open. Presentations by Awardee Institution, faculty staff and students, to the Site Team and NSF Staff; Discussions and question and answer sessions.

1:00 p.m.–8:00 p.m.: Closed. Draft report on education and research activities.

#### Thursday, December 11, 2014

8:30 a.m.–Noon: Open. Response presentations by Site Team and NSF Staff Awardee Institution; Discussions and question and answer sessions.

Noon to 3:00 p.m.: Closed. Complete written site visit report with preliminary recommendations.