- Laboratory Corporation of America
  Holdings, 1904 Alexander Drive,
  Research Triangle Park, NC 27709,
  919–572–6900/800–833–3984,
  (Formerly: LabCorp Occupational
  Testing Services, Inc., CompuChem
  Laboratories, Inc.; CompuChem
  Laboratories, Inc., A Subsidiary of
  Roche Biomedical Laboratory;
  Roche CompuChem Laboratories,
  Inc., A Member of the Roche
  Group).
- Laboratory Corporation of America Holdings, 1120 Main Street, Southaven, MS 38671, 866–827– 8042/800–233–6339, (Formerly: LabCorp Occupational Testing Services, Inc.; MedExpress/National Laboratory Center).
- LabOne, Inc. d/b/a Quest Diagnostics, 10101 Renner Blvd., Lenexa, KS 66219, 913–888–3927/800–873– 8845, (Formerly: Quest Diagnostics Incorporated; LabOne, Inc.; Center for Laboratory Services, a Division of LabOne, Inc.).
- MedTox Laboratories, Inc., 402 W. County Road D, St. Paul, MN 55112, 651–636–7466/800–832–3244.
- MetroLab-Legacy Laboratory Services, 1225 NE 2nd Ave., Portland, OR 97232, 503–413–5295/800–950– 5295.
- Minneapolis Veterans Affairs Medical Center, Forensic Toxicology Laboratory, 1 Veterans Drive, Minneapolis, MN 55417, 612–725– 2088
- National Toxicology Laboratories, Inc., 1100 California Ave., Bakersfield, CA 93304, 661–322–4250/800–350– 3515.

One Source Toxicology Laboratory, Inc., 1213 Genoa-Red Bluff, Pasadena, TX 77504, 888–747–3774, (Formerly: University of Texas Medical Branch, Clinical Chemistry Division; UTMB Pathology-Toxicology Laboratory). Pacific Toxicology Laboratories, 9348 DeSoto Ave., Chatsworth, CA 91311, 800–328–6942, (Formerly: Centinela Hospital Airport Toxicology Laboratory).

- Pathology Associates Medical Laboratories, 110 West Cliff Dr., Spokane, WA 99204, 509–755– 8991/800–541–7891x7.
- Phamatech, Inc., 15175 Innovation
  Drive, San Diego, CA 92128, 888–
  635–5840, Quest Diagnostics
  Incorporated, 1777 Montreal Circle,
  Tucker, GA 30084, 800–729–6432,
  (Formerly: SmithKline Beecham
  Clinical Laboratories; SmithKline
  Bio-Science Laboratories).
- Quest Diagnostics Incorporated, 400 Egypt Road, Norristown, PA 19403, 610–631–4600/877–642–2216, (Formerly: SmithKline Beecham

- Clinical Laboratories; SmithKline Bio-Science Laboratories).
- Quest Diagnostics Incorporated, 8401 Fallbrook Ave., West Hills, CA 91304, 818–737–6370, (Formerly: SmithKline Beecham Clinical Laboratories).
- Redwood Toxicology Laboratory, 3700650 Westwind Blvd., Santa Rosa, CA 95403, 800–255–2159.
- Southwest Laboratories, 4625 E. Cotton Center Boulevard, Suite 177, Phoenix, AZ 85040, 602–438–8507/ 800–279–0027.
- STERLING Reference Laboratories, 2617 East L Street, Tacoma, Washington 98421, 800–442–0438.
- U.S. Army Forensic Toxicology Drug Testing Laboratory, 2490 Wilson St., Fort George G. Meade, MD 20755–5235, 301–677–7085.
- \* The Standards Council of Canada (SCC) voted to end its Laboratory Accreditation Program for Substance Abuse (LAPSA) effective May 12, 1998. Laboratories certified through that program were accredited to conduct forensic urine drug testing as required by U.S. Department of Transportation (DOT) regulations. As of that date, the certification of those accredited Canadian laboratories will continue under DOT authority. The responsibility for conducting quarterly performance testing plus periodic on-site inspections of those LAPSA-accredited laboratories was transferred to the U.S. HHS, with the HHS' NLCP contractor continuing to have an active role in the performance testing and laboratory inspection processes. Other Canadian laboratories wishing to be considered for the NLCP may apply directly to the NLCP contractor just as U.S. laboratories do.

Upon finding a Canadian laboratory to be qualified, HHS will recommend that DOT certify the laboratory (Federal Register, July 16, 1996) as meeting the minimum standards of the Mandatory Guidelines published in the Federal Register on April 30, 2010 (75 FR 22809). After receiving DOT certification, the laboratory will be included in the monthly list of HHS-certified laboratories and participate in the NLCP certification maintenance program.

## Janine Denis Cook,

Chemist, Division of Workplace Programs, Center for Substance Abuse Prevention, SAMHSA.

[FR Doc. 2015–13083 Filed 5–29–15; 8:45 am]

BILLING CODE 4162-20-P

# DEPARTMENT OF HOMELAND SECURITY

#### **U.S. Customs and Border Protection**

# Accreditation and Approval of Intertek USA, Inc., as a Commercial Gauger and Laboratory

**AGENCY:** U.S. Customs and Border Protection, Department of Homeland Security.

**ACTION:** Notice of accreditation and approval of Intertek USA, Inc., as a commercial gauger and laboratory.

**SUMMARY:** Notice is hereby given, pursuant to CBP regulations, that Intertek USA, Inc., has been approved to gauge and accredited to test petroleum and petroleum products for customs purposes for the next three years as of February 25, 2015.

**DATES:** Effective Dates: The accreditation and approval of Intertek USA, Inc., as commercial gauger and laboratory became effective on February 25, 2015. The next triennial inspection date will be scheduled for February 2018.

#### FOR FURTHER INFORMATION CONTACT:

Approved Gauger and Accredited Laboratories Manager, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202–344–1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that Intertek USA, Inc., 101 20th Street South, Texas City, TX 77590, has been approved to gauge and accredited to test petroleum and petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Intertek USA, Inc., is approved for the following gauging procedures for petroleum and certain petroleum products set forth by the American Petroleum Institute (API):

API Chapters	Title
3 7 8 12 17	Tank gauging. Temperature Determination. Sampling. Calculations. Maritime Measurements.

Intertek USA, Inc., is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

CBPL No.	ASTM	Title
27–01	ASTM D-287	Standard test method for API gravity of crude Petroleum & Petroleum products (Hydrometer Method).
27–02	ASTM D-1298	Standard Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method.
27–03	ASTM D-4006	Standard test method for water in crude oil by distillation.
27–04	ASTM D-95	Standard test method for water in petroleum products and bituminous materials by distillation.
27–05	ASTM D-4928	Standard test method for water in crude oils by Coulometric Karl Fischer Titration.
27–06	ASTM D-473	Standard test method for sediment in crude oils and fuel oils by the extraction method.
27–07	ASTM D-4807	Standard Test Method for Sediment in Crude Oil by Membrane Filtration.
27–08	ASTM D-86	Standard Test Method for Distillation of Petroleum Products.
27–11	ASTM D-445	Standard test method for kinematic viscosity of transparent and opaque liquids (and calculations of dynamic viscosity).
27–13	ASTM D-4294	Standard test method for sulfur in petroleum and petroleum products by energy-dispersive x-ray fluorescence spectrometry.
27–48	ASTM D-4052	Standard test method for density and relative density of liquids by digital density meter.
27–50	ASTM D-93	Standard test methods for flash point by Penske-Martens Closed Cup Tester.

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344–1060. The inquiry may also be sent to cbp.labhq@dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. http:// www.cbp.gov/sites/default/files/ documents/gaulist 3.pdf

Dated: May 22, 2015.

#### Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2015-13071 Filed 5-29-15; 8:45 am]

BILLING CODE 9111-14-P

# DEPARTMENT OF HOMELAND SECURITY

## U.S. Citizenship and Immigration Services

[CIS No. 2559-15; DHS Docket No. USCIS-2013-00061

RIN 1615-ZB38

## Extension of the Designation of Somalia for Temporary Protected Status

**AGENCY:** U.S. Citizenship and Immigration Services, Department of Homeland Security.

**ACTION:** Notice.

SUMMARY: Through this Notice, the Department of Homeland Security (DHS) announces that the Secretary of Homeland Security (Secretary) is extending the designation of Somalia for Temporary Protected Status (TPS) for 18 months from September 18, 2015, through March 17, 2017.

The extension allows currently eligible TPS beneficiaries to retain TPS through March 17, 2017, so long as they otherwise continue to meet the eligibility requirements for TPS. The Secretary has determined that an extension is warranted because the conditions in Somalia that prompted the TPS designation continue to be met. There continues to be a substantial, but temporary, disruption of living conditions in Somalia due to ongoing armed conflict that would pose a serious threat to the personal safety of returning Somali nationals, as well as extraordinary and temporary conditions in the country that prevent Somali nationals from returning to Somalia in safety. The Secretary has also determined that permitting eligible Somali nationals to remain temporarily in the United States is not contrary to the national interest of the United

Through this Notice, DHS also sets forth procedures necessary for nationals of Somalia (or aliens having no nationality who last habitually resided in Somalia) to re-register for TPS and to apply for renewal of their Employment Authorization Documents (EADs) with U.S. Citizenship and Immigration Services (USCIS). Re-registration is limited to persons who have previously registered for TPS under the designation of Somalia and whose applications have been granted. Certain nationals of Somalia (or aliens having no nationality who last habitually resided in Somalia)

who have not previously applied for TPS may be eligible to apply under the late initial registration provisions, if they meet: (1) At least one of the late initial filing criteria; and (2) all TPS eligibility criteria (including continuous residence in the United States since May 1, 2012, and continuous physical presence in the United States since September 18, 2012).

For individuals who have already been granted TPS under the Somalia designation, the 60-day re-registration period runs from June 1, 2015 through July 31, 2015. USCIS will issue new EADs with a March 17, 2017 expiration date to eligible Somalia TPS beneficiaries who timely re-register and apply for EADs under this extension. DATES: The 18-month extension of the TPS designation of Somalia is effective September 18, 2015, and will remain in effect through March 17, 2017. The 60day re-registration period runs from June 1, 2015 through July 31, 2015. (Note: It is important for re-registrants to timely re-register during this 60-day reregistration period and not to wait until their EADs expire.)

### FOR FURTHER INFORMATION:

- For further information on TPS, including guidance on the application process and additional information on eligibility, please visit the USCIS TPS Web page at <a href="http://www.uscis.gov/tps.">http://www.uscis.gov/tps.</a> You can find specific information about this extension of Somalia's TPS designation by selecting "TPS Designated Country: Somalia" from the menu on the left of the TPS Web page.
- You can also contact the TPS Operations Program Manager at the Family and Status Branch, Service Center Operations Directorate, U.S. Citizenship and Immigration Services, Department of Homeland Security, 20 Massachusetts Avenue NW.,