

Anyone wishing to employ this entity to conduct laboratory analyses should request and receive written assurances from the entity that it is accredited by the U.S. Customs and Border Protection to conduct the specific test requested. Alternatively, inquiries regarding the specific test this entity is accredited to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to CBPGaugersLabs@cbp.dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: November 21, 2017.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2017-25869 Filed 11-30-17; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Approval of Inspectorate America Corporation (Baton Rouge, LA), as a Commercial Gauger

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of approval of Inspectorate America Corporation (Baton Rouge, LA), as a commercial gauger.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that Inspectorate America Corporation (Baton Rouge, LA), has been approved to gauge petroleum and certain petroleum products for customs purposes for the next three years as of May 24, 2017.

DATES: Inspectorate America Corporation (Baton Rouge, LA) was approved as a commercial gauger as of May 24, 2017. The next triennial inspection date will be scheduled for May 2020.

FOR FURTHER INFORMATION CONTACT: Dr. Justin Shey, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.13,

that Inspectorate America Corporation, 11346 Pennywood Ave., Baton Rouge, LA 70809 has been approved to gauge petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.13. Inspectorate America Corporation is approved for the following gauging procedures for petroleum and certain petroleum products from the American Petroleum Institute (API):

API chapters	Title
3	Tank Gauging.
5	Metering.
7	Temperature Determination.
8	Sampling.
12	Calculations.
14	Natural Gas Fluids Measurement.
17	Maritime Measurement.

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to CBPGaugersLabs@cbp.dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: November 21, 2017.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2017-25870 Filed 11-30-17; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

U.S. Customs and Border Protection

Accreditation and Approval of Intertek USA, Inc. (Harvey, LA), as a Commercial Gauger and Laboratory

AGENCY: U.S. Customs and Border Protection, Department of Homeland Security.

ACTION: Notice of accreditation and approval of Intertek USA, Inc. (Harvey, LA), as a commercial gauger and laboratory.

SUMMARY: Notice is hereby given, pursuant to CBP regulations, that Intertek USA, Inc. (Harvey, LA), has been approved to gauge petroleum and certain petroleum products and accredited to test petroleum and certain petroleum products for customs purposes for the next three years as of June 14, 2017.

DATES: Intertek USA, Inc. (Harvey, LA) was accredited and approved, as a commercial gauger and laboratory as of June 14, 2017. The next triennial inspection date will be scheduled for June 2020.

FOR FURTHER INFORMATION CONTACT: Dr. Justin Shey, Laboratories and Scientific Services Directorate, U.S. Customs and Border Protection, 1300 Pennsylvania Avenue NW., Suite 1500N, Washington, DC 20229, tel. 202-344-1060.

SUPPLEMENTARY INFORMATION: Notice is hereby given pursuant to 19 CFR 151.12 and 19 CFR 151.13, that Intertek USA, Inc., 2604 Moss Lane, Harvey, LA 70058 has been approved to gauge petroleum and certain petroleum products and accredited to test petroleum and certain petroleum products for customs purposes, in accordance with the provisions of 19 CFR 151.12 and 19 CFR 151.13. Intertek USA, Inc., is approved for the following gauging procedures for petroleum and certain petroleum products from the American Petroleum Institute (API):

API chapters	Title
3	Tank Gauging.
7	Temperature Determination.
8	Sampling.
11	Physical Properties Data.
12	Calculations.
17	Marine Measurement.

Intertek USA, Inc., is accredited for the following laboratory analysis procedures and methods for petroleum and certain petroleum products set forth by the U.S. Customs and Border Protection Laboratory Methods (CBPL) and American Society for Testing and Materials (ASTM):

CBPL No.	ASTM	Title
27-01	D287	Standard Test Method for API Gravity of Crude Petroleum and Petroleum Products (Hydrometer Method).

CBPL No.	ASTM	Title
27-02	D1298	Standard Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method.
27-04	D95	Standard Test Method for Water in Petroleum Products and Bituminous Materials by Distillation.
27-06	D473	Standard Test Method for Sediment in Crude Oils and Fuel Oils by the Extraction Method.
27-13	D4294	Standard Test Method for Sulfur in Petroleum and Petroleum Products by Energy Dispersive X-ray Fluorescence Spectrometry.
27-48	D4052	Standard Test Method for Density and Relative Density of Liquids by Digital Density Meter.

Anyone wishing to employ this entity to conduct laboratory analyses and gauger services should request and receive written assurances from the entity that it is accredited or approved by the U.S. Customs and Border Protection to conduct the specific test or gauger service requested. Alternatively, inquiries regarding the specific test or gauger service this entity is accredited or approved to perform may be directed to the U.S. Customs and Border Protection by calling (202) 344-1060. The inquiry may also be sent to CBPGaugersLabs@cbp.dhs.gov. Please reference the Web site listed below for a complete listing of CBP approved gaugers and accredited laboratories. <http://www.cbp.gov/about/labs-scientific/commercial-gaugers-and-laboratories>.

Dated: November 21, 2017.

Ira S. Reese,

Executive Director, Laboratories and Scientific Services Directorate.

[FR Doc. 2017-25871 Filed 11-30-17; 8:45 am]

BILLING CODE 9111-14-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

[Docket ID: FEMA-2017-0036; OMB No. 1660-0068]

Agency Information Collection Activities: Proposed Collection; Comment Request; Federal Hotel and Motel Fire Safety Declaration Form

AGENCY: Federal Emergency Management Agency, DHS.

ACTION: Notice and request for comments.

SUMMARY: The Federal Emergency Management Agency, as part of its continuing effort to reduce paperwork and respondent burden, invites the general public to take this opportunity to comment on a revision of a currently approved information collection. In accordance with the Paperwork Reduction Act of 1995, this notice seeks comments concerning a list of hotels, motels, and similar places of public

accommodations meeting minimum fire-safety requirements. The information collected is voluntary; if approved for listing, the lodging establishment may be used by Federal employees on government related travel and for Federal agency conferences. As the list is open to use by the public, non-government travelers may use the list to identify lodging meeting minimum life-safety criteria from fire.

DATES: Comments must be submitted on or before January 30, 2018.

ADDRESSES: To avoid duplicate submissions to the docket, please use only one of the following means to submit comments:

(1) *Online.* Submit comments at www.regulations.gov under Docket ID FEMA-2017-0036. Follow the instructions for submitting comments.

(2) *Mail.* Submit written comments to Docket Manager, Office of Chief Counsel, DHS/FEMA, 500 C Street SW., 8NE, Washington, DC 20472-3100.

All submissions received must include the agency name and Docket ID. Regardless of the method used for submitting comments or material, all submissions will be posted, without change, to the Federal eRulemaking Portal at <http://www.regulations.gov>, and will include any personal information you provide. Therefore, submitting this information makes it public. You may wish to read the Privacy Act notice that is available via the link in the footer of www.regulations.gov.

FOR FURTHER INFORMATION CONTACT: Teresa Kaas, Fire Program Specialist, FEMA/U.S. Fire Administration, 301-447-1263 for additional information. You may contact the Records Management Division for copies of the proposed collection of information at email address: FEMA-Information-Collections-Management@fema.dhs.gov.

SUPPLEMENTARY INFORMATION: Public Law 101-391 requires FEMA to establish and maintain a list of hotels, motels, and similar places of public accommodation meeting minimum requirements for protection of life from fire; the list is known as the National Master List (NML). This law resulted from a series of deadly fires in hotels

and motels, occurring in the late 70's and 80's, with high loss of life. The legislative intent of this public law is to provide all travelers the assurance of fire-safety in accommodations identified on the National Master List. Public Law 101-391 further stipulates that Federal employees on official travel stay in properties approved by the authority having jurisdiction (AHJ) and listed on the current NML. For statutory reference see Title 15 U.S.C. 2224-26.

Collection of Information

Title: Federal Hotel and Motel Fire Safety Declaration Form.

Type of Information Collection: Revision of a currently approved information collection.

OMB Number: 1660-0068.

FEMA Form: FEMA Form 516-0-1, Federal Hotel and Motel Fire Safety Declaration Form.

Abstract: FEMA Form 516-0-1 collects basic information on life-safety systems related directly to fire-safety in hotels, motels, and similar places of accommodations applying for inclusion on the National Master List in compliance with the Hotel and Motel Fire Safety Act of 1990 (Pub. L. 101-391). Information is published in the National Master List and is publicly available.

Affected Public: Business or other for-profit; State, Local or Tribal Government.

Estimated Number of Respondents: 1,330.

Estimated Number of Responses: 1,897.

Estimated Total Annual Burden Hours: 523 hours.

Estimated Total Annual Respondent Cost: \$22,116.82.

Estimated Respondents' Operation and Maintenance Costs: \$0.

Estimated Respondents' Capital and Start-Up Costs: \$0.

Estimated Total Annual Cost to the Federal Government: \$67,971.47.

Comments

Comments may be submitted as indicated in the **ADDRESSES** caption above. Comments are solicited to (a) evaluate whether the proposed data collection is necessary for the proper