

Part 121 section	Applicable aircraft	Provisions: CFR/FR references
§ 121.314(a)	Transport category airplanes type certificated after January 1, 1958.	Formerly 14 CFR 25.853(a), (b-1), (b-2), and (b-3) in effect on September 26, 1978; 14 CFR parts 1 to 59, Revised as of January 1, 1978. Class C or D cargo or baggage compartment definition. 14 CFR 25.853(c)(2)(ii) effective [effective date of final rule] (part III of appendix F no longer exists): 14 CFR parts 1 to 59, Revised as of January 1, [Federal Register revision year], and amended by Amdt. [amendment level and Federal Register citation and publication date of final rule]. Formerly 14 CFR 25.857 effective June 16, 1986, 14 CFR parts 1 to 59, Revised January 1, 1997, and amended by Amdt 25-60, 51 FR 18243, May 16, 1986.

(b) For the purposes of compliance with the sections of 14 CFR part 25 referenced in the table in paragraph (a) of this appendix, findings of equivalent level of safety in accordance with § 21.21(b)(1) of this chapter are considered to satisfy the referenced requirement.

PART 125—CERTIFICATION AND OPERATIONS: AIRPLANES HAVING A SEATING CAPACITY OF 20 OR MORE PASSENGERS OR A MAXIMUM PAYLOAD CAPACITY OF 6,000 POUNDS OR MORE; AND RULES GOVERNING PERSONS ON BOARD SUCH AIRCRAFT

■ 19. The authority citation for part 125 continues to read as follows:

Authority: 106(f), 106(g), 40113, 44701–44702, 44705, 44710–44711, 44713, 44716–44717, 44722.

■ 20. Amend § 125.113 by revising paragraphs (c)(1) introductory text and (c)(2) to read as follows:

§ 125.113 Cabin interiors.

* * * * *

(c) * * *

(1) For airplanes manufactured before September 2, 2005, when thermal/acoustic insulation is installed in the fuselage as replacements after September 2, 2005, the insulation must meet the flame propagation requirements of § 25.856 of this chapter, effective September 2, 2003, or as subsequently amended, if it is:

* * * * *

(2) For airplanes manufactured after September 2, 2005, thermal/acoustic insulation materials installed in the fuselage must meet the flame propagation requirements of § 25.856 of this chapter, effective September 2, 2003, or as subsequently amended.

PART 135—OPERATING REQUIREMENTS: COMMUTER AND ON DEMAND OPERATIONS AND RULES GOVERNING PERSONS ON BOARD SUCH AIRCRAFT

■ 21. The authority citation for part 135 continues to read as follows:

Authority: 106(f), 106(g), 40113, 41706, 44701–44702, 44705, 44709, 44711–44713, 44715–44717, 44722, 44730, 45101–45105; Pub. L. 112–95, 126 Stat. 58 (49 U.S.C. 44730).

■ 22. Amend § 135.169 by revising paragraph (d)(1)(ii) to read as follows:

§ 135.169 Additional airworthiness requirements.

* * * * *

(d) * * *

(1) * * *

(ii) Materials that meet the test requirements of part 25, appendix F, part III of this chapter effective on June 16, 1986; or the test requirements of § 25.853(c)(2)(ii) of this chapter effective on [EFFECTIVE DATE OF FINAL RULE]; or as subsequently amended; or

* * * * *

■ 23. Amend § 135.170 by revising paragraphs (b)(2), (c)(1) introductory text, and (c)(2) to read as follows:

§ 135.170 Materials for compartment interiors.

* * * * *

(b) * * *

(2) For airplanes type certificated after January 1, 1958, seat cushions, except those on flight crewmember seats, in any compartment occupied by crew or passengers must comply with the requirements pertaining to fire protection of seat cushions in § 25.853(c) effective November 26, 1984; or in § 25.853(d) effective on [EFFECTIVE DATE OF FINAL RULE]; or as subsequently amended.

(c) * * *

(1) For airplanes manufactured before September 2, 2005, when thermal/acoustic insulation is installed in the

fuselage as replacements after September 2, 2005, the insulation must meet the flame propagation requirements of § 25.856 of this chapter, effective September 2, 2003, or as subsequently amended, if it is:

* * * * *

(2) For airplanes manufactured after September 2, 2005, thermal/acoustic insulation materials installed in the fuselage must meet the flame propagation requirements of § 25.856 of this chapter, effective September 2, 2003, or as subsequently amended.

Issued under the authority provided by 49 U.S.C. 106(f), 44701(a), and 44703 in Washington, DC, on June 12, 2019.

Chris Carter,

Acting Executive Director, Aircraft Certification Service.

[FR Doc. 2019–13646 Filed 7–1–19; 8:45 am]

BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA–2019–0492; Product Identifier 2019–NM–045–AD]

RIN 2120–AA64

Airworthiness Directives; Airbus SAS Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: The FAA proposes to adopt a new airworthiness directive (AD) for certain Airbus SAS Model A330–200, A330–200 Freighter, and A330–300 series airplanes. This proposed AD was prompted by a determination that new or more restrictive airworthiness limitations are necessary. This proposed AD would require revising the existing maintenance or inspection program, as

applicable, to incorporate new or more restrictive airworthiness limitations. The FAA is proposing this AD to address the unsafe condition on these products.

DATES: The FAA must receive comments on this proposed AD by August 19, 2019.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- **Federal eRulemaking Portal:** Go to <http://www.regulations.gov>. Follow the instructions for submitting comments.

- **Fax:** 202-493-2251.

- **Mail:** U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- **Hand Delivery:** Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For service information identified in this NPRM, contact Airbus SAS, Airworthiness Office—EAL, Rond-Point Emile Dewoitine No: 2, 31700 Blagnac Cedex, France; telephone +33 5 61 93 36 96; fax +33 5 61 93 45 80; email airworthiness.A330-A340@airbus.com; internet <http://www.airbus.com>. You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195.

Examining the AD Docket

You may examine the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA-2019-0492; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the regulatory evaluation, any comments received, and other information. The street address for Docket Operations is listed above. Comments will be available in the AD docket shortly after receipt.

FOR FURTHER INFORMATION CONTACT: Vladimir Ulyanov, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; phone and fax: 206-231-3229.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA invites you to send any written relevant data, views, or arguments about this proposal. Send your comments to an address listed under the **ADDRESSES** section. Include

“Docket No. FAA-2019-0492; Product Identifier 2019-NM-045-AD” at the beginning of your comments. The FAA specifically invites comments on the overall regulatory, economic, environmental, and energy aspects of this NPRM. The FAA will consider all comments received by the closing date and may amend this NPRM because of those comments.

The FAA will post all comments, without change, to <http://www.regulations.gov>, including any personal information you provide. The FAA will also post a report summarizing each substantive verbal contact the agency receives about this NPRM.

Discussion

The European Aviation Safety Agency (EASA), which is the Technical Agent for the Member States of the European Union, has issued EASA AD 2019-0047, dated March 11, 2019 (referred to after this as the Mandatory Continuing Airworthiness Information, or “the MCAI”), to correct an unsafe condition for certain Airbus SAS Model A330-200, A330-200 Freighter, and A330-300 series airplanes. The MCAI states:

The airworthiness limitations for the Airbus A330 aeroplanes, which are approved by EASA, are currently defined and published in the A330 ALS [airworthiness limitations section] documents. The airworthiness limitations applicable to the System Equipment Maintenance Requirements, which are approved by EASA, are published in the ALS.

Failure to accomplish these instructions could result in an unsafe condition.

Previously, EASA issued AD 2017-0228 [which corresponds to FAA AD 2019-01-05, Amendment 39-19544 (84 FR 4310, February 15, 2019) (“AD 2019-01-05”)] to require accomplishment of all maintenance tasks as described in A330 ALS Part 4 at Revision 06.

Since that [EASA] AD was issued, Airbus published the ALS, as defined in this [EASA] AD, including new and/or more restrictive tasks.

For the reasons described above, this [EASA] AD takes over the requirements for Airbus A330 aeroplanes from EASA AD 2017-0228, and requires accomplishment of the actions specified in the ALS.

This [EASA] AD also takes over Airbus A330 requirements from EASA AD 2013-0201 [which corresponds to FAA AD 2014-16-22, Amendment 39-17946 (79 FR 49442, August 21, 2014) (“AD 2014-16-22”)] and [EASA] AD 2017-0044 [which corresponds to FAA AD 2017-25-13, Amendment 39-19127 (82 FR 59960, December 18, 2017) (“AD 2017-25-13”)], as the requirements of these [EASA] ADs have been embodied into the ALS.

You may examine the MCAI in the AD docket on the internet at <http://www.regulations.gov> by searching for

and locating Docket No. FAA-2019-0492.

Relationship Between NPRM and ADs 2019-01-05, 2017-25-13, and 2014-16-22

This NPRM does not propose to supersede AD 2019-01-05. Rather, the FAA has determined that a stand-alone AD is more appropriate to address the changes in the MCAI. This proposed AD would require revising the existing maintenance or inspection program, as applicable, to incorporate new or more restrictive airworthiness limitations. Accomplishment of the proposed actions would then terminate all of the requirements of AD 2019-01-05.

EASA AD 2019-0047 added new tasks that replaced tasks in each of two EASA ADs: 2013-0201 (which corresponds to FAA AD 2014-16-22) and 2017-0044 (which corresponds to FAA AD 2017-25-13). Accomplishment of the new tasks as specified by this proposed AD terminates the requirements of FAA ADs 2014-16-22 and 2017-25-13 for Airbus SAS Model A330-200, A330-200 Freighter, and A330-300 series airplanes.

Related Service Information Under 1 CFR Part 51

Airbus has issued A330 Airworthiness Limitations Section (ALS) Part 4, System Equipment Maintenance Requirements (SEMR), Revision 07, dated October 15, 2018, including Airbus A330 Airworthiness Limitations Section (ALS) Part 4—System Equipment Maintenance Requirements (SEMR), Variation 7.1, dated November 5, 2018. This service information describes airworthiness limitations for system equipment maintenance requirements. This service information is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the **ADDRESSES** section.

FAA's Determination

This product has been approved by the aviation authority of another country, and is approved for operation in the United States. Pursuant to the FAA's bilateral agreement with the State of Design Authority, the FAA has been notified of the unsafe condition described in the MCAI and service information referenced above. The FAA is proposing this AD because the agency evaluated all the relevant information and determined the unsafe condition described previously is likely to exist or develop on other products of the same type design.

Proposed Requirements of This NPRM

This proposed AD would require revising the existing maintenance or inspection program, as applicable, to incorporate new or more restrictive airworthiness limitations.

Difference Between This Proposed AD and the MCAI or Service Information

The MCAI specifies that if there are findings from the ALS inspection tasks, corrective actions must be accomplished in accordance with Airbus maintenance documentation. However, this proposed AD does not include that requirement. Operators of U.S.-registered airplanes are required by general airworthiness and operational regulations to perform maintenance using methods that are acceptable to the FAA. The FAA considers those methods to be adequate to address any corrective actions necessitated by the findings of ALS inspections required by this proposed AD.

Costs of Compliance

The FAA estimates that this proposed AD affects 107 airplanes of U.S. registry. The FAA estimates the following costs to comply with this proposed AD:

The FAA has determined that revising the existing maintenance or inspection program takes an average of 90 work-hours per operator, although the FAA recognizes that this number may vary from operator to operator. In the past, the FAA has estimated that this action takes 1 work-hour per airplane. Since operators incorporate maintenance or inspection program changes for their affected fleet(s), the FAA has determined that a per-operator estimate is more accurate than a per-airplane estimate. Therefore, the FAA estimates the total cost per operator to be \$7,650 (90 work-hours × \$85 per work-hour).

Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: "General requirements." Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an

unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

This proposed AD is issued in accordance with authority delegated by the Executive Director, Aircraft Certification Service, as authorized by FAA Order 8000.51C. In accordance with that order, issuance of ADs is normally a function of the Compliance and Airworthiness Division, but during this transition period, the Executive Director has delegated the authority to issue ADs applicable to transport category airplanes and associated appliances to the Director of the System Oversight Division.

Regulatory Findings

The FAA determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

1. Is not a "significant regulatory action" under Executive Order 12866;
2. Will not affect intrastate aviation in Alaska; and
3. Will not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

PART 39—AIRWORTHINESS DIRECTIVES

- 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

§ 39.13 [Amended]

- 2. The FAA amends § 39.13 by adding the following new airworthiness directive (AD):

Airbus SAS: Docket No. FAA-2019-0492;
Product Identifier 2019-NM-045-AD.

(a) Comments Due Date

The FAA must receive comments by August 19, 2019.

(b) Affected ADs

This AD affects AD 2019-01-05, Amendment 39-19544 (84 FR 4310, February 15, 2019) ("AD 2019-01-05"); AD 2017-25-13, Amendment 39-19127 (82 FR 59960, December 18, 2017) ("AD 2017-25-13"); and AD 2014-16-22, Amendment 39-17946 (79 FR 49442, August 21, 2014) ("AD 2014-16-22").

(c) Applicability

This AD applies to the Airbus SAS airplanes specified in paragraphs (c)(1), (c)(2), and (c)(3) of this AD, certificated in any category, with an original airworthiness certificate or original export certificate of airworthiness issued on or before October 15, 2018.

- (1) Model A330-201, -202, -203, -223, and -243 airplanes.
- (2) Model A330-223F and -243F airplanes.
- (3) Model A330-301, -302, -303, -321, -322, -323, -341, -342, and -343 airplanes.

(d) Subject

Air Transport Association (ATA) of America Code 05, Time Limits/Maintenance Checks.

(e) Reason

This AD was prompted by the need for new or more restrictive airworthiness limitations that refer to preventive maintenance tasks including replacement of life-limited parts. Failure to accomplish the tasks could result in an unsafe condition such as reduced airplane controllability due to the failure of system components.

(f) Compliance

Comply with this AD within the compliance times specified, unless already done.

(g) Maintenance or Inspection Program Revision

Within 90 days after the effective date of this AD, revise the existing maintenance or inspection program, as applicable, to incorporate the information specified in Airbus A330 Airworthiness Limitations Section (ALS) Part 4, System Equipment Maintenance Requirements (SEMR), Revision 07, dated October 15, 2018, including Airbus A330 Airworthiness Limitations Section (ALS) Part 4—System Equipment Maintenance Requirements (SEMR), Variation 7.1, dated November 5, 2018. The component life limits and the initial compliance time for doing the tasks are at the times specified in Airbus A330 Airworthiness Limitations Section (ALS) Part 4, System Equipment Maintenance Requirements (SEMR), Revision 07, dated October 15, 2018, including Airbus A330 Airworthiness Limitations Section (ALS) Part 4—System Equipment Maintenance Requirements (SEMR), Variation 7.1, dated November 5, 2018, or within 90 days after the effective date of this AD, whichever occurs later.

(h) No Alternative Actions or Intervals

After the existing maintenance or inspection program has been revised as required by paragraph (g) of this AD, no alternative actions (e.g., inspections) or

intervals may be used unless the actions and intervals are approved as an alternative method of compliance (AMOC) in accordance with the procedures specified in paragraph (j)(1) of this AD.

(i) Terminating Actions

(1) Accomplishing the actions required by this AD terminates all requirements of AD 2019-01-05.

(2) Accomplishing the action required by task number 274400-00004-1-E of Airbus A330 Airworthiness Limitations Section (ALS) Part 4, System Equipment Maintenance Requirements (SEMR), Revision 07, dated October 15, 2018, within the compliance time specified for that task in Airbus A330 Airworthiness Limitations Section (ALS) Part 4, System Equipment Maintenance Requirements (SEMR), Revision 07, dated October 15, 2018, terminates all requirements of AD 2017-25-13 for Airbus SAS Model A330-200, A330-200 Freighter, and A330-300 series airplanes only.

(3) Accomplishing the action required by task number 213100-00001-1-E of Airbus A330 Airworthiness Limitations Section (ALS) Part 4, System Equipment Maintenance Requirements (SEMR), Revision 07, dated October 15, 2018, within the compliance time specified for that task in Airbus A330 Airworthiness Limitations Section (ALS) Part 4, System Equipment Maintenance Requirements (SEMR), Revision 07, dated October 15, 2018, terminates all requirements of AD 2014-16-22 for Airbus SAS Model A330-200, A330-200 Freighter, and A330-300 series airplanes only.

(j) Other FAA AD Provisions

The following provisions also apply to this AD:

(1) *Alternative Methods of Compliance (AMOCs)*: The Manager, International Section, Transport Standards Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or local Flight Standards District Office, as appropriate. If sending information directly to the International Section, send it to the attention of the person identified in paragraph (k)(2) of this AD. Information may be emailed to: 9-ANM-116-AMOC-REQUESTS@faa.gov. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the local flight standards district office/certificate holding district office.

(2) *Contacting the Manufacturer*: For any requirement in this AD to obtain corrective actions from a manufacturer, the action must be accomplished using a method approved by the Manager, International Section, Transport Standards Branch, FAA; or the European Aviation Safety Agency (EASA); or Airbus SAS's EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA-authorized signature.

(3) *Required for Compliance (RC)*: If any service information contains procedures or tests that are identified as RC, those procedures and tests must be done to comply

with this AD; any procedures or tests that are not identified as RC are recommended. Those procedures and tests that are not identified as RC may be deviated from using accepted methods in accordance with the operator's maintenance or inspection program without obtaining approval of an AMOC, provided the procedures and tests identified as RC can be done and the airplane can be put back in an airworthy condition. Any substitutions or changes to procedures or tests identified as RC require approval of an AMOC.

(k) Related Information

(1) Refer to Mandatory Continuing Airworthiness Information (MCAI) EASA AD 2019-0047, dated March 11, 2019, for related information. This MCAI may be found in the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA-2019-0492.

(2) For more information about this AD, contact Vladimir Ulyanov, Aerospace Engineer, International Section, Transport Standards Branch, FAA, 2200 South 216th St., Des Moines, WA 98198; phone and fax: 206-231-3229.

(3) For service information identified in this AD, contact Airbus SAS, Airworthiness Office—EAL, Rond-Point Emile Dewoitine No. 2, 31700 Blagnac Cedex, France; telephone +33 5 61 93 36 96; fax +33 5 61 93 45 80; email airworthiness.A330-A340@airbus.com; internet <http://www.airbus.com>. You may view this service information at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195.

Issued in Des Moines, Washington, on June 25, 2019.

Dionne Palermo,

Acting Director, System Oversight Division, Aircraft Certification Service.

[FR Doc. 2019-14047 Filed 7-2-19; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. FAA-2019-0498; Product Identifier 2019-NM-073-AD]

RIN 2120-AA64

Airworthiness Directives; Airbus SAS Airplanes

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Notice of proposed rulemaking (NPRM).

SUMMARY: The FAA proposes to adopt a new airworthiness directive (AD) for certain Airbus SAS Model A330-202, -243, -243F, -302, -323, and -343 airplanes. This proposed AD was prompted by a report that cracks have been found within the ring gears of the

slat geared rotary actuators (SGRAs) due to a change in the manufacturing process and inadequate post-production non-destructive testing for potential cracking. This proposed AD would require an inspection to determine the part number and serial number of the SGRAs, and replacement of each affected SGRA with a serviceable part, as specified in an European Aviation Safety Agency (EASA) AD, which will be incorporated by reference. The FAA is proposing this AD to address the unsafe condition on these products.

DATES: The FAA must receive comments on this proposed AD by August 19, 2019.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the instructions for submitting comments.

- *Fax:* 202-493-2251.

- *Mail:* U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.

- *Hand Delivery:* Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

For the material identified in this proposed AD that will be incorporated by reference (IBR), contact the EASA, at Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 89990 1000; email ADs@easa.europa.eu; internet www.easa.europa.eu. You may find this IBR material on the EASA website at <https://ad.easa.europa.eu>. You may view this IBR material at the FAA, Transport Standards Branch, 2200 South 216th St., Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195. It is also available in the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA-2019-0498.

Examining the AD Docket

You may examine the AD docket on the internet at <http://www.regulations.gov> by searching for and locating Docket No. FAA-2019-0498; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the regulatory evaluation, any comments received, and other information. The street address for Docket Operations is listed above. Comments will be