

commercial motor vehicle (CMV) drivers in interstate commerce. This follows the MRB's consideration of the effects of Schedule II medications on CMV drivers' ability to operate safely on September 11, 2013, and July 29–30, 2014. On Tuesday, October 28, the MCSAC will meet to finalize its deliberations on financial responsibility requirements for motor carriers and to consider the findings of its Subcommittee on the Long-Haul Cross-Border Trucking Pilot Program with Mexico. Meetings are open to the public for their entirety, and there will be a public comment period at the end of each day.

**DATES:** *Times and Dates:* The joint meeting will be held on Monday, October 27, 2014, from 9 a.m. to 4:30 p.m., Eastern Daylight Time (E.T.), at the Hilton Alexandria Old Town, 1767 King Street, Alexandria, VA 22314 in the Washington and Jefferson Rooms on the 2nd floor. On Tuesday, October 28, the MCSAC will meet at that same location from 9 a.m. to 4:30 p.m., E.T. Copies of all MRB and MCSAC Task Statements and an agenda for the entire meeting will be made available in advance of the meeting at <http://mrb.fmcsa.dot.gov> and <http://mcsac.fmcsa.dot.gov>.

**FOR FURTHER INFORMATION CONTACT:** Ms. Shannon L. Watson, Senior Advisor to the Associate Administrator for Policy, Federal Motor Carrier Safety Administration, U.S. Department of Transportation, 1200 New Jersey Avenue SE., Washington, DC 20590, (202) 385–2395, [mcsac@dot.gov](mailto:mcsac@dot.gov).

#### Services for Individuals With Disabilities

For information on facilities or services for individuals with disabilities or to request special assistance at the meeting, contact Eran Segev at (617) 494–3174, [eran.segev@dot.gov](mailto:eran.segev@dot.gov), by Wednesday, October 22.

#### SUPPLEMENTARY INFORMATION:

##### I. Background

##### MCSAC

Section 4144 of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA–LU, Pub. L. 109–59, 119 Stat. 1144, August 10, 2005) required the Secretary of Transportation to establish the MCSAC. The Moving Ahead for Progress in the 21st Century Act (MAP–21, Pub. L. 112–141) reauthorized the MCSAC through September 30, 2013, at which time its statutory authority expired, necessitating the establishment of MCSAC as a discretionary committee under FACA. Secretary Foxx established

that effective September 30, 2013, through September 30, 2015. MCSAC provides advice and recommendations to the FMCSA Administrator on motor carrier safety programs and regulations, and operates in accordance with the Federal Advisory Committee Act (FACA, 5 U.S.C. App 2).

##### MRB

The MRB is composed of five medical experts who each serve 2-year terms. Section 4116 of SAFETEA–LU requires the Secretary of Transportation, with the advice of the MRB and the chief medical examiner, to establish, review, and revise “medical standards for operators of commercial motor vehicles that will ensure that the physical condition of operators of commercial motor vehicles is adequate to enable them to operate the vehicles safely.” The MRB operates in accordance with FACA under the terms of its charter, filed November 25, 2013.

##### II. Meeting Participation

Oral comments from the public will be heard during the last half-hour of the meetings each day. Should all public comments be exhausted prior to the end of the specified period, the comment period will close. Members of the public may submit written comments on the topics to be considered during the meeting by Wednesday, October 22, to Federal Docket Management System (FDMS) Docket Number FMCSA–2008–0362 for the MRB and FMCSA–2006–26367 for the MCSAC using any of the following methods:

- *Federal eRulemaking Portal:* Go to <http://www.regulations.gov>. Follow the online instructions for submitting comments.
- *Fax:* 202–493–2251.
- *Mail:* Docket Management Facility; U.S. Department of Transportation, 1200 New Jersey Avenue SE., West Building, Room W12–140, Washington, DC 20590.
- *Hand Delivery:* U.S. Department of Transportation, 1200 New Jersey Avenue SE., Room W12–140, Washington, DC, between 9 a.m. and 5 p.m., E.T. Monday through Friday, except Federal holidays.

Issued on: October 6, 2014.

**Larry W. Minor,**

*Associate Administrator for Policy.*

[FR Doc. 2014–24364 Filed 10–8–14; 4:15 pm]

**BILLING CODE 4910–EX–P**

## DEPARTMENT OF TRANSPORTATION

### Federal Motor Carrier Safety Administration

[Docket No. FMCSA–2013–0314]

#### Parts and Accessories Necessary for Safe Operation; Grant of Exemption for Van Hool N.V. and Coach USA

**AGENCY:** Federal Motor Carrier Safety Administration (FMCSA), DOT.

**ACTION:** Notice of final disposition.

**SUMMARY:** The Federal Motor Carrier Safety Administration (FMCSA) announces its decision to grant a limited 2-year exemption to Van Hool N.V. and Coach USA (Van Hool/Coach USA) that will allow Coach USA/Megabus to operate double deck motorcoaches constructed with a sleeper berth than has an exit that does not meet the minimum dimensional requirements specified in the Federal Motor Carrier Safety Regulations (FMCSRs). Section 393.76(c)(1) of the FMCSRs requires sleeper berths installed after January 1, 1963 to have an exit that is at least 18 inches high and 36 inches wide. The exemption will allow Coach USA/Megabus to operate double deck motorcoaches with an exit area from the sleeper berth that, while not meeting the specified dimensions, is only slightly smaller in overall size from what is required in the FMCSRs. FMCSA believes that permitting the reduced exit area size will maintain a level of safety that is equivalent to, or greater than, the level of safety achieved without the exemption.

**DATES:** This exemption is effective from October 10, 2014 until October 10, 2016.

**FOR FURTHER INFORMATION CONTACT:** Mr. Luke W. Loy, Vehicle and Roadside Operations Division, Office of Carrier, Driver, and Vehicle Safety, MC–PSV, (202) 366–0676; Federal Motor Carrier Safety Administration, 1200 New Jersey Avenue SE., Washington, DC 20590–0001.

#### SUPPLEMENTARY INFORMATION:

##### Background

Section 4007 of the Transportation Equity Act for the 21st Century (TEA–21) [Pub. L. 105–178, June 9, 1998, 112 Stat. 401] amended 49 U.S.C. 31315 and 31136(e) to provide authority to grant exemptions from the Federal Motor Carrier Safety Regulations (FMCSRs). On August 20, 2004, FMCSA published a final rule (69 FR 51589) implementing section 4007. Under this rule, FMCSA must publish a notice of each exemption request in the **Federal Register** (49 CFR 381.315(a)). The Agency must provide

the public with an opportunity to inspect the information relevant to the application, including any safety analyses that have been conducted. The Agency must also provide an opportunity for public comment on the request.

The Agency reviews the safety analyses and the public comments and determines whether granting the exemption would likely achieve a level of safety equivalent to or greater than the level that would be achieved by the current regulation (49 CFR 381.305).

The decision of the Agency must be published in the **Federal Register** (49 CFR 381.315(b)). If the Agency denies the request, it must state the reason for doing so. If the decision is to grant the exemption, the notice must specify the person or class of persons receiving the exemption and the regulatory provision or provisions from which an exemption is granted. The notice must also specify the effective period of the exemption (up to 2 years) and explain the terms and conditions of the exemption. The exemption may be renewed (49 CFR 381.315(c) and 49 CFR 381.300(b)).

#### Van Hool/Coach USA Application for Exemption

Van Hool/Coach USA applied for an exemption from 49 CFR 393.76(c)(1) to allow Coach USA/Megabus to operate double deck motorcoaches with a sleeper berth exit which meets the requirements of those sleeper berths installed before January 1, 1963. Section 393.76(c)(1) of the FMCSRs requires that, for sleeper berths installed after January 1, 1963, the exit must be a doorway or opening at least 18 inches high and 36 inches wide. In its application, Van Hool/Coach USA states:

Van Hool and Coach USA are making this request because we jointly developed a double deck motorcoach with sleeper berths for passengers (hereafter referred to as sleeper coach) where in order to meet the driver hours of service requirements for the routes planned for this sleeper coach, a sleeper berth must be provided for a 2nd driver. The designed sleeper berth compartment in the sleeper motor coach meets and exceeds the minimum dimensional requirements for the actual sleeper berth, however due to the limited available locations to place the sleeper berth within the confines of the motorcoach, it is requested that the entry/exit to the sleeper berth be allowed to meet the dimensional requirements for those sleeper berths manufactured/installed before January 1, 1963. The entry/exit of the sleeper berth (as currently designed) has a maximum area of 606 square inches, which is sufficient area to contain an ellipse having a major axis of 25 inches and a minor axis of 16 inches, which was the requirement for sleeper berths installed prior to January 1, 1963.

Van Hool/Coach USA states that whereas the pre-January 1, 1963, exit dimension requirements accommodated all types of commercial motor vehicles, the current language of Section 393.76(c)(1) “is designed to fit sleeper berths in commercial trucks” and does “not take into account the limited space available on a motorcoach for utilization of a sleeper berth.”

#### Comments

On August 6, 2013, FMCSA published notice of the Van Hool/Coach USA application and requested public comment (78 FR 47817). Advocates for Highway and Auto Safety (Advocates) pointed out that the FMCSA had failed to include a copy of the Van Hool/Coach USA application in the docket for public inspection as required by statute and regulation. The Agency placed a copy of the Van Hool/Coach USA application in the docket, and published a notice in the **Federal Register** on February 14, 2014 (78 FR 9035) announcing the reopening of the comment period for 15 days. The Agency received four comments.

1. Advocates stated “The reduced size of the major axis of the sleeper berth entry/exit portal from 36 inches to 24 inches results in a significant reduction of a critical dimension for egress, even if it does not necessarily reduce the overall area of the portal dramatically. Reducing the major axis by one-third could impede the ability of a driver to respond in a safety emergency . . . Finally, it is likely that the pre-Jan. 1, 1963 entry/exit dimensions were considered so restrictive and tight for drivers who needed to squeeze into or out of the sleeper berth that the major axis of the portal was enlarged significantly, by 50 percent, from 24 to 36 inches. Advocates believes that even the current dimensions of the entry/exit portal (not to mention the sleeper berth itself) are exceedingly narrow and should be further enlarged, not reduced.”

**FMCSA response:** FMCSA personnel inspected a Van Hool/Coach USA double deck motorcoach, and took physical measurements of a prototype of the proposed sleeper berth entry/exit area. The effective sleeper berth entry/exit area is a rectangle, 27 inches wide by 26 inches in height, with a smaller non-useable corner in the lower right side measuring 11 inches in height by 8 inches in width, resulting in a total sleeper berth entry/exit area of 614 square inches. While this is a nominal reduction in access area—approximately 5 percent—compared to the current requirements (a rectangular area 18 inches high and 36 inches wide = 648

square inches), it is significantly larger—more than double—than the pre-January 1, 1963 requirements (an ellipse having a major axis of 24 inches and a minor axis of 16 inches = 301.6 square inches).

Entry into and exit from the prototype sleeper berth was performed by both FMCSA and Coach USA personnel during the vehicle inspection. These representatives were both adult males, approximately the size/weight of the Hybrid III 95th percentile male anthropometric test device that is used worldwide for the evaluation of automotive and military safety restraints, and particularly for seat belt integrity testing.<sup>1</sup> Both representatives were easily able to enter and exit the prototype sleeper berth, and each found that the 26-inch height of the prototype sleeper berth entry/exit was much easier to access than a sleeper berth meeting the currently-permitted minimum allowable height of 18 inches despite the reduction in overall width of the prototype opening.

During the inspection of the prototype, FMCSA also found that Van Hool/Coach USA has designed and included an additional emergency exit in the sleeper berth that provides direct access to the exterior of the motorcoach. This additional exit is 26 inches wide and 26.5 inches high (689 square inches), which, while although it does not meet the specific dimensional requirements of the current standard, is larger in area than the current minimally compliant opening.

While FMCSA acknowledges that Van Hool/Coach USA did not present a specific safety study providing an analysis of the safety impacts of the requested exemption, the Agency believes that the 9-inch reduction in the minimum width of the entry/exit of the sleeper berth from the interior of the motorcoach does not degrade the level of safety for a driver exiting or entering the sleeper berth, especially given that the measured height of the prototype entry is 8 inches taller than the minimum allowable height of 18 inches. FMCSA also notes that Van Hool/Coach USA has provided a secondary emergency exit to the exterior of the vehicle.

2. Mr. Lawrence Hanley of the Amalgamated Transit Union (ATU) submitted comments opposing the use of sleeper berths generally, but did not provide any comments specifically relating to the reduced size of the exit from the sleeper berth that is the subject of this exemption application.

<sup>1</sup> The Hybrid III 95th percentile male dummy is 6'2" tall and weighs 223 pounds.

**FMCSA Response:** The Van Hool/Coach USA application only requests an exemption from the requirements of section 393.76(c)(1) of the FMCSRs relating to the dimensions of the entry/exit into the sleeper berth. The Van Hool/Coach USA prototype sleeper berth fully conforms to all other requirements pertaining to sleeper berths in 49 CFR 393.76.

3. Mr. John Oakman, Sr. Vice President of Coach USA/Megabus commented in support of the application, stating "With this exemption we will be able to travel with two drivers, while one is driving the other will be able to be in a legal sleeping berth, thus giving us a longer safer distance of operation."

4. Mr. Tim Wayland, President and Chief Operating Officer of ABC Companies commented in support of the application, stating "Approving this exemption would allow Coach USA to fulfill its obligations as an operator towards its drivers in meeting the hours of service requirements. Approval of this exemption will also increase the number of models available to the traveling public. Increasing the number of models available to the traveling public will result in increased ridership, less traffic congestion and road wear and tear plus positive effects on the environment such as lower emissions and consumption of natural resources."

#### FMCSA Decision

Based on its evaluation of the application for an exemption, FMCSA grants the Van Hool/Coach USA exemption application. The Agency believes that the safety performance of motor carriers operating the subject double deck motorcoaches during the 2-year exemption period will likely achieve a level of safety that is equivalent to, or greater than, the level of safety achieved without the exemption. While the proposed entry/exit does not meet the specific dimensional requirements of section 393.76(c)(1) of the FMCSRs, (1) the overall area of the proposed entry/exit is only slightly smaller than that which is required, and (2) FMCSA was able to confirm during a physical examination of the double deck motorcoach that operators are able to easily enter/exit the proposed sleeper berth. Additionally, Van Hool/Coach USA has designed and installed a second emergency exit in the sleeper berth that is 26 inches wide and 26.5 inches high that provides direct access to the exterior of the vehicle. The Agency hereby grants the exemption for a two-year period, beginning October 10, 2014 until October 10, 2016.

#### Terms and Conditions for the Exemption

During the temporary exemption period, Coach USA/Megabus motorcoaches can be legally operated using the reduced sleeper berth entry/exit dimensions. The motorcoaches must be constructed using the entry/exit configuration as depicted in the application. FMCSA encourages any party having information that Van Hool/Coach USA, in utilizing this exemption, is not achieving the requisite level of safety immediately to notify the Agency. If safety is being compromised, or if the continuation of the exemption is not consistent with 49 U.S.C. 31315(b) and 31136(e), FMCSA will take immediate steps to revoke the exemption.

#### Preemption

In accordance with section 381.600 of the FMCSRs, during the period the exemption is in effect, no State shall enforce any law or regulation that conflicts with or is inconsistent with this exemption with respect to a person operating under the exemption.

Issued on: October 1, 2014.

**T.F. Scott Darling III,**  
Acting Administrator.

[FR Doc. 2014-24290 Filed 10-9-14; 8:45 am]

**BILLING CODE 4910-EX-P**

#### DEPARTMENT OF TRANSPORTATION

##### Surface Transportation Board

[Docket No. FD 35860]

##### Wisconsin Great Northern Railroad, Inc.—Lease and Operation Exemption—Rail Line of Wisconsin Central, Ltd.

Wisconsin Great Northern Railroad, Inc. (WGNR), a Class III rail carrier, has filed a verified notice of exemption under 49 CFR 1150.41 to lease from Wisconsin Central, Ltd. (WC),<sup>1</sup> and to operate, pursuant to a lease agreement, an approximately 6.3-mile line of railroad between milepost 95.2 near Hayward Junction and milepost 101.5 at Hayward, in Washburn and Sawyer Counties, Wis.

According to WGNR, the lease does not contain any provision or agreement that may limit future interchange of traffic with a third-party connecting carrier. WGNR states that the line connects with WC's north-south main line at milepost 96.0 at Hayward Junction, Wis.

The proposed transaction may be consummated on or after October 25,

<sup>1</sup> WC is an affiliate of Canadian National Railway Company.

2014, the effective date of this exemption (30 days after the exemption was filed).

WGNR certifies that the projected annual revenues as a result of this transaction will not exceed those that would qualify it as a Class III rail carrier and will not exceed \$5 million.

If the verified notice contains false or misleading information, the exemption is void *ab initio*. Petitions to revoke the exemption under 49 U.S.C. 10502(d) may be filed at any time. The filing of a petition to revoke will not automatically stay the effectiveness of the exemption. Petitions to stay must be filed by October 17, 2014 (at least seven days prior to the date the exemption becomes effective).

An original and 10 copies of all pleadings, referring to Docket No. FD 35860, must be filed with the Surface Transportation Board, 395 E Street SW., Washington, DC 20423-0001. In addition, a copy of each pleading must be served on applicant's representative, Thomas F. McFarland, Thomas F. McFarland, P.C., 208 South LaSalle Street, Suite 1890, Chicago, IL 60604-1112.

Board decisions and notices are available on our Web site at "WWW.STB.DOT.GOV."

Decided: October 7, 2014.

By the Board, Rachel D. Campbell,  
Director, Office of Proceedings.

**Brendetta S. Jones,**  
Clearance Clerk.

[FR Doc. 2014-24251 Filed 10-9-14; 8:45 am]

**BILLING CODE 4915-01-P**

#### DEPARTMENT OF THE TREASURY

##### Internal Revenue Service

##### Advisory Committee to the Internal Revenue Service; Meeting

**AGENCY:** Internal Revenue Service (IRS), Treasury.

**ACTION:** Notice of meeting.

**SUMMARY:** The Information Reporting Program Advisory Committee (IRPAC) will hold a public meeting on Wednesday, October 29, 2014.

**FOR FURTHER INFORMATION CONTACT:** Ms. Caryl Grant, National Public Liaison, CL:NPL:SRM, Rm. 7559, 1111 Constitution Avenue NW., Washington, DC 20224. Phone: 202-317-6851 (not a toll-free number). Email address: [PublicLiaison@irs.gov](mailto:PublicLiaison@irs.gov).

**SUPPLEMENTARY INFORMATION:** Notice is hereby given pursuant to section 10(a)(2) of the Federal Advisory Committee Act, 5 U.S.C. App. (1988),