

\* \* \* \* \*

[FR Doc. 2015-20252 Filed 8-18-15; 8:45 am]

BILLING CODE 6560-50-P

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION****48 CFR Parts 1837 and 1852**

RIN 2700-AE01 and 2700-AE09

**NASA Federal Acquisition Regulation Supplement; Correction****AGENCY:** National Aeronautics and Space Administration.**ACTION:** Correcting amendments.

**SUMMARY:** The National Aeronautics and Space Administration (NASA) published a final rule in the **Federal Register** on Thursday, March 12, 2015 (80 FR 12935), as part of the NASA Federal Acquisition Regulation Supplement (NFS) regulatory review. That final rule became effective on April 13, 2015, however the date of effectivity for the affected clauses was inadvertently omitted. This document corrects the final rule by adding the missing clause dates and makes other minor editorial changes.

**DATES:** *Effective:* August 19, 2015.

**FOR FURTHER INFORMATION CONTACT:** Manuel Quinones, NASA, Office of Procurement, Contract and Grant Policy Division, via email at [manuel.quinones@nasa.gov](mailto:manuel.quinones@nasa.gov), or telephone (202) 358-2143.

**SUPPLEMENTARY INFORMATION:****I. Background**

NASA published a final rule in the **Federal Register** on March 12, 2015, which became effective April 13, 2015. This rule is part of the NASA FAR Supplement regulatory review. As published, the rule contains errors due to inadvertent omission of affected clause dates and other errors that need to be corrected. Specifically, clause date of "APR 2015" is to be added to NFS 1852.215-77, 1852.219-11, 1852.219-18, 1852.219-75, 252.219-77, 1852.219-79, 1852.223-71, 1852.223-73, 1852.227-11, 1852.227-14, 1852.227-70, 1852.227-71, 1852.227-72, 1852.227-84, 1852.227-85, 1852.227-86, and 1852.227-88. NASA is not altering the text of these NFS clauses, but merely adding the missing clause dates. Additionally, NFS clause prescription at 1809.206-71 was correctly removed. However, the corresponding clause at 1852.209-70 should also have been removed and reserved at amendatory instruction no. 66 on page 12945 (80 FR 12945).

**List of Subject in 48 CFR Parts 1837 and 1852**

Government procurement.

Manuel Quinones,  
*Federal Register Liaison.*

Accordingly, 48 CFR part 1852 is amended as follows:

**PART 1852—SOLICITATION PROVISIONS AND CONTRACT CLAUSES**

■ 1. The authority citation for part 1852 continues to read as follows:

**Authority:** 51 U.S.C. 20113(a) and 48 CFR chapter 1.

**1852.215-77, 1852.219-11, 1852.219-18, 1852.219-75, 252.219-77, 1852.219-79, 1852.223-71, 1852.223-73, 1852.227-70, 1852.227-71, 1852.227-72, 1852.227-84, 1852.227-85, 1852.227-86, and 1852.227-88**  
[Amended]

■ 2. Amend sections 1852.215-77, 1852.219-11, 1852.219-18, 1852.219-75, 252.219-77, 1852.219-79, 1852.223-71, 1852.223-73, 1852.227-70, 1852.227-71, 1852.227-72, 1852.227-84, 1852.227-85, 1852.227-86, and 1852.227-88 by removing "MONTH/YEAR" and adding "APR 2015" in its place.

**1852.209-70 [Removed and Reserved]**

■ 3. Remove and reserve section 1852.209-70.

■ 4. Amend section 1852.216-88:

■ a. By removing clause date of "JAN 1997" and adding "APR 2015" in its place.

■ b. By revising the second sentence in paragraph (a)(1). The revision reads as follows:

**1852.216-88 Performance incentive.**

\* \* \* \* \*

(a) \* \* \*

(1) \* \* \* The performance incentive becomes effective when the item is put into service. \* \* \*

\* \* \* \* \*

**1852.223-76 [Amended]**

■ 5. Amend section 1852.223-76 by removing "<http://fastweb.inel.gov/>" and adding "<https://fastweb.inel.gov/>" in its place.

**1852.227-11 and 1852.227-14 [Amended]**

■ 6. Amend in sections 1852.227-11 and 1852.227-14 by removing "DATE" and adding "APR 2015" in its place.

[FR Doc. 2015-20418 Filed 8-18-15; 8:45 am]

BILLING CODE 7510-13-P

**DEPARTMENT OF COMMERCE****National Oceanic and Atmospheric Administration****50 CFR Part 660**

[Docket No. 140904754-5188-02]

RIN 0648-BF27

**Magnuson-Stevens Act Provisions; Fisheries Off West Coast States; Pacific Coast Groundfish Fishery; 2015-2016 Biennial Specifications and Management Measures; Inseason Adjustments**

**AGENCY:** National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

**ACTION:** Final rule; inseason adjustments to biennial groundfish management measures.

**SUMMARY:** This final rule announces inseason changes to management measures in the Pacific Coast groundfish fisheries. This action, which is authorized by the Pacific Coast Groundfish Fishery Management Plan (PCGFMP), is intended to protect overfished and depleted stocks while allowing fisheries to access more abundant groundfish stocks.

**DATES:** This final rule is effective August 14, 2015.

**FOR FURTHER INFORMATION CONTACT:** Gretchen Hanshew, phone: 206-526-6147, fax: 206-526-6736, or email: [gretchen.hanshew@noaa.gov](mailto:gretchen.hanshew@noaa.gov).

**SUPPLEMENTARY INFORMATION:****Electronic Access**

This rule is accessible via the Internet at the Office of the Federal Register Web site at <https://www.federalregister.gov>. Background information and documents are available at the Pacific Fishery Management Council's Web site at <http://www.pcouncil.org/>. Copies of the final environmental impact statement (FEIS) for the Groundfish Specifications and Management Measures for 2015-2016 and Biennial Periods Thereafter are available from Donald McIsaac, Executive Director, Pacific Fishery Management Council (Council), 7700 NE Ambassador Place, Portland, OR 97220, phone: 503-820-2280.

**Background**

The PCGFMP and its implementing regulations at title 50 in the Code of Federal Regulations (CFR), part 660, subparts C through G, regulate fishing for over 90 species of groundfish off the coasts of Washington, Oregon, and California. Groundfish specifications

and management measures are developed by the Pacific Fishery Management Council (Council), and are implemented by NMFS.

The final rule to implement the 2015–2016 harvest specifications and management measures for most species of the Pacific coast groundfish fishery was published on March 10, 2015 (80 FR 12567).

The Council—in coordination with Pacific Coast Treaty Indian Tribes and the States of Washington, Oregon, and California—recommended changes to current groundfish management measures at its June 10–16, 2015, meeting. Specifically, the Council recommended an increase to commercial fishery trip limits for sablefish, blackgill rockfish, big skate, Minor Shelf Rockfish, and California scorpionfish. The Council also recommended a decrease to commercial fishery trip limits for black rockfish. NMFS has determined that good cause exists to waive notice and comment for trip limit changes for sablefish, blackgill rockfish, black rockfish and big skate and this action implements those changes. However, NMFS has determined that the Council-recommended increases to trip limits for Minor Shelf Rockfish and California scorpionfish cannot be implemented without a two-meeting process and notice and comment rulemaking. Therefore, those changes are not included in this action.

*Fishery Management Measures for the Limited Entry Fixed Gear (LEFG) and Open Access (OA) Sablefish Daily Trip Limit (DTL) Fisheries North of 36° N. lat.*

To increase harvest opportunities for the LEFG and OA fixed gear sablefish DTL fisheries north of 36° N. lat., the Council considered increases to trip limits. The Council's Groundfish Management Team (GMT) made model-based landings projections for the LEFG and OA fixed gear sablefish DTL fisheries north of 36° N. lat. for the remainder of the year. These projections were based on the most recent information available. The model predicted harvest of 83 percent (196 mt) of the LEFG harvest guideline (HG) (236 mt) and 62 percent (242 mt) of the OA HG (388 mt) under current trip limits. This indicates that projected catch in both the LEFG and OA fisheries was lower than anticipated when the trip limits were initially established (93 percent (220 mt) of the LEFG HG and 92 percent (358 mt) of the OA HG). With the increase in trip limits, predicted harvest assuming medium ex-vessel price curves is 90 percent (212 mt) of the LEFG HG (236 mt) and 83 percent

(323 mt) of the OA HG (388 mt). Projections for the fixed gear sablefish fisheries south of 36° N. lat. were similar to what they were anticipated to be in the biennial harvest specifications and management measures, and no requests were made by industry for changes; therefore, and no inseason actions were considered.

Therefore, the Council recommended and NMFS is implementing trip limit changes for the LEFG and the OA sablefish DTL fisheries north of 36° N. lat. The trip limits for sablefish in the LEFG fishery north of 36° N. lat. increase from “1,025 lb (465 kg) per week, not to exceed 3,075 lb (1,394 kg) per two months” to “1,125 lb (510.3 kg) per week, not to exceed 3,375 lb (1,530 kg) per two months” beginning during period 4 through the end of the year.

The trip limits for sablefish in the OA sablefish DTL fishery north of 36° N. lat. are increased from “300 lb (136 kg) per day, or one landing per week of up to 900 lb (408 kg), not to exceed 1,800 lb (817 kg) per two months” to “350 lb (159 kg) per day, or one landing per week of up to 1,600 lb (726 kg), not to exceed 3,200 lb (1,452 kg) per two months” during period 4 through the end of the year.

*Fishery Management Measures for Blackgill Rockfish in the Limited Entry Fixed Gear (LEFG) and Open Access (OA) Fisheries South of 40°10' N. lat.*

Blackgill rockfish south of 40°10' N. lat. was assessed in 2011. The 2011 assessment indicated the stock was in the precautionary zone with spawning biomass depletion estimated to be 30 percent of its unfished biomass at the start of 2011. The Council chose to leave blackgill rockfish as a stock within the Minor Slope Rockfish south complex. Beginning in 2013, the Council recommended, and NMFS established, annual HGs and management measures to keep anticipated catch of blackgill rockfish within its HG, including a species-specific sorting requirement and species-specific sub-limits. Annual HGs and trip limit management in non-IFQ fisheries continue to be utilized for management of blackgill rockfish south of 40°10' N. lat.

The most recently available information (2013) indicates that the Minor Slope Rockfish trip limit and the blackgill rockfish sub-limit set in 2013 kept catch of Minor Slope Rockfish south of 40°10' N. lat. at 148 mt, which is less than 25 percent of the 2013 ACL (618 mt). Additionally, catch of blackgill was 18.5 mt, 42 percent of the 44 mt HG (LEFG HG of 26.4 mt and OA HG of 17.6 mt, combined). The same trip limits were in place in 2014, and 2014

inseason estimates indicate that similar catch patterns are likely to be seen in the completed 2014 total mortality report. The best available 2015 inseason information at the June Council meeting indicated that catch of blackgill rockfish was approximately half of the amount of catch during that same time period in 2014. The Council recommended that the blackgill rockfish sub-limit be increased modestly to reduce regulatory discards since catch was well below the HG in 2013 and was likely similar in scale in 2014 and because catch in 2015 is below the levels observed in 2014. In addition, a modest increase in the sub-limit will likely reduce regulatory discards of blackgill rockfish when caught incidentally with co-occurring species in the Minor Slope Rockfish complex.

Therefore, the Council recommended, and NMFS is implementing, an increase to blackgill rockfish sub-limits for the LEFG and the OA fisheries south of 40°10' N. lat. The blackgill rockfish sub-limit, within the overall trip limit for Minor Slope Rockfish complex south of 40°10' N. lat., is increased in the LEFG fishery from “40,000 lb (18,144 kg) per two months, of which no more than 1,375 lb (624 kg) may be blackgill rockfish” to “40,000 lb (18,144 kg) per two months, of which no more than 1,600 lb (726 kg) may be blackgill rockfish” beginning during period 4 through the end of the year.

The blackgill rockfish sub-limit, within the overall trip limit for Minor Slope Rockfish complex south of 40°10' N. lat., is increased in the OA fishery from “10,000 lb (4,536 kg) per two months, of which no more than 475 lb (216 kg) may be blackgill rockfish” to “10,000 lb (4,536 kg) per two months, of which no more than 550 lb (250 kg) may be blackgill rockfish” beginning during period 4 through the end of the year.

*Fishery Management Measures for Black Rockfish in the Limited Entry Fixed Gear (LEFG) and Open Access (OA) Fisheries Between 42° N. lat. and 40°10' N. lat.*

Black rockfish are caught in nearshore commercial and recreational fisheries. Black rockfish is a healthy stock that co-occurs with nearshore overfished rockfish species (e.g., canary rockfish and yelloweye rockfish). Catch of black rockfish is managed, in part, to keep catch of co-occurring overfished species within the management targets for the nearshore fishery and the state of California. The best available information on commercial black rockfish catch in northern California through June 12, 2015, indicates that harvest so far in 2015 (58 mt) is much

higher than what it was in this area for the entire year of 2014 (34 mt).

In 2014, the shoreward boundary of the non-trawl rockfish conservation area (RCA) in this area between 42° N. lat. and 40°10' N. lat. was the boundary line approximating the 20 fm depth contour. For 2015, the boundary line off northern California was shifted seaward to the boundary line approximating the 30 fm depth contour, opening the area to nearshore fishing between 20 fm line and the 30 fm line for the first time since 2009 (80 FR 12567, March 10, 2015). This change in the depth restriction in the non-trawl commercial fisheries is providing additional access to nearshore stocks, and may be part of the reason for the increased black rockfish landings in 2015 compared to 2014. Additionally, the change in depth restriction may be changing bycatch rates of co-occurring overfished species in the nearshore fishery, but little information is available to inform bycatch rates inseason.

Based on the best available information, catch of black rockfish is much higher in 2015 compared to 2014. To reduce projected catch of co-occurring overfished species and reduce the risk of exceeding HGs for those overfished species, the Council considered reductions to black rockfish trip limits between 42° N. lat. and 40°10' N. lat. The Council recommended decreasing the black rockfish trip limit to the same limit that was in effect when the northern California non-trawl RCA shoreward boundary was at the 30 fm line, as it is in 2015.

Therefore, the Council recommended and NMFS is implementing decreased black rockfish trip limits for the LEFG and the OA fisheries between 42° N. lat. and 40°10' N. lat. The black rockfish trip limit, within the overall trip limit for Minor Nearshore Rockfish complex, is decreased in the LEFG and OA fisheries from "8,500 lb (3,856 kg) per two months of which no more than 1,200 lb (544 kg) may be species other than black rockfish" to "6,000 lb (2,722 kg) per two months of which no more than 1,200 lb (544 kg) may be species other than black rockfish" beginning during period 4 through the end of the year.

#### *Fishery Management Measures for Big Skate in the Shorebased IFQ Program*

Before 2015, big skate was managed as a component stock within the Other Fish complex. The big skate OFL estimate, along with the estimated OFLs for the other species in the complex, contributed to the OFL specified in regulation for the Other Fish complex. Species managed in complexes do not

have OFLs specified in regulation. Therefore, the best estimate of a sustainable harvest for a single species that is managed in a complex is referred to as an "OFL contribution," since the OFL for the complex is the sum of the contributing OFLs for all the component species.

During development of the 2015–2016 harvest specifications and management measures, best estimates of mortality indicated that harvest of big skate was 18 percent of the big skate OFL contribution and that it was not in need of conservation and management. Big skate was removed from the Other Fish complex and designated as an ecosystem component (EC) species (80 FR 12567, March 10, 2015). If the Council had chosen to keep big skate in the fishery, with species specific harvest specifications, the 2015 big skate OFL endorsed by the Scientific Statistical Committee (SSC) would have been 541 mt. Since the Council chose to designate this species as an EC species, the big skate OFL estimate became unnecessary. Since development and implementation of the 2015–2016 harvest specifications and management measures, new information indicated that mortality of big skate is approaching or exceeding the 2014 big skate OFL contribution.

At its April 2015 meeting, the Council recommended management measures to reduce mortality of big skate and reduce the risk of overfishing the stock. At that time, the best estimate of sustainable harvest for big skate was thought to be the 2014 OFL contribution. The Council recommended and NMFS implemented a trip limit reduction for big skate in the Shorebased IFQ Program and best estimates at that time indicated that total mortality of big skate through the end of 2015 under that trip limit structure would be 441 mt, 17 mt lower than the 2014 OFL contribution of 458 mt (80 FR 31858, June 4, 2015).

The analysis by the Council's GMT assumed 100 percent mortality of discarded big skate and assumed that, once a trip limit was reached, encounters of big skate would cease and no additional landings or discards would occur. The GMT acknowledged several issues with these assumptions, but noted that the April analysis was limited in scope due to time constraints. The Council acknowledged that the mortality estimates and the OFL contribution both have high degrees of uncertainty, and recommended precautionary management measures for conservation of big skate. The Council also acknowledged that additional information and analyses would likely become available, and that management measures for big skate would be

considered in light of emerging and improving information.

At its June 2015 meeting, the Council considered additional analysis by the GMT, recommendations of its SSC, as well as updated fishery information, regarding big skate mortality and management measures. The West Coast Observer Program estimates that almost 80 percent of big skate caught in groundfish fisheries are discarded. Following a literature review, the SSC recommended that a 50 percent discard mortality rate for big skate caught with commercial trawl gear was more appropriate. This is consistent with the assumed discard mortality for another skate species for which trip limits are in place (longnose skate). In addition, projected estimates of big skate catch through the end of the year decreased because of reduced inseason estimates. This reduction likely resulted from an increased awareness and avoidance by the fishing fleet, and harvest projection changes resulting from the Council's improved understanding of big skate discard mortality rate.

At its June 2015 meeting, the Council also considered information regarding the best available estimate for a sustainable harvest level of big skate in 2015. In April 2015, the Council aimed to keep mortality of big skate below the 2014 OFL contribution, the best estimate available at that time. In June, the Council was reminded that the SSC endorsed a 2015 big skate OFL in November 2013. Since the Council recommended big skate be designated as an EC species, no harvest specifications were adopted for the 2015–2016 biennial cycle. However, in light of the need to better estimate big skate mortality, as it is approaching the best OFL contribution estimates, the SSC-endorsed estimated 2015 OFL is the best available estimate of sustainable harvest. Therefore, the Council considered projected big skate mortality in 2015 compared to the estimated 2015 OFL, rather than the 2014 OFL contribution. The 541 mt estimated 2015 OFL for big skate is 83 mt higher than the 2014 OFL contribution that was used in the April 2015 GMT analyses. Therefore, the Council considered higher trip limits for big skate than those adopted in April 2015. June 2015 GMT estimates indicate that with higher trip limits for big skate of 35,000 pounds per two months, through the remainder of the year, big skate total mortality will still be below the currently available best estimate of the 2015 OFL (541 mt).

As discussed above, the best estimate of the discard mortality rate decreased from 100 percent to 50 percent and the estimated 2015 OFL that is higher than

the 2014 OFL contribution. Therefore, increases to the big skate trip limits in the IFQ fishery are warranted. The Council considered increasing the trip limit for big skate in the Shorebased IFQ Program, beginning in Period 4 (July-August). A range of trip limits was considered: 25,000 lb (11,340 kg) per two months, 30,000 lb (13,608 kg) per two months, and 35,000 lb (15,876 kg) per two months for Periods 4–6 (July–December). All alternative trip limits are anticipated to bring total mortality below the estimated 2015 OFL of 541 mt, and the estimated 2015 Acceptable Biological Catch (ABC) (assuming the same  $P^*$  as 2014 of 0.40) of 451 mt.

The Council recommended, and NMFS is implementing, an increase in the big skate trip limit in the Shorebased IFQ Program from “20,000 lbs (9,072 kg) per two months” to “35,000 lb (15,876 kg) per two months” in periods 4–6 (from July through December). Best estimates indicate that total mortality of big skate through the end of 2015 under this trip limit structure would be between 414 mt and 420 mt, 121–127 mt lower than the estimated 2015 OFL contribution of 541 mt and 21–27 mt lower than the estimated 2015 ABC contribution of 441 mt. The estimated total mortality is considered as a range to account for uncertainty in how fishing behavior will change after the big skate trip limit is reached. The Council recommended a trip limit that would allow approximately a 5 percent increase in total mortality, but would still be below the estimated 2015 ABC. The increase in trip limit is intended to allow vessels opportunistically targeting big skate to continue to do so, while keeping total mortality below the estimated 2015 ABC. The Council recommended trip limits are codified in Tables 1 (North) and 1 (South) to Subpart C.

#### Classification

This final rule makes routine inseason adjustments to groundfish fishery management measures, based on the

best available information, consistent with the PCGFMP and its implementing regulations.

This action is taken under the authority of 50 CFR 660.60(c) and is exempt from review under Executive Order 12866.

The aggregate data upon which these actions are based are available for public inspection at the Office of the Administrator, West Coast Region, NMFS, during business hours.

NMFS finds good cause to waive prior public notice and comment on the revisions to groundfish management measures under 5 U.S.C. 553(b) because notice and comment would be impracticable and contrary to the public interest. Also, for the same reasons, NMFS finds good cause to waive the 30-day delay in effectiveness pursuant to 5 U.S.C. 553(d)(3), so that this final rule may become effective August 14, 2015.

At the June Council meeting, the Council recommended that these changes be implemented as quickly as possible during the two-month cumulative limit period. There was not sufficient time after that meeting to draft this document and undergo proposed and final rulemaking before these actions need to be in effect. For the actions to be implemented in this final rule, affording the time necessary for prior notice and opportunity for public comment would prevent NMFS from managing fisheries using the best available science to approach, without exceeding, the ACLs for federally managed species in accordance with the PCGFMP and applicable law. The adjustments to management measures in this document affect commercial fisheries in Washington, Oregon and California. These increases to trip limits must be implemented as quickly as possible during the two-month cumulative limit period to allow LEFG and OA fixed gear fishermen an opportunity to harvest higher limits for: Sablefish without exceeding the ACL north of 36° N. lat.; big skate without exceeding the estimated 2015 OFL; and blackgill rockfish without exceeding the

HG south of 40°10' N. lat. The decrease to the black rockfish trip limit must be implemented by the start of the next two-month cumulative limit period, September 1, to keep catch of co-occurring overfished species within their HGs and rebuilding ACLs. It would be contrary to the public interest to delay implementation of these changes until after public notice and comment, because making this regulatory change by August 14, 2015, allows harvest as intended by the Council, consistent with the best scientific information available. These changes allow additional harvest in fisheries that are important to coastal communities while continuing to prevent ACLs of overfished and target species from being exceeded.

No aspect of this action is controversial, and changes of this nature were anticipated in the biennial harvest specifications and management measures established for 2015–2016.

Accordingly, for the reasons stated above, NMFS finds good cause to waive prior notice and comment and to waive the delay in effectiveness.

#### List of Subjects in 50 CFR Part 660

Fisheries, Fishing, and Indian fisheries.

Dated: August 14, 2015.

**Emily H. Menashes,**

*Acting Director, Office of Sustainable Fisheries, National Marine Fisheries Service.*

For the reasons set out in the preamble, 50 CFR part 660 is amended as follows:

#### PART 660—FISHERIES OFF WEST COAST STATES

■ 1. The authority citation for part 660 continues to read as follows:

**Authority:** 16 U.S.C. 1801 *et seq.*, 16 U.S.C. 773 *et seq.*, and 16 U.S.C. 7001 *et seq.*

■ 2. Table 1 (North) and 1 (South) to part 660, subpart D, are revised to read as follows:

**BILLING CODE 3510-22-P**

**Table 1 (North) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting North of 40°10' N. Lat.**

This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table

08012015

00012019

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)1/:							
1	North of 48°10' N. lat.	shore - modified <sup>2/</sup> 200 fm line <sup>1/</sup>	shore - 200 fm line <sup>1/</sup>	shore - 150 fm line <sup>1/</sup>		shore - 200 fm line <sup>1/</sup>	shore - modified <sup>2/</sup> 200 fm line <sup>1/</sup>
2	48°10' N. lat. - 45°46' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>					
3	45°46' N. lat. - 40°10' N. lat.	100 fm line <sup>1/</sup> - modified <sup>2/</sup> 200 fm line <sup>1/</sup>					
<p>Selective flatfish trawl gear is required shoreward of the RCA; all bottom trawl gear (large footrope, selective flatfish trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope and small footrope trawl gears (except for selective flatfish trawl gear) are prohibited shoreward of the RCA. Midwater trawl gear is permitted only for vessels participating in the primary whiting season. <b>Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery landing allowances in this table, regardless of the type of fishing gear used. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry fixed gear non-trawl RCA, as described in Tables 2 (North) and 2 (South) to Part 660, Subpart E.</b></p> <p>See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</p> <p>State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.</p>							
4	Minor Nearshore Rockfish & Black rockfish	300 lb/ month					
5	Whiting <sup>3/</sup>						
6	midwater trawl	Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See §660.131 for season and trip limit details. -- After the primary whiting season: CLOSED.					
7	large & small footrope gear	Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip.					
8	Cabezon <sup>4/</sup>						
9	North of 46°16' N. lat.	Unlimited					
10	46°16' N. lat. - 40°10' N. lat.	50 lb/ month					
11	Shortbelly	Unlimited					
12	Spiny dogfish	60,000 lb/ month					
13	Big skate	Unlimited			15,000 lb/ month	35,000 lb/ 2 months	
14	Longnose skate	Unlimited					
15	Other Fish <sup>4/</sup>	Unlimited					

TABLE 1 (North)

TABLE 1 (North)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ The "modified" fathom lines are modified to exclude certain petrale sole areas from the RCA.

3/ As specified at §660.131(d), when fishing in the Eureka Area, no more than 10,000 lb of whiting may be taken and retained, possessed, or landed by a vessel that, at any time during the fishing trip, fished in the fishery management area shoreward of 100 fm contour.

4/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

**Table 1 (South) to Part 660, Subpart D -- Limited Entry Trawl Rockfish Conservation Areas and Landing Allowances for non-IFQ Species and Pacific Whiting South of 40°10' N. Lat.**

This table describes Rockfish Conservation Areas for vessels using groundfish trawl gear. This table describes incidental landing allowances for vessels registered to a Federal limited entry trawl permit and using groundfish trawl or groundfish non-trawl gears to harvest individual fishing quota (IFQ) species.

Other Limits and Requirements Apply -- Read § 660.10 - § 660.399 before using this table

08012015

00012013

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
Rockfish Conservation Area (RCA)1/:							
1	South of 40°10' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/ 2/</sup>					
Small footrope trawl gear is required shoreward of the RCA; all trawl gear (large footrope, selective flatfish trawl, midwater trawl, and small footrope trawl gear) is permitted seaward of the RCA. Large footrope trawl gear and midwater trawl gear are prohibited shoreward of the RCA. <b>Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry groundfish trawl fishery landing allowances in this table, regardless of the type of fishing gear used. Vessels fishing groundfish trawl quota pounds with groundfish non-trawl gears, under gear switching provisions at § 660.140, are subject to the limited entry fixed gear non-trawl RCA, as described in Tables 2 (North) and 2 (South) to Part 660, Subpart E.</b>							
See § 660.60, § 660.130, and § 660.140 for Additional Gear, Trip Limit, and Conservation Area Requirements and Restrictions. See §§ 660.70-660.74 and §§ 660.76-660.79 for Conservation Area Descriptions and Coordinates (including RCAs, YRCA, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).							
State trip limits and seasons may be more restrictive than federal trip limits, particularly in waters off Oregon and California.							
2	Longspine thornyhead						
3	South of 34°27' N. lat.	24,000 lb/ 2 months					
4	Minor Nearshore Rockfish & Black rockfish	300 lb/ month					
5	Whiting						
6	midwater trawl	Before the primary whiting season: CLOSED. -- During the primary season: mid-water trawl permitted in the RCA. See §660.131 for season and trip limit details. -- After the primary whiting season: CLOSED.					
7	large & small footrope gear	Before the primary whiting season: 20,000 lb/trip. -- During the primary season: 10,000 lb/trip. -- After the primary whiting season: 10,000 lb/trip.					
8	Cabazon	50 lb/ month					
9	Shortbelly	Unlimited					
10	Spiny dogfish	60,000 lb/ month					
11	Big skate	Unlimited			15,000 lb/ month	35,000 lb/ 2 months	
12	Longnose skate	Unlimited					
13	California scorpionfish	Unlimited					
14	Other Fish <sup>3/</sup>	Unlimited					

TABLE 1 (South)

TABLE 1 (South)

1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours, and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to the RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.

2/ South of 34°27' N. lat., the RCA is 100 fm line - 150 fm line along the mainland coast; shoreline - 150 fm line around islands.

3/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabazon in Washington

To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.

■ 3. Table 2 (North) and 2 (South) to part 660, subpart E, are revised to read as follows:

Table 2 (North) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear North of 40°10' N. lat.									
Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table									
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	#####	
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>									
1	North of 46° 16' N. lat.	shoreline - 100 fm line <sup>1/</sup>							
2	46° 16' N. lat. - 42° 00' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>							
3	42° 00' N. lat. - 40° 10' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>							
<b>See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</b>									
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.									
4	Minor Slope Rockfish <sup>2/</sup> & Darkblotched rockfish	4,000 lb/ 2 months							
5	Pacific ocean perch	1,800 lb/ 2 months							
6	Sablefish <sup>7/</sup>	1,025 lb/ week, not to exceed 3,075 lb/ 2 months				1,125 lb/ week, not to exceed 3,375 lb/ 2 months			
7	Longspine thornyhead	10,000 lb/ 2 months							
8	Shortspine thornyhead	2,000 lb/ 2 months				2,500 lb/ 2 months			
9	Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish <sup>3/</sup>	5,000 lb/ month							
10		South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line, are not subject to the RCAs.							
11									
12									
13									
14									
15	Whiting	10,000 lb/ trip							
16	Minor Shelf Rockfish <sup>2/</sup> , Shortbelly, Widow & Yellowtail rockfish	200 lb/ month							
17	Canary rockfish	CLOSED							
18	Yelloweye rockfish	CLOSED							
19	Minor Nearshore Rockfish & Black rockfish								
20	North of 42° 00' N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish or blue rockfish <sup>4/</sup>							
21	42° 00' N. lat. - 40° 10' N. lat.	8,500 lb/ 2 months, of which no more than 1,200 lb of which may be species other than black rockfish				6,000 lb/ 2 months, of which no more than 1,200 lb of which may be species other than black rockfish			
22	Lingcod <sup>5/</sup>	200 lb/2 months			1,200 lb/ 2 months			600 lb/ month	200 lb/ month
23	Pacific cod	1,000 lb/ 2 months							
24	Spiny dogfish	200,000 lb/ 2 months			150,000 lb/ 2 months	100,000 lb/ 2 months			
25	Longnose skate	Unlimited							
26	Other Fish <sup>6/</sup> & Cabezon in Oregon and California	Unlimited							
1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.									
2/ Bocaccio, chilipepper and cowcod are included in the trip limits for Minor Shelf Rockfish and splitnose rockfish is included in the trip limits for Minor Slope Rockfish.									
3/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.									
4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lb or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.									
5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.									
6/ "Other Fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.									
7/ Beginning on January 1, 2016, the following trip limits are in effect for sablefish north of 36° N. lat. from January through December 1,275 lb/week, not to exceed 3,375 lb/ 2 months									
To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.									

TABLE 2 (North)

TABLE 2 (North)

**Table 2 (South) to Part 660, Subpart E -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Limited Entry Fixed Gear South of 40°10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table							#####
		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>							
1	40°10' N. lat. - 34°27' N. lat.	30 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>					
2	South of 34°27' N. lat.	60 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup> (also applies around islands)					
<b>See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</b>							
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.							
3	<b>Minor Slope rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	40,000 lb/ 2 months, of which no more than 1,375 lb may be blackgill rockfish			40,000 lb/ 2 months, of which no more than 1,600 lb may be blackgill rockfish		
4	<b>Splitnose rockfish</b>	40,000 lb/ 2 months					
5	<b>Sablefish<sup>6/</sup></b>						
6	40°10' N. lat. - 36°00' N. lat.	1,025 lb/ week, not to exceed 3,075 lb/ 2 months			1,125 lb/ week, not to exceed 3,375 lb/ 2 months		
7	South of 36°00' N. lat.	2,000 lb/ week					
8	<b>Longspine thornyhead</b>	10,000 lb/ 2 months					
9	<b>Shortspine thornyhead</b>						
10	40°10' N. lat. - 34°27' N. lat.	2,000 lb/ 2 months			2,500 lb/ 2 months		
11	South of 34°27' N. lat.	3,000 lb/ 2 months					
12	<b>Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish<sup>3/</sup></b>	5,000 lb/ month					
13		South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line, are not subject to the RCAs.					
14							
15							
16							
17							
18	<b>Whiting</b>	10,000 lb/ trip					
19	<b>Minor Shelf Rockfish<sup>2/</sup>, Shortbelly, Widow rockfish (including Bocaccio and Chilipepper between 40°10' - 34°27' N. lat.)</b>						
20	40°10' N. lat. - 34°27' N. lat.	Minor shelf rockfish, shortbelly, widow rockfish, bocaccio & chilipepper: 2,500 lb/ 2 months, of which no more than 500 lb may be any species other than chilipepper.					
21	South of 34°27' N. lat.	4,000 lb/ 2 months	CLOSED	4,000 lb/ 2 months			
22	<b>Chilipepper</b>						
23	40°10' N. lat. - 34°27' N. lat.	Chilipepper included under minor shelf rockfish, shortbelly, widow rockfish and bocaccio limits - - See above					
24	South of 34°27' N. lat.	2,000 lb/ 2 months, this opportunity only available seaward of the non-trawl RCA					
25	<b>Canary rockfish</b>	CLOSED					
26	<b>Yelloweye rockfish</b>	CLOSED					
27	<b>Cowcod</b>	CLOSED					
28	<b>Bronzespotted rockfish</b>	CLOSED					
29	<b>Bocaccio</b>						
30	40°10' N. lat. - 34°27' N. lat.	Bocaccio included under Minor shelf rockfish, shortbelly, widow rockfish & chilipepper limits - - See above					
31	South of 34°27' N. lat.	750 lb/ 2 months	CLOSED	750 lb/ 2 months			

TABLE 2 (South)





■ 4. Table 3 (North) and 3 (South) to part 660, subpart F, are revised to read as follows:

**Table 3 (North) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears North of 40°10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

#####

	JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>							
1 North of 46°16' N. lat.	shoreline - 100 fm line <sup>1/</sup>						
2 46°16' N. lat. - 42°00' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>						
3 42°00' N. lat. - 40°10' N. lat.	30 fm line <sup>1/</sup> - 100 fm line <sup>1/</sup>						
See §§660.60, 660.330 and 660.333 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).							
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.							
4 <b>Minor Slope Rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	Per trip, no more than 25% of weight of the sablefish landed						
5 <b>Pacific ocean perch</b>	100 lb/ month						
6 <b>Sablefish<sup>7/</sup></b>	300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 1,800 lb/ 2 months			350 lb/ day, or 1 landing per week of up to 1,600 lb, not to exceed 3,200 lb/ 2 months			
7 <b>Shortpine thornyheads and longspine thornyheads</b>	CLOSED						
8 <b>Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish<sup>3/</sup></b>	3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs.						
9	South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.						
10							
11							
12							
13							
14 <b>Whiting</b>	300 lb/ month						
15 <b>Minor Shelf Rockfish<sup>2/</sup>, Shortbelly, Widow &amp; Yellowtail rockfish</b>	200 lb/ month						
16 <b>Canary rockfish</b>	CLOSED						
17 <b>Yelloweye rockfish</b>	CLOSED						
18 <b>Minor Nearshore Rockfish &amp; Black rockfish</b>							
19 North of 42°00' N. lat.	5,000 lb/ 2 months, no more than 1,200 lb of which may be species other than black rockfish						
20 42°00' N. lat. - 40°10' N. lat.	8,500 lb/ 2 months, of which no more than 1,200 lb of which may be species other than black rockfish				6,000 lb/ 2 months, of which no more than 1,200 lb of which may be species other than black rockfish		
21 <b>Lingcod<sup>6/</sup></b>	100 lb/ month			600 lb/ month			100 lb/ month
22 <b>Pacific cod</b>	1,000 lb/ 2 months						
23 <b>Spiny dogfish</b>	200,000 lb/ 2 months			150,000 lb/ 2 months	100,000 lb/ 2 months		
24 <b>Longnose skate</b>	Unlimited						
25 <b>Other Fish<sup>6/</sup> &amp; Cabezon in Oregon and California</b>	Unlimited						

TABLE 3 (North)

TABLE 3 (North)

Table 3 (North). Continued

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
26	<b>SALMON TROLL</b> <i>(subject to RCAs when retaining all species of groundfish, except for yellowtail rockfish and lingcod, as described below)</i>						
27	North	<p>Salmon trollers may retain and land up to 1 lb of yellowtail rockfish for every 2 lbs of salmon landed, with a cumulative limit of 200 lb/month, both within and outside of the RCA. This limit is within the 200 lb per month combined limit for minor shelf rockfish, widow rockfish and yellowtail rockfish, and not in addition to that limit. Salmon trollers may retain and land up to 1 lingcod per 15 Chinook per trip, plus 1 lingcod per trip, up to a trip limit of 10 lingcod, on a trip where any fishing occurs within the RCA. This limit only applies during times when lingcod retention is allowed, and is not "CLOSED." This limit is within the per month limit for lingcod described in the table above, and not in addition to that limit. All groundfish species are subject to the open access limits, seasons, size limits and RCA restrictions listed in the table above, unless otherwise stated here.</p>					
28	<b>PINK SHRIMP NON-GROUNDFISH TRAWL</b> <i>(not subject to RCAs)</i>						
29	North	<p><b>Effective April 1 - October 31:</b> Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of these species count toward the per day and per trip groundfish limits and do not have species-specific limits. The amount of groundfish landed may not exceed the amount of pink shrimp landed.</p>					
<p>1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.</p> <p>2/ Bocaccio, chilipepper and cowcod rockfishes are included in the trip limits for Minor Shelf Rockfish. Splitnose rockfish is included in the trip limits for minor slope rockfish.</p> <p>3/ "Other flatfish" are defined at § 660.11 and include butter sole, curlfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.</p> <p>4/ For black rockfish north of Cape Alava (48°09.50' N. lat.), and between Destruction Is. (47°40' N. lat.) and Leadbetter Pnt. (46°38.17' N. lat.), there is an additional limit of 100 lbs or 30 percent by weight of all fish on board, whichever is greater, per vessel, per fishing trip.</p> <p>5/ The minimum size limit for lingcod is 22 inches (56 cm) total length North of 42° N. lat. and 24 inches (61 cm) total length South of 42° N. lat.</p> <p>6/ "Other fish" are defined at § 660.11 and include kelp greenling, leopard shark, and cabezon in Washington.</p> <p>7/ Beginning on January 1, 2016, the following trip limits are in effect for sablefish north of 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 2,000 lb/ 2 months.</p> <p><b>To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.</b></p>							

**Table 3 (South) to Part 660, Subpart F -- Non-Trawl Rockfish Conservation Areas and Trip Limits for Open Access Gears South of 40°10' N. lat.**

Other limits and requirements apply -- Read §§660.10 through 660.399 before using this table

\*\*\*\*\*

Other limits and requirements apply. Read §§660.60-660.79 for additional details.

		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC
<b>Rockfish Conservation Area (RCA)<sup>1/</sup>:</b>							
1	40°10' N. lat. - 34°27' N. lat.	30 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>					
2	South of 34°27' N. lat.	60 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup> (also applies around islands)					
<b>See §§660.60 and 660.230 for additional gear, trip limit and conservation area requirements and restrictions. See §§660.70-660.74 and §§660.76-660.79 for conservation area descriptions and coordinates (including RCAs, YRCAs, CCAs, Farallon Islands, Cordell Banks, and EFHCAs).</b>							
State trip limits and seasons may be more restrictive than Federal trip limits or seasons, particularly in waters off Oregon and California.							
3	<b>Minor Slope Rockfish<sup>2/</sup> &amp; Darkblotched rockfish</b>	10,000 lb/ 2 months, of which no more than 475 lb may be blackgill rockfish			10,000 lb/ 2 months, of which no more than 550 lb may be blackgill rockfish		
4	<b>Splitnose rockfish</b>	200 lb/ month					
5	<b>Sablefish<sup>6/</sup></b>						
6	40°10' N. lat. - 36°00' N. lat.	300 lb/ day, or 1 landing per week of up to 900 lb, not to exceed 1,800 lb/ 2 months			350 lb/ day, or 1 landing per week of up to 1,600 lb, not to exceed 3,200 lb/ 2 months		
7	South of 36°00' N. lat.	300 lb/ day, or 1 landing per week of up to 1,600 lb, not to exceed 3,200 lb/ 2 months					
8	<b>Shortpine thornyheads and longspine thornyheads</b>						
9	40°10' N. lat. - 34°27' N. lat.	CLOSED					
10	South of 34°27' N. lat.	50 lb/ day, no more than 1,000 lb/ 2 months					
11		3,000 lb/ month, no more than 300 lb of which may be species other than Pacific sanddabs.					
12	<b>Dover sole, arrowtooth flounder, petrale sole, English sole, starry flounder, Other Flatfish<sup>3/</sup></b>						
13		South of 42° N. lat., when fishing for "other flatfish," vessels using hook-and-line gear with no more than 12 hooks per line, using hooks no larger than "Number 2" hooks, which measure 0.44 in (11 mm) point to shank, and up to two 1 lb (0.45 kg) weights per line are not subject to the RCAs.					
14							
15							
16							
17	<b>Whiting</b>	300 lb/ month					
18	<b>Minor Shelf Rockfish<sup>2/</sup>, Shortbelly, Widow rockfish and Chilipepper</b>						
19	40°10' N. lat. - 34°27' N. lat.	300 lb/ 2 months	CLOSED	200 lb/ 2 months		300 lb/ 2 months	
20	South of 34°27' N. lat.	1500 lb/ 2 months		1500 lb/ 2 months			
21	<b>Canary rockfish</b>	CLOSED					
22	<b>Yelloweye rockfish</b>	CLOSED					
23	<b>Cowcod</b>	CLOSED					
24	<b>Bronzespotted rockfish</b>	CLOSED					
25	<b>Bocaccio</b>						
26	40°10' N. lat. - 34°27' N. lat.	200 lb/ 2 months	CLOSED	100 lb/ 2 months		200 lb/ 2 months	
27	South of 34°27' N. lat.	250 lb/ 2 months		250 lb/ 2 months			

TABLE 3 (South)

TABLE 3 (South)

Table 3 (South). Continued		JAN-FEB	MAR-APR	MAY-JUN	JUL-AUG	SEP-OCT	NOV-DEC	
28	Minor Nearshore Rockfish & Black rockfish							
29	Shallow nearshore	600 lb/ 2 months	CLOSED	800 lb/ 2 months	900 lb/ 2 months	800 lb/ 2 months	1,000 lb/ 2 months	
30	Deeper nearshore							
31	40° 10' N. lat. - 34° 27' N. lat.	700 lb/ 2 months	CLOSED	700 lb/ 2 months	900 lb/ 2 months		1,000 lb/ 2 months	
32	South of 34° 27' N. lat.	500 lb/ 2 months		600 lb/ 2 months				
33	California scorpionfish	1,200 lb/ 2 months	CLOSED	1,200 lb/ 2 months				
34	Lingcod <sup>4/</sup>	100 lb/ month	CLOSED	400 lb/ month				100 lb/ month
35	Pacific cod	1,000 lb/ 2 months						
36	Spiny dogfish	200,000 lb/ 2 months		150,000 lb/ 2 months	100,000 lb/ 2 months			
37	Longnose skate	Unlimited						
38	Other Fish <sup>5/</sup> & Cabezon	Unlimited						
39	RIDGEBACK PRAWN AND, SOUTH OF 38° 57.50' N. LAT., CA HALIBUT AND SEA CUCUMBER NON-GROUND FISH TRAWL							
40	NON-GROUND FISH TRAWL Rockfish Conservation Area (RCA) for CA Halibut, Sea Cucumber & Ridgeback Prawn:							
41	40° 10' N. lat. - 38° 00' N. lat.	100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>				100 fm line <sup>1/</sup> - 200 fm line <sup>1/</sup>	
42	38° 00' N. lat. - 34° 27' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup>						
43	South of 34° 27' N. lat.	100 fm line <sup>1/</sup> - 150 fm line <sup>1/</sup> along the mainland coast; shoreline - 150 fm line <sup>1/</sup> around islands						
44		Groundfish: 300 lb/trip. Species-specific limits described in the table above also apply and are counted toward the 300 lb groundfish per trip limit. The amount of groundfish landed may not exceed the amount of the target species landed, except that the amount of spiny dogfish landed may exceed the amount of target species landed. Spiny dogfish are limited by the 300 lb/trip overall groundfish limit. The daily trip limits for sablefish coastwide and thornyheads south of Pt. Conception and the overall groundfish "per trip" limit may not be multiplied by the number of days of the trip. Vessels participating in the California halibut fishery south of 38° 57.50' N. lat. are allowed to (1) land up to 100 lb/day of groundfish without the ratio requirement, provided that at least one California halibut is landed and (2) land up to 3,000 lb/month of flatfish, no more than 300 lb of which may be species other than Pacific sanddabs, sand sole, stary flounder, rock sole, curfin sole, or California scorpionfish (California scorpionfish is also subject to the trip limits and closures in line 31).						
45	PINK SHRIMP NON-GROUND FISH TRAWL GEAR (not subject to RCAs)							
46	South	Effective April 1 - October 31: Groundfish: 500 lb/day, multiplied by the number of days of the trip, not to exceed 1,500 lb/trip. The following sublimits also apply and are counted toward the overall 500 lb/day and 1,500 lb/trip groundfish limits: lingcod 300 lb/month (minimum 24 inch size limit); sablefish 2,000 lb/month; canary, thornyheads and yelloweye rockfish are PROHIBITED. All other groundfish species taken are managed under the overall 500 lb/day and 1,500 lb/trip groundfish limits. Landings of all groundfish species count toward the per day, per trip or other species-specific sublimits described here and the species-specific limits described in the table above do not apply. The amount of groundfish landed may not exceed the amount of pink shrimp landed.						
1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.								
2/ POP is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limits. Yellowtail rockfish is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.								
3/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.								
4/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.								
5/ "Other fish" are defined at § 660.11 and includes kelp greenling, leopard shark, and cabezon in Washington.								
6/ Beginning on January 1, 2016, the following trip limits are in effect for sablefish north of 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 2,000 lb/ 2 months.								
To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.								

TABLE 3 (South) cont'd

TABLE 3 (South) cont'd

- 1/ The Rockfish Conservation Area is an area closed to fishing by particular gear types, bounded by lines specifically defined by latitude and longitude coordinates set out at §§ 660.71-660.74. This RCA is not defined by depth contours (with the exception of the 20-fm depth contour boundary south of 42° N. lat.), and the boundary lines that define the RCA may close areas that are deeper or shallower than the depth contour. Vessels that are subject to RCA restrictions may not fish in the RCA, or operate in the RCA for any purpose other than transiting.
- 2/ POP is included in the trip limits for minor slope rockfish. Blackgill rockfish have a species specific trip sub-limit within the minor slope rockfish cumulative limits. Yellowtail rockfish is included in the trip limits for minor shelf rockfish. Bronzespotted rockfish have a species specific trip limit.
- 3/ "Other flatfish" are defined at § 660.11 and include butter sole, curfin sole, flathead sole, Pacific sanddab, rex sole, rock sole, and sand sole.
- 4/ The commercial minimum size limit for lingcod is 24 inches (61 cm) total length South of 42° N. lat.
- 5/ "Other fish" are defined at § 660.11 and includes kelp greenling, leopard shark, and cabezon in Washington.
- 6/ Beginning on January 1, 2016, the following trip limits are in effect for sablefish north of 36° N. lat. 300 lb/ day, or 1 landing per week of up to 1,000 lb, not to exceed 2,000 lb/ 2 months.
- To convert pounds to kilograms, divide by 2.20462, the number of pounds in one kilogram.